Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




COTTON QUALITY CROP OF 2004



U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

Vol. 78, No. 9 – Annual Report Bales Classed 08/01/04 - 04/28/05

June 2005



COTTON QUALITY - UNITED STATES 2004 Crop

Color. The predominant color of Upland cotton classed from the 2004 crop was color 41, accounting for 32 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton Program. Color 31 was the predominant color grade in 2003 and made up 45 percent of classings. In the white color grades, color 41 and better made up 75 percent of classings, down from 94 percent in 2003. All white color grades accounted for 84 percent of the 2004 percent in 2003. Light Spotted color grades comprised 12 percent of classings, up from 5 percent in 2003. Spotted color grades made up about 3 percent of classings this season, as compared to less than 1 percent a year earlier. Tinged, Yellow Stained and Below grades accounted for about 1 percent of classings this season, compared to less than one-half percent last year.

<u>Leaf</u>. The predominant leaf grade of Upland cotton classed from the 2004 crop was leaf grade 3, accounting for 52 percent of Upland classings. Leaf grade 3 was also the predominant leaf grade a year earlier, making up 55 percent of classings. Leaf grade 4 comprised the next highest percentage from the 2004 crop at 35 percent against 26 percent a year ago. Leaf grades 1-2 made up 9 percent of classings of the 2004 crop, compared with 17 percent in 2003. Leaf grades 5-7 made up about 4 percent of classings, as compared to 2 percent last year.

Staple. The average staple length of Upland cotton classed from the 2004 crop was 34.9 thirty-seconds of an inch, up slightly from 34.7 a year ago. The predominant staple length was 35, making up about 30 percent of classings. Staple 34 was the predominant length last year and accounted for 28 percent of classings. Staples 31 and shorter comprised 1 percent of classings this season, down from 2 percent last year. Staples 32 and 33, at 13 percent, were down from 16 percent the previous year. Staple 34 made up 21 percent of the crop, down from 28 percent last year. Staples 36 and longer accounted for 34 percent of classings, up from 26 percent the previous year.

Mike. The average mike of Upland cotton classed from the 2004 crop was 4.3, compared to 4.6 for last three years. Cotton with mike 3.4 and lower made up about 9 percent of classings, up from 3 percent in 2003. Cotton miking 3.5 through 4.9 comprised 84 percent of the classings this season, up slightly from 83 percent a year ago. Cotton with mike 5.0 and higher made up 12 percent of the classings, down from 14 percent in 2003.

Strength. The average fiber strength of Upland cotton classed from the 2004 crop was 29.2 grams per tex, compared with 28.8 in 2003. Strengths in the 22 grams per tex and lower range accounted for less than 1 percent of classings, the same as the last three years. Strengths in the 23 to 25 range accounted for 3 percent, down from 4 percent in 2003. Cotton with strengths of 26 to 29 grams per tex accounted for 57 percent of classings, down from 65 percent in 2003. Strengths in the 30 and higher range comprised 40 percent of classings, up from 31 percent a year ago.

American Pima. Color grades 1 and 2 made up 76 percent of classings from the 2004 crop, down from 96 percent in 2003. Color grade 2 was the predominant color grade in 2004, accounting for 58 percent of the classings. Color grades 3 and lower comprised 24 percent of 2004 classings. Leaf grades 1 and 2 accounted respectively for 22 percent and 49 percent of the 2004 classings. The average staple length was 46.5 thirty-seconds of an inch, as compared to 46.9 last year. Staple 46 was the predominant length, comprising 56 percent of classings this season. Staple 48 was the predominant staple length in 2003. Average mike was 4.0, as compared to 4.1 last year. Average fiber strength was 40.3 grams per tex, the down from 40.6 last year.

Ginnings of 2004-crop cotton in the United States totaled 22,555,550 running bales, according to the Cotton Ginnings 2004 Summary report released on May 12, 2005 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 21,838,600 bales of Upland and 716,950 bales of American Pima cotton. The number of active cotton gins for crop year 2004 was 896 compared with 890 in 2003. Classings at AMS, Cotton Program Offices totaled 21,831,905 Upland samples and 717,005 American Pima samples through April 28, 2005.

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through

COLOR	OTTAX PER	-	1			2004 Crop			accourant and agri		
COLOR 25, 4	QUALITY	LEAF					STAPLE				
Bales Bale	COLOR	22.11	II .	28	29	30	21	22	20		
18 c.21			Bales								34 & -
1	11 & 21	- 11	-	-							254,500
19				1							546,650
TOTAL		12		•							56,674
TOTAL— 1		II .			3	11	18	75			1,129
1		7		-		1	1	-	5	20	27
1			-	1	86	927	6,451	33.369	173.514	644 632	858 080
1	31		-	9		399					92,300
S		III.	-	17							1,069,132
TOTAL		Н									390,000
TOTAL		II .		30	4						24,546
101AL		7	-		_	1					917
1			-	83	806	4,933					1 576 942
140 142 143	41		-		58						48,899
1		1	-				23,348				1,494,297
TOTAL— TOTAL—	COLOR	67,856			1,000,770						
TOTAL— 7	COLOR		52,909	89,018							
TOTAL— 1-14 1-19 1-10	QUALITY					7,806					
1-2			•	114							1,052
1	51	II .	-	-							
		1	-		177	1,505					
6		11	-	3				20,887			304,499
TOTAL— 7			_							25,828	44,495
TOTAL— 1-15 278 2,540 12,291 65,647 231,077 473,400 785,65 01 1-2			-	-							5,417
61 1-2			-	15							780
1	61	H	-	-		-					
## 1			-	1	1						536
TOTAL— 1					6						8,844
TOTAL					-	4			777		2,192
TOTAL		H I					5				348
71				1	7	33	352			47	87
1	71		-	-	-	-					
TOTAL		11	-	-	1	9					9 195
TOTAL— 1 5 7 13 12		11		-	-	1	8				117
TOTAL		11		_	•	•	1		7		26
10		7	-				1				26
12 & 22			-	-	1	10	25				39
10,000	12 & 22		-	-	3						
TOTAL		11		3						20 204	
66 - - 1 10 66 224 252 55 TOTAL— - 3 49 577 4,024 13,660 23,860 31,657 73,830 32 1-2 - 11 48 199 783 2,103 2,816 2,753 8,71 4 1 25 273 1,385 5,842 20,183 43,057 52,115 192,88 5 - 36 128 182 394 1,419 3,617 4,834 10,610 5 - 36 128 182 394 1,419 3,617 4,834 10,610 6 - 9 5 10 17 63 248 378 73 TOTAL— 1 100 752 4,563 19,733 62,268 116,179 135,103 338,699 42 1-2 2 9 84 138 474				•	7						
TOTAL— - 3 49 577 4,024 13,660 23,860 31,657 73,83 32 1-2 - 11 48 199 783 2,103 2,816 2,753 8,71 4 1 25 273 1,385 5,842 20,183 43,057 52,115 122,88 5 - 36 128 182 394 1,419 3,617 4,834 10,611 6 - 9 5 10 17 63 2248 378 73 7 - - 1 100 752 4,563 19,733 62,268 116,179 135,103 338,699 42 1-2 2 9 84 138 474 1,332 1,793 1,529 5,36 42 1-2 2 9 84 138 474 1,332 1,793 1,529 5,36 42 1-2 2		1 0			Ţ.	1	10	66	224		553
1-2		7	-		-		•	-	7	22	29
1-2				3	49	577	4.024		23 860	24 057	3
1	32		-								
TOTAL			,				12,695				
10		- 1	1					20,183			122,881
TOTAL— 7										4,834	10,610
1		7	-	-		-					730
1-2					752	4,563					97
1	42										
S		- 11									
66 - 26 193 1,014 859 1,015 1,801 2,150 7,058 TOTAL— 27 292 2,093 11,784 35,227 109,314 252,167 310,702 721,606 52 1-2 - 2 10 22 93 374 673 698 1,872 4 - 6 183 1,138 3,698 12,498 36,539 64,720 118,782 5 - 4 51 499 1,429 3,984 9,594 13,155 28,716 6 - 1 23 170 436 754 1,666 1,884 4,934 TOTAL— 1 42 532 3,076 0.000 225 287 306 1,154			8								351,715
7 1 4 75 323 375 223 207 296 1,504 7 1 4 75 323 375 223 207 296 1,504 52 1-2 - 2 10 22 93 374 252,167 310,702 721,606 4 - 6 183 1,138 3,698 12,498 36,539 64,720 118,782 5 - 4 51 499 1,429 3,984 9,594 13,155 28,716 6 - 1 23 170 436 754 1,666 1,884 4,934 TOTAL— 1 42 532 3,076 0,000										24,279	56,458
TOTAL— 27 292 2,093 11,784 35,227 109,314 252,167 310,702 721,606 52 1-2 - 2 10 22 93 374 673 698 1,872 4 - 6 183 1,138 3,698 12,755 34,662 60,911 113,573 5 - 4 51 499 1,429 3,984 9,594 13,155 28,716 6 - 1 23 170 436 754 1,666 1,884 4,934 TOTAL— 1 42 532 3,076 0,075 225 287 306 1,154		7	1								7,058
52			27	292							1,504
1 29 254 1,176 3,785 12,755 34,662 60,911 113,573 5 12,755 34,662 60,911 113,573 5 12,755 12,	52	li li			10						
5 - 4 51 499 1,429 3,984 9,594 13,155 28,716 7 - 11 71 254 225 287 306 1,154		31	ì			1,176					
6 - 1 23 170 436 754 1,666 1,884 4,934 7 - 11 71 254 225 287 306 1,154		11						12,498			
7 - 11 71 254 225 287 306 1,154				1					9,594		28,716
TOTAL 1 42 532 3.076 0.005 223 287 306 1,154		- 1	1112							1,884	4,934
30,350 83,427 141,674 269,031	TOTAL		1	42							1,154
								00,000	03,421	141,674	269,031

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through

QUALITY					2004 Crop			Jasseu tilloug	11	
	LEAF					STAPLE			351	
COLOR		26 & -	20							
		Bales	28 Bales	29	30	31	32	33	27.7	
62	1-2		Dates	Bales	Bales	Bales	Bales	Bales	34	34
	3				2	9	50	62	Bales	Ba
	4	Mari	-	7	40	115	456	1,119		
	5	m i	2	17	72	202	715		-,	
	6		•	3	16	83	264	1,675	2,591	
	7		•		6	12	52	806	888	
TOTAL-			-			1	6	187	184	
13 & 23	1-2	-	2	27	136	422	1,543	25	26	
	3	•	3	1	27	112	297	3,874	6,026	1:
	4		10	9	133	755		563	895	
	5		-	1	17	127	2,401	3,648	3,463	1
	6	•		-		5	603	1,080	912	
	7	•					22	40	39	
TOTAL-		-	-	-			-	9	3	
33		•	13	11	177	999	2 000	2	-	
33	1-2		2	34	206	475	3,323	5,342	5,312	15
	3	-	1.1	187	1,421		1,079	1,345	1,495	
	4		27	102	632	4,707	14,242	22,816	27,428	76
	5	-	11	15	31	2,279	7,041	14,037	15,229	39
	6			1	31	164	491	1,192	1,021	2
TOTAL	7	-				17	21	60	53	-
TOTAL-	_		51	339	2,291	5	5	7	5	
43	1-2		-	2		7,647	22,879	39,457	45,231	117,
	3		18	317	79	210	435	553	603	1
	4	1	38	416	2,189	5,329	13,493	24,973	31,305	
	5	-	65	335	2,941	8,025	17,088	34,090	42,820	77 105
	6		35	319	1,384	2,010	3,549	6,082	6,014	
	7		23	137	865	492	473	660	551	19
TOTAL-		1	179		366	220	122	69	88	3,
53	1-2			1,526	7,824	16,286	35,160	66,427	81,381	1,
	3		12	1	6	25	74	134		208,7
	4			39	183	426	1,189	3,032	74	
	5		10 2	53	197	705	1,883	4,401	5,286	10,
	6		2	16	164	552	1,227	2,334	6,861	14,
	7		,	31	187	211	304	634	2,227	6,:
TOTAL			<u>6</u> 30	58	206	155	87	113	624	1,9
63	1-2		30	198	943	2,074	4,764	10,648	157 15,229	
	3		•	-	2	13	33	21		33,8
	4		-		3	39	138	222	28	
	5			1	6	67	205	362	275	6
	6		*	-	6	44	68	159	489	1,1
	7				5	6	13	62	254	5
TOTAL				-	3	3	3	19	60	1
24-54	1-7			1	25	172	460	845	10	
25-35	1-7	9	211	809	3,717	8,294	17,147		1,116	2,61
81-85 1/	1-7	-	-	27	62	236	368	32,269	35,405	97,8
All Colors	8 2/	24	107	211	736	1,651	2,519	241	222	1,13
TOTAL, ALL	0 2/	2	36	206	641	622		3,045	2,110	10,40
		65	4 200			022	400	374	352	200
TOTAL, ALL		00	1,280	9,458	55,645	196,350	723,123	2,174,873	4,629,746	7,790,54

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through

QUALITY	- 15.5				004 Crop	STAPLE			
COLOR	LEAF	35	36	27	20				
		Bales	Bales	37 Bales	38 Bales	39	40 &+	35 to 40+	TOTA
11 & 21	1-2	352,493	330,810	308,812	120,572	Bales 19,789	Bales 2,712	Bales	Bales
	3	764,297	645,860	303,475	72,908	15,945	1,690	1,135,188 1,804,175	1,389,6 2,350,8
	4	100,947	99,232	50,145	9,261	1,370	117	261,072	2,330,1
	5 6	1,352	1,304	722	146	36	3	3,563	4,6
	7	13	6	4	•	-		23	-
TOTAL		1,219,102	1,077,212	663,158	202,887	37,140	4 522	2 204 204	
31	1-2	68,640	48,598	37,514	9,304	1,687	4,522 320	3,204,021	4,063,0
	3	1,030,968	704,816	304,584	53,555	7,658	1,078	2,102,659	258,3 3,171,7
	4 5	511,250	479,895	250,647	40,561	3,121	304	1,285,778	1,675,7
	6	31,368 735	34,428	23,419	5,024	436	21	94,696	119,2
	7	16	616	421 9	119	20		1,911	2,8
TOTAL		1,642,977	1,268,364	616,594	108,565	12,922	1,723	38	
41	1-2	31,143	19,173	12,281	3,260	448	24	3,651,145 66,329	5,228,08
	3	1,149,667	666,789	181,317	25,818	4,919	622	2,029,132	115,2 3,523,4
	4 5	1,023,745	786,802	268,760	28,407	3,289	501	2,111,504	3,112,2
	6	82,983 4,597	81,984	44,940	6,916	664	76	217,563	306,58
	7	280	3,982 187	2,657 97	537	56	4	11,833	19,63
TOTAL		2,292,415	1,558,917	510,052	64,952	9,380	4 007	582	1,63
51	1-2	4,866	3,006	2,569	733	89	1,227	4,436,943	7,078,78
	3	257,699	129,108	36,311	5,694	1,051	3 127	11,266 429,990	23,01
	4	302,391	243,603	76,636	7,191	298	1,399	631,518	848,68 936,01
	5	36,180	37,143	16,584	1,807	111	5	91,830	136,32
	7	2,730 236	1,775	926	137	14	1	5,583	11,00
TOTAL		604,102	414,730	67 133,093	9 15,571	4 700	-	407	1,18
61	1-2	244	75	20	11	1,796	184	1,169,476	1,955,10
	3	5,867	2,484	531	40	14	,-	350	88
	4	6,913	3,701	934	93	4		8,937 11,645	18,05 20,48
	5	1,075	565	163	17	2		1,822	4,01
	7	164 22	93 16	30	10	1	-	298	64
TOTAL		14,285	6,934	1,679	171	- 04		39	120
71	1-2	-	-	1	- 1/1	21	1	23,091	44,217
	3	26	15	4		1	-	1	10
	4 5	42	15	5	-	i	-	46 63	241 180
	6	16	5	1	1	-	-	23	49
	7	2	3	1	-	-	-	5	31
TOTAL-		87	38	12	1	2		2	41
2 & 22	1-2	8,926	6,547	9,089	4,014	2,063	515	140	552
	3	23,444	15,223	12,291	4,390	1,102	339	31,154 56,789	42,136
	4 5	6,929	4,824	4,127	1,173	167	23	17,243	106,021 30,274
	6	200	160	130	64	23	5	582	1,135
	7	-		1	2	2		11	40
TOTAL		39,505	26,754	25,638	9,643	3,357		-	3
32	1-2	2,633	1,969	3,177	1,513	364	882	105,779	179,609
	3	64,908	37,761	19,128	5,806	1,224	331	9,706 129,158	18,419
	4 5	51,847	35,342	20,826	4,403	604	120	113,142	324,826 236,023
- 1	6	4,607 289	3,966 142	3,330	1,330	212	9	13,454	24,064
	7	37	10	136	52 2	9	-	628	1,358
TOTAL		124,321	79,190	46,605	13,106	2,413	-	57	154
42	1-2	1,230	866	1,301	574	67	510	266,145	604,844
	3	104,705	59,103	18,378	3,717	749	11 42	4,049	9,410
	4 5	165,097	129,492	46,679	5,027	772	79	186,694 347,146	486,204
	6	24,344 1,740	24,433	13,552	1,930	234	40	64,533	698,861 120,991
	7	213	1,107	869	223	31	6	3,976	11,034
TOTAL		297,329	215,085	80,926	32	4.000	- 1	476	1,980
52	1-2	398	145	74	11,503	1,853	178	606,874	1,328,480
	3	49,552	21,378	4,923	20 400	2		639	2,511
	4	79,876	62,318	17,045	969	70 107	27	76,350	189,923
	5	14,600	15,005	6,444	459	57	12 7	160,327	279,109
	6	1,380	892	440	46	3	3	36,572 2,764	65,288
		200	67	44	1	1		313	7,698
TOTAL		146,006	99,805	28,970	1,895	240		313	1,467

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through

QUALITY	LEAF				2004 Crop	STAPLE			
COLOR		35	26			STAFLE			
(0		Bales	36 Bales	Bales	38	39	40 &+	35 to 40+	
62	1-2	65	18	Dales 2	Bales	Bales	Bales	Bales	TOT
	3	2,044	614	130	2			87	Bal
	4	2,847	1,654	352	12	7	1	2,808	(
	5	626	267	90	23 16	2		4,878	10
	6 7	113	52	29	10			999	3
TOTAL-		26	24	8				194	
13 & 23	1-2	5,721	2,629	611	53	9	-	58	
	3	1,040	667	905	354	67	1	9,024	21,
	4	3,382 812	1,640	806	292	77	15	3,048	4
	5	29	382	168	31	7	10	6,207	16
	6	1	19	12	4		-	1,400	4
	7				-		2	66	
TOTAL		5,264	2,708		-			1	
33	1-2	1,365	799	1,891	681	151	27	10,722	
	3	25,613	13,506	979	516	74	18		25,8
	4	14,510	8,876	4,865	1,009	248	38	3,751	8,
	5	771	630	3,591	603	105	10	45,279 27,695	116,
	6	35	19	452	116	23	3	1,995	67,
TOTAL	7	2	1	10	4	2		70	4,
TOTAL		42,296	23,831	9,897	0.000			4	
43	1-2	495	483	526	2,249	452	69	78,794	196,6
	3	26,543	14,346	5,649	273	30	12	1,819	
	4	38,602	22,619	9,050	1,247	148	76	48,009	3,7 125,6
	5	4,501	3,084	1,708	916	142	32	71,361	176,7
	6 7	301	171	99	244 35	60	4	9,601	29,0
TOTAL	1-1-	81	24	14	1	4	-	610	4,0
53	1-2	70,523	40,727	17,046	2,716	384	-	120	1,1
	3	39	35	50	8	304	124	131,520	340,30
	4	4,759	2,662	954	167	40		132	4
	5	8,017 2,109	6,175	2,174	174	32	6	8,588	18,7
	6	300	1,827	1,035	58	4	1	16,579	30,68
	7	55	172 38	128	5		1	5,034	11,55
TOTAL		15,279	10,909	4,368	1			605	2,59
63	1-2	13	2		413	76	14	31,059	64,94
	3	263	94	32	-	-	-	15	
	4	386	177	55	6	2	3	400	11
	5	150	63	25	5	1	-	624	1,07 1,75
- 1	6	30	15	6	6		-	243	77
TOTAL	7	7	4	1	0	•	-	57	20
24-54	1.7	849	355	119	22	3		12	50
25-35	1-7	21,373	9,978	3,660	493	the second of th	3	1,351	3,970
1-85 1/	1-7	72	6	1	-	96	-	35,600	133,46
Colors	8 2/	1,132	490	251	40	10	454	79	1,235
AL, ALL		6,5 42,786	68	40	4	-	454	2,377	12,780
		0,042,700	4,838,730	2,144,611	434,965	70,305	9,968	260	2,893
EXTRAN	EOUS MATTE	R				A	ge Staple	14,041,365	21,831,905
Bark	- Level 1		3,425,537			Percen	t Tenderable		34.9
Bark	- Level 2		2,180						63.8
Gras	s - Level 1		79,813						
	- Level 2		940						
	- Level 1		45,694						
	- Level 2		142						
Other	- Level 1 - Level 2		7,095						
0.1									

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through

QUALITY	LEAF				2003 Crop	STAPLE				
COLOR	LEAF	26 & -	28	29	30	21	20			
		Bales	Bales	Bales	Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & -
11 & 21	1-2	8	235	2,255	13,624	47,997	114,715	229,029	342,153	Bales 750,0
	3 4	6	189	1,221	7,209	28,380	81,801	197,095	337,973	653,8
	5		12	118	759	3,448	8,819	14,581	25,363	53,1
	6			4	49	191	501	522	652	1,9
75	7	-	-			4	13	9	15	
TOTAL-		14	436	3,598	21,641	80,021	205,851	441,236	706,156	1,458,95
31	1-2	8	98	685	3,528	12,832	38,572	96,302	139,052	291,07
	3 4	22	248	1,714	9,637	36,630	140,940	718,849	1,727,565	2,635,60
	5	12	114	697	4,445	16,626	43,603	161,007	503,233	729,73
	6	1	9	130	1,007	4,103	9,803	12,584	21,923	49,55
	7			-	60 4	387 31	1,019	984	841	3,29
TOTAL-		42	470	3,231	18,681	70,609	91 234,028	989,796	41	23
41	1-2	-	-	32	219	886	3,809	11,797	2,392,655	3,709,51
	3	-	4	70	811	5,248	61,305	372,857	16,689 852,383	33,43
	4 5	-	12	89	638	3,293	24,933	171,676	556,796	1,292,67 757,43
	6	•	12	76	450	2,088	5,794	15,413	41,679	65,51
	7		1	43	194	668	1,673	2,596	3,452	8,62
TOTAL-			29	311	2,368	118	273	462	450	1,36
51	1-2	-		1	9	12,301	97,787	574,801	1,471,449	2,159,046
	3			i	24	22 425	133	293	360	81
	4	-	-	1	15	364	4,506 4,583	16,420 20,564	23,153	44,529
	5		-	1 -	7	88	1,032	4,030	34,449 6,672	59,976
	6 7	-			3	28	157	507	754	11,829
TOTAL-			-	-	2	29	66	147	177	421
61	1-2		-	3	60	956	10,477	41,961	65,565	119,022
	3			1	1		4	9	11	24
	4	-	-		1	6 2	38 71	86	96	228
	5	-	-	-	-	5	30	218 121	247	539
	6 7	-	+	-		1	9	21	144 28	300
TOTAL-		-	-	-		-	3	6	4	59 13
71	1-2		-	1	2	14	155	461	530	1,163
	3				-	1	-	1	2	4
	4	+_	1 .1			2	2	3	7	14
	5					-	1	2	4	7
	6 7		-			-		1	2	3
TOTAL	/	-	-	-		-	-			
2 & 22	1-2	3	-	•		3	3	7	15	28
	3	1	116 32	806 324	2,131	4,689	8,155	10,434	11,091	37,425
	4		10	54	1,488 308	5,159	9,728	14,021	16,706	47,459
	5	-	3	1	17	894 67	1,460 129	2,088	2,852	7,666
	6	-			- 1	-	5	82	156	455
TOTAL	7	-	-	-	-	-			6	12
32	1-2	4	161	1,185	3,944	10,809	19,477	26,626	30,811	93,017
32	3	3 5	50	253	751	1,448	2,525	3,326	2,902	11,258
	4	-	78 35	456	2,338	6,555	11,665	25,014	35,175	81,286
	5	1	8	269 81	1,374 331	4,126	8,054	14,338	23,793	51,989
	6	-	1	3	24	1,245 138	2,377	2,027	2,912	8,982
	7	-	-		2	25	283 43	177	229	855
TOTAL		9	172	1,062	4,820	13,537	24,947	30 44,912	65,040	129
42	1-2		-	12	56	127	422	848	752	154,499
	4		4	74	577	2,031	6,427	22,234	35,250	2,217 66,597
	5		5	68	609	2,765	7,256	23,668	49,037	83,408
	6		4	37 32	306	1,213	2,914	5,189	8,656	18,318
	7	_	-	2	72 24	294	600	697	845	2,544
TOTAL-			16	225	1,644	55 6,485	131	117	138	467
52	1-2	-			1	1	17,750 28	52,753	94,678	173,551
	3	-	-	2	21	210	1,153	62 4,276	56	148
	4 5	1		4	34	223	1,505	7,073	5,250	10,912
	6		-	1	5	70	340	1,692	12,295 3,047	21,135 5,155
	7			3	8	17	45	217	293	5,155
TOTAL		1	-	10	70	523	13	42	39	97
							3,084	13,362	20,980	

Table 2. – United States: Distribution of color, leaf and staple for upland cotton classed through

2003 Crop QUALITY LEAF STAPLE COLOR 26 & Bales Bales Bales Bales 34 & -1-2 Bales Bales Bales Bales Bales TOTAL-13 & 23 1-2 1,010 1,153 3,052 1,123 1,409 1,509 4.944 1,050 TOTAL-1,244 1-2 1,956 2,470 2,921 9,260 1,428 1.255 2,248 3,568 8.170 1,168 1,389 1,848 6,005 2,814 TOTAL-1,314 2,765 1-2 3,430 4,555 6,277 18,777 1,932 3,700 6,337 2,448 3,900 7,591 1,089 3,134 TOTAL-1-2 2,464 5,917 8,751 18,343 2,197 1,768 2,328 4,527 1,184 TOTAL-1-2 3,103 4,113 8,185 TOTAL-24-54 1-7 25-35 1,123 1,562 1-7 1,183 1,142 1,623 81-85 1/ 6,856 1-7 All Colors 8 2/ TOTAL, ALL-1,349 10,464 56,736 1,346 202,194 624,026 2,204,637 4,873,189 7,972,666

Table 2. -- United States: Distribution of color, leaf and staple for upland cotton classed through

2003 Crop QUALITY STAPLE LEAF COLOR 35 37 38 39 40 &+ 35 to 40+ TOTAL Bales Bales Bales Bales Bales Bales Bales Bales 11 & 21 1-2 399 529 392,109 336,383 177,708 95 041 18,305 1,419,075 2,169,091 3 310,461 272,844 285,735 81 510 45,131 16,457 1,012,138 1,666,012 4 29,115 21,382 20,829 5,454 1,490 775 79,045 132,145 5 551 415 277 127 38 11 1,419 3,338 6 10 24 65 TOTAL-643,229 739,666 686,757 264,800 141,701 35,548 2,511,701 3,970,654 122,162 87,921 46,144 18,235 9.164 2,708 286,334 577,411 1.515.762 666,743 250,813 46,008 22 251 11,451 2,513,028 5,148,633 4 680.634 346,665 127,908 23.677 5,331 2,441 1,186,656 1,916,393 30,593 16,859 8,005 1,793 428 197 57,875 107.434 6 902 459 315 79 18 1,777 5,074 40 277 TOTAL-2,350,073 1,118,659 433,191 89,793 37,193 16,801 4,045,710 7,755,222 41 11,537 5,566 2,655 660 147 20,582 54,014 3 673,866 218 289 59,541 8,442 1,490 272 961,900 2,254,578 4 708.681 310,172 99,741 18,046 2,424 387 1,139,451 1,896,888 67.877 39 344 20,014 5,051 748 82 133,116 198,628 6 3.980 2,221 1,547 339 49 8,143 16,770 350 165 20 653 2,013 TOTAL-1,466,291 575,757 183,613 32,558 4.859 767 2,263,845 4,422,891 51 1-2 128 87 18 566 1,384 3 13,269 2,432 4,257 547 10 20,572 65,101 4 24,934 9,317 5.028 946 76 450 40.751 100,727 5 5,664 2,959 1,843 272 70 1 10,809 22,638 6 811 462 382 62 48 1,765 3,214 173 101 41 320 741 TOTAL ---45,180 17,224 9,813 1,849 280 26 74,372 193,334 1-2 -1 23 47 3 85 49 39 2 184 412 4 133 68 57 6 265 5 804 56 37 54 12 160 460 6 23 20 15 3 61 120 9 30 17 TOTAL-313 183 177 32 2 710 1.873 1-2 3 6 6 7 21 35 4 2 13 20 5 2 5 6 TOTAL-12 10 16 41 69 12 & 22 8 347 4,667 2,679 1,505 914 18,275 55,700 3 14 653 10.431 8,254 2.368 1,339 560 37,605 85 064 4 2.902 2,063 1,433 375 89 113 6 975 14,641 134 74 45 6 2 268 723 6 3 15 TOTAL----26,036 17,238 12,411 4 254 2,344 843 63,126 156,143 32 1,999 1,238 946 599 382 105 5,269 16,527 28,172 15,730 10.883 3,308 2.031 772 60,896 142 182 24,443 12.967 9,533 2,744 742 685 51,114 103 103 3,165 1,481 879 351 145 187 6,208 6 15,190 204 92 57 26 5 6 390 1,245 TOTAL-58,003 160 31,516 22,300 7,029 3.305 1,755 123,908 278,407 42 1-2 414 340 354 142 4 1,291 3,508 3 23 532 10,707 6.376 1,624 432 74 42.745 109,342 4 45,868 19,782 12.261 3,647 601 140 82,299 165,707 5 9,823 4,567 2.404 730 236 39 17,799 36,117 6 785 395 276 65 13 4 1,538 4.082 28 40 TOTAL---196 663 80,537 35,819 21.711 6,218 1,319 254 145,868 319,419 1-2 56 23 33 20 138 286 2 988 3 1,017 765 219 35 5 026 15,938 4 9.460 3,475 2,910 647 52 16,548 37,683 5 2.599 1,269 1,097 224 39 5,230 10,385 6 256 218 240 37 15 766 1.349 40 40 31 119 TOTAL-216 15,399 6.042 5.076 1,151 149 10 27,827 65,857

Table 2. – United States: Distribution of color, leaf and staple for upland cotton classed through

QUALITY					2003 Crop	le for upland cot	5.05555 (1110	agii	
COLOR	LEAF					STAPLE			
COLOR		35	36	37	38	20			
62	1-2	Bales	Bales	Bales	Bales	39 Bales	40 &+	35 to 40+	тот
	3	1	3	-	3	Dates	Bales	Bales	Bale
	4	60 113	37	42	8	1	*		
	5	40	78	66	1	`.	, -	148	
	6	12	30 15	48	10	I	1	266	
7074	7	2		34	8	1		129 70	
TOTAL-		228	165	194	-			8	
13 & 23	1-2	976	545	250	37		1	629	1,
	3	1,213	798	857	170	56	6	2,003	5
	4 5	251	135	65	119 12	61	17	3,065	8
	6	15	15	1	12	4	2	469	1
	7	1		-			•	31	
TOTAL-		2,456		-			•	1	
33	1-2	366	1,493	1,173	301	121	25		
	3	3,409	263	133	121	75	9	5,569	14,
	4	1,850	2,592	1,886	550	232	69	967	2,
	5	304	1,321 99	1,017	315	55	48	8,738	16,
	6	29	3	62	33	19	3	4,606 520	10,
7074	7	1		5	2	1	2	42	3,
TOTAL		5,959	4,278	3,103	4.004	-		1	
43	1-2	132	59	64	1,021	382	131	14,874	33,6
	3	3,871	2,817	1,657	24 425	5	-	284	(
	4 5	4,178	2,956	2,766	762	91	18	8,879	15,2
	6	740	438	428	128	110 59	25	10,797	18,3
	7	139	57	46	26	4	21	1,814	4,9
TOTAL-		9,087	6	6	2	1		280	1,0
53	1-2	15	6,333	4,967	1,367	270	72	22,096	1
	3	695	6 407	9	7	1			40,43
	4	1,824	1,229	394	85	9	2	38 1,592	1
	5	522	432	1,199 575	264	23	3	4,542	3,78 9,00
	6	75	61	104	76	12	8	1,625	2,80
TOTAL	7	5	5	9	6	5	4	260	44
63		3,136	2,140	2,290	449	52	-	27	
05	1-2	1	1	-		32	17	8,084	16,26
	4	11	11	14	2	1	1	4	
	5	78 72	58	54	6		-	38	1.5
	6	12	42	29	2		_	196	59
	7	3	6	11	2			145 31	47
TOTAL		177	119	109	-			5	14
24-54	1-7	1,794	2,172	2,013	12	1	1	419	1,382
25-35	1-7	1	-, -, -	2,013	633	125	11	6,748	13,604
31-85 1/ Il Colors	1-7	373	462	446	118			1	298
TAL, ALL-	8 2/	161	87	67	15	24	5	1,428	2,236
712, 7122		4,804,882	2,506,454	1,345,899	411,640	192,134	EC 200	333	1,679
EXTRANI	EOUS MATTE						56,280	9,317,289	17,289,955
Bark	- Level 1	`	251 202			Percer	ge Staple It Tenderable		34.7
	- Level 2		351,309			r creer	criderable	The state of the s	74.6
	s - Level I		391						
	s - Level 2		90,666 1,295						
	- Level 1		79,277						
	- Level 2	j	270						
Other	- Level 1 - Level 2	1	4,699						

Table 3. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:

2004 Crop QUALITY STAPLE LEAF COLOR 26 & 28 30 31 33 34 37 36 38 39 40 & + TOTAL Pct. Pct. Pct. Pct. Pct Pct. Pct. Pct. Pct. Pct. Pct. Pct. Pct. Pct Pct. 1-2 0.2 0.9 1.6 1.5 1.4 0.6 0.1 6.4 0.1 0.5 1.9 3.5 3.0 1.4 0.3 0.1 10.8 11 & 21 0.2 0.5 0.5 0.2 1.5 5 6 TOTAL-0.2 0.8 3.0 5.6 4.9 3.0 0.9 0.2 18.6 1-2 0.1 0.2 0.3 0.2 0.2 1.2 3 0.1 0.4 1.3 32 4.7 3.2 0.2 1.4 31 14.5 4 0.1 0.4 1.2 2.3 2.2 1.1 0.2 7.7 5 0.1 0.1 0.2 0.1 0.5 6 TOTAL---0.1 0.5 1.8 4.7 7.5 5.8 2.8 0.5 0.1 23.9 1-2 0.1 0.1 0.1 0.1 0.1 3 0.1 0.6 1.9 4.2 5.3 3.1 0.8 0.1 16.1 41 4 0.1 0.3 1.2 3.0 4.7 3.6 1.2 0.1 14.3 5 0.1 0.2 0.4 0.4 0.2 14 0.1 TOTAL-0.2 0.9 3.3 7.6 10.5 7.1 2.3 0.3 32.4 0.1 0.2 0.6 1.1 12 0.6 0.2 51 4 3.9 0.1 0.4 0.9 1.4 1.1 0.4 5 4.3 0.1 0.1 0.2 0.2 0.1 0.6 6 TOTAL-0.1 0.3 1.1 2.2 2.8 1.9 0.6 0.1 9.0 1-2 3 61 0.1 4 0.1 5 6 TOTAL-0.1 0.2 1-2 3 71 4 5 6 TOTAL-1-2 0.2 0.1 0.1 0.1 0.1 0.1 12 & 22 0.5 4 5 0.1 6 TOTAL-0.1 0.1 0.1 0.2 0.1 0.1 0.8 0.1 0.1 0.2 0.3 0.3 0.3 0.2 0.1 32 4 1.5 0.1 0.2 0.2 0.2 0.2 0.1 5 6 0.1 TOTAL-0.1 0.3 0.5 0.6 0.6 0.4 0.2 0.1 2.8 1-2 0.1 0.2 0.5 0.6 0.5 0.3 0.1 42 2.2 0.1 0.2 0.6 0.7 0.8 0.6 0.2 5 3.2 0.1 0.1 0.1 0.1 0.1 6 0.6 TOTAL-0.2 0.5 1.2 1.4 1.4 1.0 0.4 6.1 1-2 3 0.1 0.2 0.3 0.2 0.1 52 4 0.9 0.1 0.2 0.3 04 0.3 0.1 5 1.3 0.1 1.0 0.1 0.3 TOTAL-0.1 0.4 0.6 0.7 0.5 0.1 Less than 0.05 percent. 2.5

Table 3. — United States: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	LE	AE -					ercent a	2(004 Сгор	STAP							
COLOR	1 25		& -	28	00					STAP	LE						
		P	ct.	Pct.	29 Pct	30 . Pct	31	32	33	34	35	36	37	38	2 20	40.0	
	1-:	2	-	-	-	FG(Pct.	Pct.	Pct.	Pct.	Pct.	Pct	. Pct	. Pc	39 t. Pct		TOT
60	3		-	-	-				*	*	*	*	*			Pct.	Pci
62	4		-	*								*			*		
	5	1 .	•	-										*		-	
	1 7	1 .		-	-							- :			-	-	
TOTAL-	-			*	*									-	-	-	
	1-2			*	-	-			*	*	*	*	*	*	*	-	
	3	-		*			*	*	*	*	*	*	*	*		*	0.1
13 & 23	4	-		-	*	*			*	*	*		*	*			*
	5	-		-	-		*			*	*	*	*	*	*		0.1
	6 7	-		-	-	-		_			*	*	*	*		*	
TOTAL-		-		*		**	-	_	*	_	•	-	-	-	-	-	*
	1-2	+		-	*	*	*	*	*	*	*	*	*	- *	-	-	*
	3				*	*	*	*	*	*	*			*	*	*	0.1
33	4			*	*	:	*	0.1	0.1	0.1	0.1	0.1	*		*	*	*
	5	-						*	0.1	0.1	0.1	*	*		*	:	0.5
	6	-		-	*	_	*		*	*	*	*	*	*	*		0.3
TOTAL-	7	-		-	-	*	*	*			*	*	*	*	*	_	*
TOTAL-	•	-		*	*	*	*	0.1	0.2	0.2	*	*	-	*			*
	1-2	-		-	*	*	*	*	*	*	0.2	0.1	*	ŵ	*	*	0.9
43	4	1		•	*	*	*	0.1	0.1	0.1	0.1		*	*	*	*	*
	5	1 .		*		*	*	0.1	0.2	0.2	0.2	0.1 0.1		*	*	*	0.6
	6	1 -					*	*	*	*	*	*	*			*	0.8
	7			*	*	*	*		*	*	*	*	*	*		*	0.1
TOTAL-		*		*	*	*	0.1	0.2	0.2	*	*	÷	*	*	_		*
	1-2	-		-	*	*	*	*	0.3	0.4	0.3	0.2	0.1	*	*	*	1.6
53	3	-		*	*	*	*			*			*	*	-	-	*
33	5	-		*	*	*	*	*	*	*	*		*	*	*	*	0.1
	6			_	*	*	*	*	*	*	*	*		•	*	*	0.1
	7			*	*	*	*	*	*	*	*	*				*	*
TOTAL-		-		*	*	*	*	*	*	*	*	*	*	*		-	
	1-2	-		-	-	*			*	0.1	0.1	*	*	*	*	*	0.3
00	3	-		-	-	*	*	*		*	*	*	-	-	-		*
63	4	-		-	*	*	*	*	*	*		*	*	*	*	*	
	5 6	-		-	-	*	*	•	*	*	*		*	*	*	-	*
	7	_		•	-	*	*	*	*		*	*	*	*	-	-	*
TOTAL		-			*	*	*	*	*	*	*	*	*		•	-	*
24-54	1-7	*	*		*	*		*	*	×	×	*	*	*	*	*	*
25-35	1-7	-	-		*	*	*	0.1	0.1	0.2	0.1	*	*	*	*		
81-85 1/	1-7	*	*		*	*	*	*	Ţ	*	*	*	*	_	-		0.6
All Colors	8 2/	*	*		*	*	*	*	*		*	*	*	*	*	*	0.1
TRANEOUS MAT		*	*		*	0.3	0.9	3.3	10.0	21.2	30.0	22.0	*	*	-		*
KANEUUS MAT	IER									47.4	30.0	22.2	9.8	2.0	0.3		100.0
Bark - Level 1		15.7												Ave	erage Stapl		34.9
Bark - Level 2		=												Perce	ent Tendera	ble	63.8
Grass - Level 1	- 1	0.4															
Grass - Level 2		*															
Prep - Level 1		0.2															
Prep - Level 2		*															
Other - Level 1 Other - Level 1		*															
CILIEST - LEVEL 1	- 11	*															

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:

2004 Crop STAPLE QUALITY LEAF TOTAL 38 39 40 & + COLOR 26 & 37 Pct. 1-2 0.1 0.1 0.3 0.1 0.6 1.2 0.5 0.1 3.5 1.1 3 0.9 11 & 21 0.1 0.3 0.3 0.1 4 5 6 TOTAL-0.1 0.7 1.5 1.6 0.6 0.1 4.7 0.7 0.2 0.3 0.2 0.5 2.7 6.0 6.7 2.5 0.3 18.8 0.2 1.5 3.7 4.5 2.0 0.5 0.1 12.5 31 4 0.1 0.4 0.2 0.1 1.1 5 0.3 6 11.8 33.1 TOTAL-0.7 10.2 4.8 0.9 0.1 4.6 0.1 0.1 0.1 0.4 1-2 21.6 0.7 7.8 2.0 0.3 4.2 6.6 15.1 41 4 0.2 1.7 48 5.6 2.3 0.5 0.1 0.4 0.5 0.2 0.1 1.3 6 0.1 TOTAL-1.0 13.1 12.7 4.6 0.9 38.5 6.1 1-2 0.4 0.2 5.1 1.6 1.8 1.0 51 4 0.2 1.3 2.7 2.1 0.5 0.1 6.9 0.1 0.2 0.2 0.1 0.6 0.1 6 0.7 TOTAL-3.0 4.8 3.3 0.8 0.1 12.7 1-2 3 61 4 0.1 5 6 * TOTAL-0.1 1-2 3 71 4 5 6 TOTAL---3 0.1 12 & 22 4 5 6 TOTAL-0.1 0.1 0.2 0.2 0.5 32 0.1 0.1 0.1 0.1 04 6 TOTAL-0.2 0.3 0.3 0.1 1.0 1-2 0.2 0.7 0.8 0.5 0.1 2.2 42 4 0.1 0.5 1.0 0.9 0.3 2.8 5 0.1 0.2 6 TOTAL-0.2 1.2 1.8 1.5 0.5 0.1 5.3 1-2 0.2 0.4 0.3 0.1 1.0 52 0.1 0.5 0.7 0.5 0.1 2.0 0.1 0.1 0.1 0.3 TOTAL---0.3 1.0 1.1 0.7 0.2 3.4

Less than 0.05 percent.

Table 4. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2004 Crop

QUALITY							200	4 Crop								
	LEAF								STAPL	<u> </u>						
COLOR		26 🛦 -	28	29	30	31	32	33	34	35	36	37	20	20	40.0	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL
	1-2	-		-	-	-	-	*			, 01.	,	- Cl.	FGI.	PCt.	Pct.
	3	-	-	-	-	*								-	-	
62	4	-	-	-	-					*				-	-	
	5	-	-	-	-	_	*						•	•	-	0.1
	6	-	-	_	-	-			*					•	_	
	7	-	-	-	-	-	_	_	_	_				-	-	_
TOTAL		-	•		-	*	*	*	*	*	rk .	*				- 0.4
	1-2	-	-	-	-	-		*					-	•	-	0.1
	3	-	-	-	-		*	*			*	•	•	•	-	
13 & 23	4	-	-	-	-	_	_	_		*		_	-	-	-	
	5	-	_		_	_	_	*	_	*		-	-	-	-	
	6		-	-	-		_	_				-		-	•	
	7		-	-	_	_			_			•	•		-	-
TOTAL-							*	*	*	*	*				-	*
	1-2	-		-	-		*	w	*				•		-	
	3	-		_	_	*	*	*	*	*	*	-	-	-	-	*
33	4	-	_			*		*	*	*			-	-	-	*
	5	-		_	_			*	*					-	-	*
	6			_	_							-	-	•	-	*
	7	_		-	_				-	-	•	-	-	-	-	-
TOTAL				-		*	*	*	*	*	*	*	-	-		-
	1-2											7	*	•		0.1
	3				-	-						-	-	-	-	*
43	4				-				0.1	0.1	Ţ		*	-	-	0.2
	5								0.1	0.1			•	-	~	0.2
	6				•	-					*	*	-	-	-	*
	7				-	-	-		*	*		-	-	*	-	*
TOTAL		-	-			*	*	- 0.4			*	-	-	-	-	*
	1-2						-	0.1	0.2	0.1	*	*	*	-		0.5
	3		-	-	-				Ī	-	-	-	-	-	-	*
53	4				-	*			0.4				-	-	-	0.1
	5				-				0.1				-	-	-	0.2
	6	_											-	-	-	*
	7					-						•	-	-	-	*
TOTAL		-			-	*	*	0.4	- 0.4		*	-		-	-	*
	1-2							0.1	0.1	0.1	*	*	-	•		0.3
	3		-		-	-	1	-	-	-	-	-	-	-	-	-
63	4	_	-		-	-			Ţ		-		-	-	-	*
00	5	-	-	•	-	-	•			*	*	-	-	-	-	*
	6	-	-	-	-	-	-	•	*	*	-		-	-	-	*
	7	_	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-		-				-	*	+	-	-		-	-	-	-	-
24-54	17				-	-		*	*	*	*		-	-	-	*
2 4-54 25-35	1-7	-	-		-	*	*	*	*	*	*	*		-	-	0.1
81-85 1/	1-7	•	-	-	-	-	-	-	-	-	-	4	-	-	-	-
	1-7	-	•	-	-	-	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/		-	-	*	-	-	*	*	*	*	*	-	-	-	*
TOTAL, ALL		-	-	•	*	0.1	3.1	17.1	33.4	32.2	11.8	2.2	0.2	W	*	100.0
EXTRANEOUS MAT	TER												Ave	rage Stap	le	34.4
Deal 1													Perce	nt Tendera	able	76.0
Bark - Level		3.5														
Bark - Level																
Grass - Level		0.2														
Grass - Level		*														
Prep - Level		0.3														
Prep - Level	2	-														
Other - Level																
Other - Level	7	*														
797,410	Bales clas	ssed. 1/	Below G	rade Colo	r. 2/ Belo	ow Grade I	Leaf. * Le	ss than 0.0	5 percent							

Table 5. – Arizona: Percent distribution of color, leaf and staple for upland cotton classed:

2004 Crop STAPLE QUALITY LEAF 40 & + TOTAL 37 38 39 36 33 35 COLOR 26 & 30 34 Pct. Pct. Pct. Pct Pct. 44.6 0.2 1-2 0.2 1.2 5.6 12.7 14.5 8.9 1.3 8.1 0.2 0.9 2.1 2.4 1.9 0.4 0.1 1.0 0.1 0.3 11 & 21 4 5 6 53.0 TOTAL-0.2 1.4 0.5 14.9 17.0 10.8 1.7 0.3 2.4 0.3 7.2 1.8 0.1 0.7 1.8 0.1 8.3 0.2 0.8 19 2.6 2.2 0.5 1.0 31 0.2 0.3 0.3 0.2 0.1 6 1.6 5.3 4.3 0.9 0.2 16.7 TOTAL-0.4 4.0 34 1-2 0.2 0.9 0.3 0.4 1.9 3.7 3.2 1.5 0.2 0.1 11.0 3 0.6 0.6 0.3 0.1 2.0 0.1 0.3 41 4 0.2 0.1 0.1 6 16.7 0.1 TOTAL-0.1 0.7 3.0 5.6 4.8 2.1 0.3 0.6 1-2 0.1 0.2 0.2 0.1 4.3 0.3 1.3 1.7 0.7 0.2 1.2 0.2 51 4 0.1 03 0.5 5 0.1 0.1 0.3 6 0.1 TOTAL-0.1 0.6 2.5 1.1 0.2 6.5 1.9 1-2 0.1 61 0.1 0.1 6 * * * TOTAL-0.1 0.1 0.1 0.3 1-2 71 4 5 6 TOTAL-0.7 0.3 0.1 0.3 0.1 1.6 1-2 0.2 0.4 0.2 0.1 0.9 12 & 22 4 0.1 5 6 TOTAL-0.1 1.1 0.6 0.1 2.6 1-2 0.1 0.1 0.1 0.1 0.1 0.4 32 4 0.1 0.1 0.1 0.3 6 TOTAL-0.1 0.2 0.2 0.1 0.1 0.9 0.1 0.1 0.1 0.3 0.1 42 4 0.1 0.1 0.4 5 0.1 6 TOTAL-0.1 0.3 0.3 0.1 0.1 0.9 1-2 0.1 52 4 0.1 0.1 0.1 0.3 0.1 0.2 0.1

0.1

0.2

0.2

0.1

0.6

TOTAL-Less than 0.05 percent.

Table 5. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1545							04 Crop	STAPL	F						
COLOR	LEAF	26 1	20						OTATE	- Lu						
OCEOR		26 L -	28 Pct.	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOT
	1-2	1 01.	FGI.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	TOT
	3	_		•	-	-	-		-		-	-	-		ru,	PC
62	4	_		•	-	-		*			*	_				
	5			-	-								_			0.
	6	_		-	-		*						_			0.
	7	-		-	-									_		
TOTAL-			-			-					*	-	-	-	_	
	1-2	-						0.1	0.1	W				-	-	0.2
	3	-	-		-	,								-		0.1
13 & 23	4				_	*1							-	-	_	0.
	5		-	-				-				*	-	-		
	6		-	_		-	-	-			*		-	-	-	
	7	-	-	_			-	-		-	-	-	-	-	-	-
TOTAL-		-	-			*	-	-	*	-	-	-	-		-	-
	1-2		40	-		*				0.1			*		-	0.2
	3	-	-	-						*					-	
33	4	-	-	_		*					*				-	0.2
	5	-		-				*				*	*	-	-	0.1
	6	-	-	-	_	*	-		*		*	*	-	-	-	*
	7	-	-	-	_	-					-	•	-	-	-	*
TOTAL		-	•	-	-	*	*	0.1	0.1	0.1	0.4	*	-	-	-	*
	1-2	-	-	-	-			*	*	0.1	0.1		*	*	-	0.4
	3	•	-	-	_	*			*		Ţ.		*	-	-	*
43	4	-	-	-	_	*		*	*	*		Ţ	*	*	-	0.2
	5	-	-	-	-	*	*	*	*	*			*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*		-	•	-	0.1
TOTAL	7	-	-	-	-	-	-	*	*	*	*		•	-	-	*
TOTAL		•		•	•	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	*
	1-2	-	-	-	-	-	-	*	*	*	*	*				0.4
53	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	
55	5	-	-	-	-	*	*	*	*	*	•	*			-	
	6	-	-	-	-	*	*	*	*	*	*	*	*			0.1
	7	-	-	-	-	-	*	*	*	*	*	*	_			0.1
TOTAL-		-		-		-	*	*	*	*	*	-	-	_		*
	1-2		-	•	•	*	*	0.1	0.1	*	*	W	*	*		0.3
	3	-	-	-	-	-	-	-	-	-	-	-	-			0.5
63	4	-	-		-	-	*	*	*	*	*		_			*
	5			-	-	Ţ		*	*	*	*	-	-		_	*
Î	6			•		•	*	*	*	*	*	-	-		_	*
	7	_		_	-	-			*	*	*	*	*	-	_	n
TOTAL			-		*	*		*	*	*	*	~	-		-	*
24-54	1-7	-			*				*	*	*	*	*	-		0.1
25-35	1-7	-				*			0.1	0.1	*	÷	*	*	-	0.3
81-85 1/	1-7		_				*				-	-	-	-	-	*
All Colors	8 2/	-					*	*			*	*	*	-	-	0.1
OTAL, ALL		-			*	0.1	0.7	40	45.0	00.4	*	*	*	-	•	*
RANEOUS MAT	TER						0.7	4.0	15.0	29.4	29.4	17.9	3.0	0.6		100.0
													Ave	rage Staple		35.5
Bark - Level		4.9											Percei	nt Tenderal	ole	66.3
Bark - Level 2		0.2														
Grass - Level		0.4														
Grass - Level 2		-														
Prep - Level 1																
Prep - Level 2	п	•														
	11	0.4														
Other - Level 1		0.7														

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:

OLIAL ITTI		1					2004	4 Crop	OTT - DV							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOT
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct
	1-2		-	•			*	0.1	0.8 3.3	1.5 8.4	1.0 7.7	0.2 2.0	0.1			3.8 21.
11 & 21	4		-	-	_	_		U.3	0.3	1.5	1.6	0.4	*		_	3.9
	5		-		-		-	*	- 1	*	*		*	*	-	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
TOTAL	7	-	-			-			-	-		-	-	*	-	-
TOTAL	1-2	-		-			*	0.5	4.4	11.4 0.1	10.3	2.7	0.1	-		29.
	3			-	-	*		0.1	1.1	3.2	3.2	0.8		*		8.3
31	4	-	-	-				8	0.7	3.2	3.8	1.1	*	*		8.
	5	-	-	-	-	-	-			0.2	0.3	0.1	*	*	-	0.0
	6	-	-	-	-	-	-	•		*	*	*	*	-	•	
TOTAL-	7	-	•			*	*	0.2	1.9	6.6	7.3	2.0	0.1	*	*	18.
TOTAL	1-2		-		-			1	1.3	*	*	*	*			*
	3	-	-				*	0.2	1.3	2.9	2.3	0.4		*		7.3
41	4	-	-	-	-		*	0.1	0.8	3.0	3.5	0.9		*	-	8.3
	5	-	-	-	-	-	*			0.2	0.3	0.1	*	*	-	0.1
	6 7	-	-	-	-	-	-	-		*	*	*	*	•	-	*
TOTAL-		-	-				*	0.2	2.2	6.2	6.1	1.4	*	*		16.
	1-2	-	-	-		-				*	*	*	-	-	-	0.
	3	-	-	-	-	*		0.5	2.5	3.7	2.0	0.3	*	*		9.0
51	4	-		-	-		*	0.1	1.1	3.8	3.9	1.0	*	-	-	10.
	5	-	-	-	-	-	•	*	*	0.2	0.3	0.1	*	*	•	0.0
	6 7			-		-	-	-				*				*
TOTAL-		-		-	-	*	*	0.7	3.7	7.7	6.3	1.5	0.1	*	-	19.
	1-2	-	-	-	-	-	*	*	*	*	*1	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-		0.4
61	4	-	-	•	•	*	*	*	0.1	0.2	0.1	*	*	-		0.3
	5		-	•	-	*	*	*			*	*	•	-	-	*
	7	-			-		_	*	*	*	-		-	_	-	*
TOTAL			-	-		*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.7
	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	3	-	-	•	-	-	-	*	-	-	*	•	-	-	-	*
71	4 5		-		-	-	-	•	-	•	*	•	•	-	-	*
	6	-	-		_	-	*	*	*	_	_		-	-		*
	7	-	-		-	-	*	*	*	-	-		-	-	-	
TOTAL			-	-	-	-	*	*	*	-	*	-	-	-	-	*
	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
12 & 22	3 4	-	-	•	-	*	*	*	*	0.1	*	*	*	-	-	0.2
12 00 22	5	-	-	_	_	_				*	*	*	_		-	*
	6	-	-			-	-		-	-	-			-		-
	7	-	-	-	-	-		-	-	-	-	-		-	-	_
TOTAL		-	•	-	•	*	*	*	*	0.1	0.1	*	*	-		0.2
	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	4				-	-		*	*	0.1	0.1		*		-	0.3
	5		-	-	-			-	*	*	*	*			_	V.:
	6	-	-	-		-	-	*	*	*	*	*	-		-	*
TOTAL	7	-		-	-		-	*	-	*			<u> </u>	-	-	*
TOTAL	1.2	-	-	-	· ·	-	*	*	0.1	0.2	0.2	*	*	-	-	0.6
	1-2					*	*	0.1	0.4	0.7	0.6	0.1		-	-	*
42	4	-				*		*	0.4	0.7	1.4	0.1	*	7	-	1.9 2.8
	5	-	-	-	-		*	*	*	0.1	0.2	0.1	*	*		0.5
	6	-	-	-		-		-	*	*	*	*	-	-		*
TOTAL	7		-	-	-	-			-	-	-	-	-	-		-
TOTAL		-		-	-		*	0.2	0.7	1.6	2.2	0.6	*	*		5.2
	1-2					*	*	0.3	1.2	1.2	0.5	*	-	*	-	*
52	4	-	-	-		*	*	0.1	0.7	1.2	1.5	0.1 0.4	*	-		3.3 4.3
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*			0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
1	7	-	-	-	-	-	-	*	*	*	*	*	-	-		*
TOTAL				-			_	0.4	1.9	2.8	2.3	0.6	*	*		8.1

Table 6. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY		T					200	04 Crop		napie iui		- 11011 0101				
40/12/11	LEAF								STAPL	.E						
COLOR		26 & -	28	29	30	31	32	33	34	25	20					
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & +	TOTAL
	1-2		-	-	-	-			=	*	FCL.	PGI.	PCt.	Pct.	Pct.	Pct.
62	3	-	-	-	-					0.1				•	-	
62	4	-	-	-	-	*				0.1			_	-	-	0.1
	5	-	-	-	-	-	-	*	*			*				0.2
	6 7	-	-	-	-	-			*				-		_	
TOTAL		-			-		-					-	-			
TOTAL	1-2			-			-		0.1	0.1	0.1		-	-	-	0.3
	3	-	-	-		-	*			*			-	-		
13 & 23	4		_	•	•	-	-						-		-	
	5		_			-	•	-					-		-	*
	6	-	_		-		-	•		-		-	*		-	
	7	-	-			-	_	•	-	-	-	-	-	-	-	-
TOTAL-					-			*		-	*	- *	-	-	-	-
	1-2	-	-	-	-			*	*	*			-	-	•	*
	3	-	-	-	-	_		*	*				-	-	-	*
33	4	-	-	-	-	-	_	*	*	*	*			-	-	0.1
	5	-	-	~	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	_	_				-	-	
TOTAL	7	-		-	-	-	-		-	-	_		_		-	•
TOTAL-		-	-	-		-	-	*	*	0.1	0.1	*	*		-	0.2
	1-2	-	-	-	-	-	-	*	*	*		*				*
43	3	-	-	-	-	-	*	*	*	*	0.1	*	*	-		0.2
43	5	-	-	•	-	-	*	*	*	*	0.1	*	*	-		0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	
	7		_	•	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL-				-	-		*	*	*	-	-	-	-	-	-	
	1-2									0.1	0.1	*	*	•		0.3
	3	-		-			*			*	*	*	-	-	-	*
53	4	-	-		_	*			0.1	0.1	0.4			-	-	0.2
	5	-	_	_	_	*	*	*	*	0.1	0.1			*	-	0.3
	6	-	-	-	~	-	_		*		*	*	-	-	-	*
	7	-		-	-	-	-	-	_	_		*	-	-	-	
TOTAL			-	•	-	*	*	*	0.1	0.1	0.1	*	*	*		0.5
	1-2	-	-	-	-	-	-	-	*							0.5
	3	-	-	0.1	-	-	*	*	*	*		*			-	*
63	4	-	-	-	-	*	*	*	*	*	*	*	_	_	_	
	5	-	-	**	-	-	-	*	*	*	*	*	-		-	*
	6 7		-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL-		-	-	-	-	*	-		-	-	-	-	~	-		-
24-54	1-7				-			*	*	*	*	*		-	-	*
25-35	1-7				-	-			*	*	*	*	*		-	0.1
81-85 1/	1-7		-			-	*	*	-	-	-	-	-	-	-	-
All Colors	8 2/		-	_			*	*	*	*	*	*	*	-	-	*
TOTAL, ALL		-				*	0.1	2.3	15.5	37.5	35.3	9.0	0.2	*	*	*
EXTRANEOUS MAT	TER									37.3	30.3	3.0	0.3			100.0
														rage Stapl nt Tendera		35.3
Bark - Level		0.4											1 6166	iii renuera	Die	79.0
Bark - Level		-														
Grass - Level		0.1														
Grass - Level		-														
Prep - Level		0.2														
Prep - Level		*														
Other - Level Other - Level																
2,016,409	Rales clas	ssed 1/	Below C	ade Color	2/ Polo	Crode I	nd 11.1	M 0.55								
2,070,409	bales clas	ssea. 1/	Relow G	rade Color.	. 2/ Below	Grade Le	eaf. "Less	than 0.05	percent.							

Table 7. — California: Percent distribution of color, leaf and staple for upland cotton classed: 2004 Crop

QUALITY								Crop	STAPLE							
	LEAF	26.0	20	20	20	21	22	22	2.4	35	36	37	38	39	40 & +	тот
COLOR		26 & -	Pct.	Pct.	30 Pct.	Pct.	32 Pct.	33 Pct.	34 Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pc
	1-2	Pct.	PCI.	PCt.	PCI.	FCL.	0.1	0.6	2.1	6.7	8.3	12.6	6.1	1.0	0.2	37
	3						#	0.1	0.6	3.3	6.3	4.6	2.3	0.8	0.1	18
11 & 21	4					*				0.1	0.3	0.2		*	*	0.
11 00 21	5						-	-		*		*	*			
	6	-		-	-	-	-	-	-		-	•	-	-	-	
	7	-		-	-	-					-	-	-	-		
TOTAL		-	-	-	*	*	0.1	0.7	2.7	10.1	14.8	17.4	8.5	1.8	0.2	K6
	1-2	-	•	-	•	*	0.1	0.1	0.4	0.8	0.6	0.9	0.3	0.1	•	3.
	3			-				0.1	0.5	2.3	3.0	1.9	1.0	0.3		9.
31	4	-	-	-	-	-		*	•	0.2	0.7	0.4	0.1	0.1		1.
	5	-	*	-	-	-										0
	6	-	•	•	•	-	-	-		•						
TOTAL	7	-		-			0.1	0.2	1.0	3.4	4.2	3.3	1.5	0.4	0.1	14
TOTAL	1.0	-		-		*	8	0.1	0.4	0.6	0.5	0.5	0.2			2.
	1-2	-	-	-			0.1	0.1	0.9	3.1	4.3	2.5	1.0	0.2		12
41	3 4		•				*	U.2	0.1	0.6	1.3	0.8	0.3	0.1		3
41	5		_	_						#	0.1	0.1				0
	6		_	_		_		_								
	7				-	-	-	-	-			*	-	-	-	
TOTAL		-	-		*		0.1	0.4	1.4	4.3	6.2	3.9	1.4	0.4	0.1	18
	1-2	-	-		-		1	*		0.1	0.1	0.1		*		0
	3	-	-	-	-				0.1	0.4	0.7	0.7	0.2	0.1		2
51	4	-	-	-	-					0.1	0.3	0.2	0.1	-	-	0
	5	-	-	-	-					•				•	•	0
	6	-	•	-	-	-	-	•		•				•	*	:
	7	-		-	•	-	-	-			*		-		*	
TOTAL		-	-		-	*	*	0.1	0.2	0.7	1.1	1.1	0.4	0.1		3.
	1-2	-	-	-	-	-	*	*	*	*	* :	*	*	-	-	,
	3	-	-	-	-	-	*				7					
61	4	-	-	-	•	-	•			*	*					
	5	-	•	-	-	-	-	,	*	*	*	*				
	6 7	1				-	-				_			_		
TOTAL-		-		-		-	*	*	*	*	*	*	*	*	*	
TOTAL	1-2	-	-			-	-	-	*		-	*	-	-	-	-
	3	<u> </u>	_		-	_	-		_		*	*	-	-	-	
71	4		-	_	-		-	-	*		*	*	-	-	-	
	5	-	-	-	-	-	-	-	-		*	-	*	-	-	
	6	-	-	-	-	-	-	•	-	-	-	-	-	-	-	
	7	-	-	-	-	-		-	-	-		-	-		-	
TOTAL		-	-	-		-	-		*	*	*	*	*	-	-	
	1-2	-	-	-	-	*		*	*	0.1	0.2	0.5	0.2	0.1	*	1
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0
12 & 22	4	~	-	-	-	-	*	*	*	*	*	*		*	•	
	5	-	-	-	-	-	-	-	•	•	•		Ţ		-	
	7	-	-		-	-			•			- [_		
TOTAL		-				*	*	*	0.1	0.3	0.4	0.7	0.4	0.2	*	2
TOTAL	1-2					*	*	*	*	*	0.1	0.2	0.1	*		0
	3		-	-	-			*	*	0.1	0.1	0.4	0.2	0.1	*	1
32	4				-	_	*	*	*	*	*	*	*	*	*	C
	5	_			_			*	*	*		*	*	*	*	
		-	_	-	-	-	-	-		-	*	*	-	*	-	
	6			-	-	-	-	-	-	-	-	-	-	-	-	
	11					*	*	*	*	0.2	0.4	0.6	0.4	0.1	*	1
TOTAL	6	-		-				*	*	*	*	0.1	*	*	*	0
	6	-	-	-	-	-	*	•								1
	6 7	-	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	
	6 7	-	-	-	-	*		*	*	0.1	0.1	0.1	0.1	*		
TOTAL	1-2 3 4 5	-	-	:		*		* *	*	0.1	0.1		0.1	*	*	0
TOTAL	1-2 3 4 5 6	-	-	-		*		*	*	0.1	0.1 * *	0.1 * *	0.1	*		0
TOTAL ——42	1-2 3 4 5	-		- - - - - -		-	*	* * *	* *	0.1 * * -	0.1 * *	0.1 * *	0.1 * * -	*	* * * -	0
TOTAL	1-2 3 4 5 6 7	-		-	-	* *	* * - - *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	0.1 * * - 0.2	0.1 * * * *	0.1 * * * *	0.1 * * - 0.3	* * * - 0.1	*	1
TOTAL ——42	1-2 3 4 5 6 7	-	-	-		* *	*	* * *	* *	0.1 * * -	0.1 * * * * *	0.1 * *	0.1 * * -	*	* * * * * * * * * * * * * * * * * * * *	1
TOTAL	1-2 3 4 5 6 7		-	-	-	* * * - * * - * * * * * * * * * * *	* * - - *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	0.1 * * - 0.2	0.1 * * * *	0.1 * * * *	0.1 * * - 0.3	* * * - 0.1	* * * * - *	1
TOTAL ——42	6 7 1-2 3 4 5 6 7 1-2 3 4 4	-	-	-	-	*	* * - - *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	0.1 * * - 0.2	0.1 * * * * *	0.1 * * * *	0.1 * * - 0.3	* * * - 0.1	* * * * * * * * * * * * * * * * * * * *	0
TOTAL	1-2 3 4 5 6 7	-		-	-	*	* * - - *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	0.1 * * - 0.2	0.1 * * * * *	0.1 * * * *	0.1 * * - 0.3	0.1	* * * * *	0 0 0 0
TOTAL	6 7 1-2 3 4 5 6 7 1-2 3 4 4	-		-	-	- * * * - * * - * * - * * - * * - * * - * * - * * * - * * * - * * * * - *	* * - - *	* * * * * * *	* * * * * * * * * * * * * * * * * * * *	0.1 * * - 0.2 * * *	0.1 * * * * * * * * * * * * * * * * * * *	0.1 * * * *	0.1 * * - 0.3 * *	* * * - 0.1	* * * * - *	0 0 1.

^{*} Less than 0.05 percent.

Table 7. — California: Percent distribution of color, leaf and staple for upland cotton classed: 2004 Crop

QUALITY							200	4 Crop	STAPLE							
COLOR	LEAF	26 5 -	20						01711 21							
COLOR	-	Pct.	28 Pct.	29 Pct.	30	31	32	33	34	35	36	37	38	39	40 & +	TOTA
	1-2	-	-	r GL.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	_				•	~		*	*	*	*	*	-	-	*
62	4	_	_		-	-	-		*	*						
	5	-	_			•					*		*		-	
	6	_	_			•								-	-	
	7	-	_				•	•					-	-	-	
TOTAL							*	*	*	*	*		-	-	-	*
	1-2	-	-	-		*						*	*	*	*	Ŕ
	3	-	-			_	*						*	*	*	0.1
13 & 23	4 1	-	-	-	_								*	*	*	0.1
	5	-	-			-	_			*		-		*	-	•
	6	-	-	-		-	-					-	-	-	~	*
	7	-		-	-	-	_					_	-	-	-	-
TOTAL-			•		-	*	*	*	*	*	*	0.1	*	*	*	-
	1-2	-	-	-	-	*	*	*	*	*	*	*				0.2
	3	-	-	-	-	-	*	*	*	w	0.1	0.1				0.1
33	4	•	-	-	-	-	-	*	*	*	*	*	*	*		0.2
	5	~	-	-	-	-		-	-	_	*			*		
	6	-	-	-	-	-	-	-	-		_	_	_	_		
TOTA:	7	-	-	-	-	-	-	-	-	-	-	-				
TOTAL		-		-	-	*	*	*	*	×	0.1	0.1	0.1	*	*	0.4
	1-2	~	-	-	-	*	-	*	*	*	*	*	*		*	0.1
40	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.1
43	4	-	-	-	-	•	*	*	*	*	*	*	*	*	*	0.1
	5	•	-	-	-	-	-	*	*	*	*		*	*		*
	6 7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
TOTAL-		-	-		-	-	-	-	-	*	-	*	-	-	-	ŵ
70772	1-2				-		*	*	*	0.1	0.2	0.2	0.1	*	Ħ	0.6
	3	_	_			*	*	*				*	*	-	-	*
53	4	-	-	-	*	*			*					*	*	0.1
	5	-	-	-		-	-	*	*		*				*	0.1
	6	-	-	-	_	-	-		*		*	*	*	_	-	
	7	-	-			_	_	_		_		*			_	
TOTAL-		•			*	*	*	*	*	*	*	*	*	*	*	0.1
	1-2	-	-	-	-	-		-	-	*						0.7
	3	-	-	*	-	-	-	*	*	*		*	*			*
63	4	-	•	-	~	-	-	*	*	*	*	*	*	_	_	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	_	*
	6 7	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
TOTAL-		-	-	•	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1.7		•	•	-		-	*	*	*	*	×	×	*	×	*
25-35	1-7	-		•		*	*	*	*	*	*	*	*	*	-	0.1
81-85 1/	1-7			-	•	-	-	-	-	-	-	~	-	-	-	-
All Colors	8 2/			-		-	-	*	*	*	#	*	*	*	*	*
TOTAL, ALL-				*	*	0.1	0.4	-	-	- 10 -	*	*	-		-	W
TRANEOUS MAT	TER	7				0.1	0.4	1.5	5.7	19.5	28.0	28.1	13.1	3.1	0.5	100.0
	121												Ave	erage Stap	le	36.3
Bark - Level	1	2.1											Perce	ent Tender	able	89.5
Bark - Level		*														
Grass - Level		0.4														
Grass - Level	2	*														
Prep - Level																
Prep - Level																
Other - Level	1	0.1														
Other - Level		*														

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:

2004 Crop STAPLE QUALITY LEAF 40 & TOTAL 39 38 36 35 30 31 32 34 29 26 & -Pct. Pct. COLOR Pct. 0.5 0.1 0.2 0.2 1.7 1-2 0.2 0.5 0.4 0.6 0.1 11 & 21 2.4 0.8 0.7 0.2 0.6 0.1 TOTAL-0.6 0.2 0.2 0.1 0.1 16.8 0.4 0.6 3.8 4.5 2.9 1.1 1.1 0.2 0.5 31 6 20.3 4.9 0.6 8.8 0.7 5.2 TOTAL-0.3 0.1 0.1 1-2 40.1 0.6 18.1 6.2 12.7 0.1 2.3 18.2 4.9 0.6 3.4 8.8 0.4 0.1 41 6 58.8 11.2 1.2 2.7 16.3 27.1 0.1 TOTAL---1-2 3.6 0.2 1.8 1.0 0.6 6.2 0.8 0.1 2.6 2.1 0.6 0.1 51 6 9.9 0.1 1.0 1.2 4.4 3.1 0.1 TOTAL---1-2 0.3 0.1 0.2 61 6 0.3 0.1 0.2 TOTAL-1-2 71 4 5 TOTAL-1-2 12 & 22 4 TOTAL-1.0 0.3 0.4 0.2 0.1 3 0.3 0.1 0.1 32 4 5 6 1.3 0.6 0.2 0.4 0.1 TOTAL---1-2 3.2 0.9 1.4 0.7 0.1 0.2 1.6 0.7 0.4 0.4 0.1 42 4 5 1.1 0.1 4.9 2.1 1.3 0.3 TOTAL-1-2 0.3 0.1 0.1 0.1 1.0 0.1 0.4 0.1 0.4 52 4 6 1.3 0.5 0.1 0.2 0.5 TOTAL-

Less than 0.05 percent.

Table 8. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							200	4 Crop			piaria oc	nton das	seu.			
QUALITY	LEAF								STAPL	E						
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	20	20	40.0	
	1.0	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	34 Pct.	Pct.	Pct.	Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-		PCI.
62	4			-	-	-	- :		-	-	-	-	-	-	-	
	5		-				•	•		*	-	-	-	-	-	
	6	-	-	-			-			•	-	-	-	-	-	
	7		-		-	-	-	_	-	_				-	-	•
TOTAL				-			11					-		-		*
	1-2	-	-	-	~	-	-	-	-	-	-	-	-	-	-	-
13 🕰 23	4	_		-	•	-	•	-		-	-	-	-	-	-	
	5	-	-	-	-	-		-		-	-	-	-	-	-	
	6	-	-	-		-	-				-		-	-	-	-
7074	7	-	-	-	-	-	-		_	-		_	-	-		-
TOTAL-	4.0	-		-		•		-	*			-				*
	1-2	-	-	-	-	-	-	*	•	-	*	-	-	-	-	*
33	4	_	_	_	-	_	-		*	*	*	*	-	-	-	0.1
	5	-	-	_	-	_	_	_			•	•	-	-	-	*
	6	-	-		-	-	-	-	_	_			-	•	-	-
TOTAL	7	-	-	-		-	-	-			_	-	-	_	-	
TOTAL	1-2	•	-		•	-	-	*	*	*	*	*		-		0.1
	3	_	-		-	-	-	*	*	*	*	-	-	-	-	*
43	4	_	-			-	*	*	0.1	0.1		*	*	-	•	0.3
	5	-	-	-	-	-	-	-	-			_	_		-	0.1
	6 7	-	-	-	-	-	-	-	-	-	-			_	-	_
TOTAL		•	-			-		-	-		-	-	-	-	-	-
	1-2	-	-	-					0.1	0.1	0.1	#	*	-		0.4
	3	-	-	-	-		-	*	*	*		-	-	-	-	
53	4	~	-	-	-	-	-	*	*	*	*	*	-	_	_	0.1
	5	-	-	-	-	•	-	-	*	*	-	*	-	-	-	*
	7		-	_	-		-	-	-	-	-	•	-	-	-	-
TOTAL-		-	-	-		-	-	*	*	*	*	*	-		-	-
	1-2	-	-	-	-	-	-	-	-	-	~	-				0.1
62	3	-	-	*	-	-	-	*	-	-	-	-		_	-	*
63	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6		-	-	-	-			-	-	-	-	-	-	-	*
	7	-		_	-	-	_			-	-	_	-	-	-	-
TOTAL			-		-		-	*	*		-	-			-	*
24-54 25-35	1-7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
81-85 1/	1-7 1-7		-	•	-	-	-	-	-	-	-	-	-	-	•	-
All Colors	8 2/	-	-	-	_	-					-	-	-	-	-	*
TOTAL, ALL		-	-	-	-	*	0.3	5.7	29.1	43.3	19.4	2.3	*	-	-	100.0
EXTRANEOUS MAT	TER												Ave	rage Stapl	е	34.8
Bark - Level	1	5.5												nt Tendera		82.7
Bark - Level		*														
Grass - Level	1	0.2														
Grass - Level		-														
Prep - Level	1	0.7														
Prep - Level Other - Level																
Other - Level		-														
	Bales clas	ssed. 1	/ Below G	rade Color	. 2/ Below	Grade Le	af. Less	than 0.05	percent.	-						

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:

							2004	Crop	OTABLE							
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct. 0.1
	1-2	-						0.1	0.3	0.4	0.2	*	*		-	1.0
11 & 21	4	-		-									•	•	-	0.1
	5	-	•	-	-	-		*		*	•	•	-			
	6	-	-	-	-	-		-		-		-				-
TOTAL		-	-			×	*	0.1	0.3	0.5	0.2		*			1.2
	1-2	-	-	-		1		0.1	0.2	0.2	*				-	0.6 22.7
	3	-	•	-	*	- :	0.2	1.5 0.2	6.6 1.2	9.6 2.5	4.0 1.6	0. 8 0.6	0.1			6.2
31	4 5	-	-	-	-			#	1.2	*					-	0.1
	6	-		-	-	-	-	•	-		•	-	-	-	-	*
	7	<u> </u>	-	-	*	*	0.2	1.9	8.1	12.3	5.7	1.3	0.1	*	*	29.6
TOTAL—	1-2		•	•	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3			-	*	*	0.5	3.7	12.0	12.2	4.0	0.7	*	*	-	33.2
41	4	-	-	-	-	*	0.2	1.5	6.2	9.6	4.8	1.2	0.1	*	*	23.6 0.5
	5	-	-	-	*	*	*	*	0.1 *	0.2	0.1 *	*	-			*
	6 7	-		-		-	*	*	*	*	*		-	-	-	*
TOTAL-			-	-	*	w	0.6	5.3	18.4	22.1	9.0	1.9	0.1	*	*	57.5
	1-2	-	-	-	-	*	0.1	0.7	* 0.9	* 0.4	0.1	*	*	*	-	2.2
51	3 4	_		i	*	*	0.1	0.7	1.2	1.0	0.3	0.1	*	-	*	3.4
٥.	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	6 7	-	-	-	-	•	*	*	*	*	*	1	-	-		*
TOTAL-	-	-	-	-	*	*	0.3	1.4	2.2	1.4	0.4	0.1	w	*		5.8
10172	1-2	-	-	-		-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	•	*		*	:		*	-	•	•		*
61	5	-	-	-					*	*	*	_	-	-		
	6	_	-	-	-	-	*	*	*	-	-		-	-	-	*
	7			-	-	-	*	*	*	*	-	*	-	*	-	0.1
TOTAL	1-2	-		•	-				-		-			-		-
	3	-	-	-	-			-	-	*	-	-	-	-	-	*
71	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-		-	-	-	*	_					-		*
	7	-		-		-	-	-	-	-	-	-	-	-		
TOTAL		-	-		-	•	-	*	*	*	•	-	•	*	-	*
	1-2	-	-	-	-	-	*	*	*	*	*	*		-		
12 & 22	3 4	_	-	-	-	-	*		*	*		-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-		-	•	-
	6 7	-	-	-	-	•	_				-	_		-		
TOTAL-	1 /	-	-	-	-		*	*	*	*	*	rk		-		*
	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
20	3	-	-	-	- *	*	*	0.1	0.2	0.1	0.1	*	*	*		0.4
32	5		-	_				*	*	*		*	_	_	-	*
	6	-	-	-	-		-	-	-	*	-	-	-	-	-	*
7074	7	-	-	-	- *	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
TOTAL	1-2		-	-	-		*	*	*	*	*	*	-	-	-	*
	3		-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	1.2
42	4	-	-	-	*	*	0.1	0.3	0.5	0.6	0.3	0.1	*	*	*	1.9 0.1
	5 6				-			*			*			-	-	0.1 *
	7		-		-	-		-		-	-	-			-	*
TOTAL-		-	-	•	*	*	0.1	0.6	1.0	1.0	0.4	0.1	*	*	*	3.2
	1-2	-	-	-	-	*	*	0.1	* 0.1	*	*	*			-	* 0.3
52	3 4		-		*	*	0.1	0.1	0.1	0.2	0.1	*	*	*	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-		-	*
TOTAL	7	-	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	1.3
TOTAL							· · · · · ·									

Less than 0.05 percent.

Table 9. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:

2004 Crop QUALITY STAPLE LEAF COLOR 26 & 28 29 30 32 33 34 36 35 37 38 39 40 & + TOTAL Pct. 1-2 3 4 5 62 6 TOTAL-0.1 1-2 3 13 & 23 4 5 6 TOTAL-1-2 3 33 4 5 6 TOTAL-0.1 1-2 3 0.1 43 4 0.1 5 6 7 TOTAL-0.1 0.1 0.3 1-2 3 4 5 6 53 0.1 TOTAL-0.1 1-2 3 63 4 5 6 TOTAL-24-54 25-35 1-7 81-85 1/ 1-7 All Colors 8 2/ TOTAL, ALL-0.1 1.5 9.8 30.8 37.9 16.0 3.6 0.3 100.0 EXTRANEOUS MATTER Average Staple 34.7 Percent Tenderable 83.7 Bark - Level 1 2.9 Bark - Level 2 Grass - Level 1 0.2 Grass - Level 2 0.8 Prep - Level 1 Prep - Level 2 Other - Level 1 Other - Level 1

1/ Below Grade Color. 2/ Below Grade Leaf. *Less than 0.05 percent. 1,749,722 Bales classed.

Table 10. - Kansas: Percent distribution of color, leaf and staple for upland cotton classed:

2004 Crop STAPLE QUALITY 39 40 & + TOTAL 38 LEAF 37 36 33 32 Pct. 30 Pct 29 26 & Pct. Pct. Pct. COLOR Pct. 0.1 1-2 0.2 0.1 11 & 21 0.1 6 0.4 0.1 0.1 0.1 TOTAL-0.6 1-2 0.1 0.1 0.2 0.1 1.7 0.3 0.2 0.1 0.1 0.2 0.5 1.2 0.2 31 4 0.1 0.2 0.1 0.2 0.1 0.3 0.1 0.1 5 6 3.6 0.1 0.3 0.6 0.3 0.6 0.2 0.4 0.9 0.1 TOTAL-3.0 1-2 0.1 0.2 0.5 0.5 1.0 0.1 0.7 11.1 0.1 0.4 2.1 1.3 2.7 3.0 0.3 1.2 11.3 41 0.1 2.9 1.4 0.5 2.6 1.4 1.8 0.4 0.1 0.5 0.1 1.3 0.7 0.9 0.8 1.0 0.1 6 0.3 0.3 0.1 0.2 0.1 31.0 1.1 0.2 3.6 7.0 6.8 4.1 0.1 0.9 TOTAL-1.2 1-2 0.1 0.4 0.4 0.2 3.8 1.4 0.4 0.4 0.2 0.9 0.4 0.9 0.8 5.0 4 51 0.3 0.1 1.2 0.1 0.6 1.5 1.3 2.4 5 0.1 0.1 0.8 0.8 0.5 0.7 6 0.1 0.2 0.1 0.1 13.0 0.7 0.1 3.5 3.3 2.3 2.1 1.0 TOTAL-1-2 61 5 6 * TOTAL-1-2 3 71 4 5 6 TOTAL-4 12 & 22 6 0.1 TOTAL-02 0.8 0.1 0.2 0.1 0.1 0.2 0.7 32 4 0.1 0.1 0.2 0.1 0.2 0.1 1.7 0.2 0.1 0.2 0.5 0.3 0.1 0.4 TOTAL-0.9 1-2 0.2 0.1 0.1 0.2 0.3 4.6 0.1 0.4 1.1 1.0 1.0 0.1 0.2 0.7 7.5 42 4 1.5 0.5 0.1 1.1 0.6 2.2 13 0.1 4.0 0.2 0.4 0.6 0.3 1.5 1.0 6 1.5 0.1 0.1 0.5 0.6 0.2 0.1 18.7 0.2 0.1 1.2 3.1 4.2 3.1 5.1 TOTAL-0.2 1.3 0.1 1-2 1.3 0.1 0.3 0.3 0.2 0.4 3.5 52 0.1 0.1 0.4 0.7 0.8 1.0 0.4 5 2.1 0.1 0.3 0.5 0.5 0.5 0.2 6 0.2 0.1 0.2 0.4 0.1 8.2 0.1 0.3 0.9 1.8 0.1 0.9 2.0 TOTAL-

Less than 0.05 percent.

Table 10. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1,545							04 Crop	STAPLE							
COLOR	LEAF	26 🛦 -	28	29	30	31	22	20								
		Pct.	Pct.	Pct.	Pct.	Pct.	32 Pct.	33 Pct.	94 Pct.	35 Pct.	36 Pct.	37	38	39	40 & +	TOT
	1-2	-	-	-	-	-	-	-	-	FCI.	PGI.	Pct.	Pct.	Pct.	Pct.	Pct
	3	-	-	-		-	_					_	-	•	•	
62	4	-	-	-			-		-				-		-	
	5	-	~	-					-	*	-			-		
	6	-	-	-	*					-	-	_				
TOTAL-	7				-	-	-	-			_	-	-		_	_
TOTAL		-	-		*	*			-							0.1
	1-2	-	-	-	-	-	-	-	-		-	-	-	-	-	-
13 & 23	3 4	-	-	-	-	1		-	-	-	-	-	-	-		
10 0. 25	5	-	-	-	-		-		-	-	-	-	-	-	-	
	6			-	-	-	-	-	-	-	-	-	-	-	-	
	7				-	-	-	-	-	-	-	~	•	-	-	_
TOTAL			-			*	*	*				-	-	-	-	-
	1-2	-	-						-	•	-	-	-			
	3	_		*	*			*	-	-	-	-	-	-	-	-
33	4	-	*	0.1	0.1		*	*	*	-	-	•	-	-	-	0.1
	5	-		*	*	0.1	*	*	*	1	-	-	-	-	-	0.3
	6	-	-	*	-	*	*	*	_		-	-	-	-	-	0.1
	7	-	-	-	*	*	*	_	_	_			-	-	-	
TOTAL		-	0.1	0.1	0.1	0.1	0.1	0.1	*	-			-:-			0.5
	1-2	-	-	-	-	-	-	-	-	-	-					
	3	-	*	*	0.1	0.1	0.1	0.1	*	*				_	-	0.4
43	4	*	*	0.2	8.0	0.6	0.5	0.5	*	*	*	_	_	_	_	2.8
	5	-	0.1	0.5	1.4	0.8	0.6	0.3	0.1	*	*	w	-	-	-	3.8
	6 7	-	*	0.5	1.2	0.5	0.3	0.1	*	*	*	*	-	-	~	2.7
TOTAL-		*		0.2	0.6	0.3	0.1	*	*	*	-	-	-		-	1.2
TOTAL	1-2		0.3	1.5	4.1	2.3	1.5	1.0	0.2	*	*	*		-	-	11.0
	3	-	•	•	-		*	-	-	-	-	-	-	-	-	-
53	4			_	*	0.2			1	-	-	-	-	-	-	*
	5	_		*	0.1	0.2	0.1 0.4	0.1 0.4	0.1			-	-	-	-	0.4
	6	-	_		0.2	0.2	0.2	0.3	0.1	*	0.1		-	-	-	1.5
	7	-	*	0.1	0.3	0.2	0.1	0.1	0.1	*			-	-	-	1.1
TOTAL			*	0.2	0.7	0.9	0.8	0.8	0.3	*	0.1	*	-		•	0.8
	1-2	-	-	-	-	-	-	-	-							3.8
	3	-	-	-	*			*							-	*
63	4	-	-	-	-	*	-	*	-	_	-		_	_	-	
	5	•	-	-	*	*	*	*	-	-	-	-	-			
	6	-	-	-	*	*	*	*	*	*	~	-	-	-	_	*
TOTAL	7	-	-	-	*	*	*	*	*	*	-	-	-		-	*
	4 7	*	-	•	*	*	*	*	*	*		-			-	0.1
24-54 25-35	1-7		0.2	0.6	0.8	0.8	0.6	0.6	0.2	*	-	-	-	-	-	3.8
81-85 1/	1-7		0.2	- 0.2	*	0.1	-	-	-	-	-	-	-	-		0.1
All Colors	8 2/	*	0.2	0.2	0.2 1.0	0.1	0.1	*	*	-	-	-	-	-	-	0.8
OTAL, ALL-	021	0.1	1.2			0.9	0.4	0.3	0.2		*	-	-	-	-	3.2
RANEOUS MAT	TER	0,1	7.4	6.0	19.5	21.3	19.4	19.3	9.7	2.7	0.8	0.1	*	-	-	100.0
THE STATE OF THE S														rage Stap		31.7
Bark - Level	1	57.0											Perce	nt Tendera	able	5.8
Bark - Level		0.1														
Grass - Level		-														
Grass - Level																
Prep - Level		*														
Prep - Level		-														
Other - Level		-														
Other - Level																

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY								Сгор	STAPLE							
	LEAF										26	27	20	20	40 & +	тот
COLOR		26 & -	28	29	30	31	32	33	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	Pct.	Po
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct. 0.1	0.9	1.4	0.6	0.1	*	*	-	3.
	1-2	-	-	-	•			0.1	2.5	5.6	3.6	0.9	0.1		*	13
11 0 21	3	-	•	-		-	*	*	*	0.2	0.3	0.1	*	*	_	0.
11 & 21	5	-	•				_		_	*	*	*	*	-	-	*
	6		-								-	*	-	-	-	
	7						_	-		-		-		-	-	
TOTAL						*	*	0.5	3.4	7.2	4.5	1.1	0.1	*	W	16
.0	1-2					*	*	0.1	0.3	0.3	0.1	*			-	0.
	3		-	_			*	0.7	4.4	8.6	4.8	1.2	0.2	*	*	19
31	4					-	*	0.1	0.8	2.9	3.2	1.1	0.1	*	*	8
	5	-		-	-	-	-	*	*	0.1	0.2	0.1		*	*	0
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	,
	7	-	-	-	-		-	-	-	-	-	*			*	
TOTAL-		-	•		-	*	*	0.9	5.5	12.0	8.3	2.5	0.3	*		29
	1-2	-	-	-	-	-	*	*	0.1	0.1	0.1	*		-	-	0
	3	-	-	-	-	*	*	0.3	2.3	7.3	6.1	1.4	0.1	*	*	17
41	4	-	*	-	-	-	*	0.1	0.7	3.3	5.2	2.1	0.3	0.1		11 1
	5	-	•	-	-	-	-	*	*	0.3	0.5	0.3		Ť		١,
	6	-	-	-	-	-	-	-			*	*				,
	7	-				*	*	0.4	3.1	11.0	11.8	3.7	0.4	0.1	*	30
TOTAL		-	-		•			*	*	*	*	*	0.4	0.1		
	1-2	-	-	-	-	- 1		0.1	0.8	1.6	1.1	0.2	*	*		3
	3	-	-	-	-			V. I	0.5	1.8	2.2	0.8				5
51	4 5	_	-	•	-			*	*	0.1	0.3	0.1		*	*	0
		-	_	-					*	*	*	*	*			:
	6 7				_		_		-	*	*	*		-	-	1
TOTAL			-	-	-	*	*	0.2	1.4	3.6	3.5	1.2	0.1	*	ŵ	9
TOTAL	1-2			-	-	-	-	-	-		-	-	-	-	-	
	3	_	_	-					*	*	*	*		-	-	
61	4	_			_					*	*	*	*	-	-	0
٠.	5	-	-	-			*	*	*	*	*	*		-	-	
	6	-	-	-	-		-	-	*	*	*	*	-	-	-	
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	
TOTAL		-	-	-		•	*	*	*	*	*	*	*	•	•	0
	1-2	-	-	-	-	-	-	-	-	-	-		-	-	-	
	3	-	-	-	•	-	-	-	*	*	-	*	-	*	-	
71	4	-	-	-	-	-	-	-	*	*		1	-	*	•	
	5	-	-	-	-	-	•	-	-	•	•	•	•	-	•	
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	
	7	-	-					•	*	*	*	*	-	*	-	
TOTAL		-	•	-		-	*			*	*	*				
	1-2	-		-	•	-	*			*		*		_		
	3	-	•	-	-	-				*	*					
12 & 22	4	•	•	-	•		- [*		*				
	5	_	-						_	_				_	_	
	6 7						_		_	_	-		_	-		
		-	-		-		*	*	*	*	*	*		-	-	0
TOTAL					-	-	*	*	*	*	*	*	-		-	
TOTAL-	1-2						*	*	*	0.1	0.1	*	*	*		C
TOTAL-	1-2				-					0.1	0.1	*	*	*		C
	3	-	-	-		-	*	*	*							
32		-	-	-	-	-	*	*	*	*	*	*	*			
	3 4	-	-	-	-	-	-	-			*	*	*	1	-	
32	3 4 5	-	- - -	- - -	- - -	-	-		*	*	*	*	-	-		
	3 4 5 6	-		-	-	-	* - *	* - - - *	* - - 0.1	0.2	0.2	0.1	* *	- - *		0
32	3 4 5 6	-		-	-	-	*	*	* - - 0.1	* * - 0.2	0.2	0.1	*	-		0
32	3 4 5 6 7	-	-	-		*	*	* 0.1	* - - 0.1 * 0.4	* * 0.2 *	* - 0.2 * 1.0	* 0.1 * 0.3	*	-*	*	2
32	3 4 5 6 7 1-2 3 4	-	-	-			*	* 0.1 *	* - - 0.1 * 0.4 0.2	* * * * 1.1 0.9	* 0.2 * 1.0 1.6	* 0.1 * 0.3 0.7	* 0.1	*	* - - - *	2 3
32	3 4 5 6 7 1-2 3 4 5	-	-	-			*	* 0.1	* - 0.1 * 0.4 0.2 *	* * * 1.1 0.9 0.1	* 0.2 * 1.0 1.6 0.2	* 0.1 * 0.3 0.7 0.1	* 0.1	-*	* - - *	2 3 0
32	3 4 5 6 7 1-2 3 4 5 6	-	-	-			*	* 0.1 *	* - - 0.1 * 0.4 0.2	* * * 1.1 0.9 0.1 *	* 0.2 * 1.0 1.6 0.2 *	* 0.1 * 0.3 0.7 0.1	* 0.1	*	* - - - *	2 3 0
32 TOTAL	3 4 5 6 7 1-2 3 4 5	-	-	-		*	* * * * * * * * * * * * * * * * * * * *	* 0.1 * *	* - 0.1 * 0.4 0.2 *	* * * 1.1 0.9 0.1 *	* 1.0 1.6 0.2 * *	* 0.1 * 0.3 0.7 0.1 *	- * 0.1 *	- * * -	*	22 33 0
32	3 4 5 6 7 1-2 3 4 5 6	-	-	-			*	* 0.1 * * - - -	* 0.1 * 0.4 0.2 * *	* * * * 1.1 0.9 0.1 * * 2.2	* - 0.2 * 1.0 1.6 0.2 * * * 2.8	* 0.1 * 0.3 0.7 0.1 * 1.1	* 0.1 *	*	- * - * -	2 3 0
32 TOTAL	3 4 5 6 7 1-2 3 4 5 6 7	-	- - - - -	-	-	*	*	* 0.1 * * 0.1	* 0.1 * 0.4 0.2 * * - 0.7	* * * * 1.1 0.9 0.1 * * 2.2	* 1.0 1.6 0.2 * * * * * * * * *	* 0.1 * 0.3 0.7 0.1 * 1.1		- * * -	*	22 33 0
32 TOTAL 42 TOTAL	3 4 5 6 7 1-2 3 4 5 6 7	-	- - - - -	-	-	*	*	* 0.1 * * 0.1	* - 0.1 * 0.4 0.2 * * - 0.7 * 0.3	* * * 1.1 0.9 0.1 * * 2.2 * 0.5	* 1.0 1.6 0.2 * * 2.8 * 0.3	* 0.1 * 0.3 0.7 0.1 * 1.1 * 0.1	* 0.1 * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	*	2 3 0
32 TOTAL	3 4 5 6 7 7 3 4 5 6 7	-	- - - - -	-	-	*	*	* 0.1 * * * * * *	* 0.1 * 0.4 0.2 * * * 0.7 * 0.3 0.2	* * * * * * * * * * * * * * * * * * *	*	* - 0.1 * 0.3 0.7 0.1 * * 1.1 * 0.1 0.3	* 0.1 * * * * * * * * * * * * * * * * * * *	*	*	2 3 0
32 TOTAL 42 TOTAL	3 4 5 6 7 7 1-2 3 4 5 6 6 7	-	- - - - -	-	-	*		* 0.1 * * * * * * * *	*	* * * 1.1 0.9 0.1 * * 2.2 * 0.5 0.8 0.1	*	* 0.1 * 0.3 0.7 0.1 * 1.1 * 0.1 0.3 0.1	* 0.1 * * * * * * *	*	*	7 1 2 0
32 TOTAL 42 TOTAL	3 4 5 6 7 7 3 4 5 6 7	-	- - - - -	-	-	*	*	* 0.1 * * * * * *	* 0.1 * 0.4 0.2 * * * 0.7 * 0.3 0.2	* * * * * * * * * * * * * * * * * * *	*	* - 0.1 * 0.3 0.7 0.1 * * 1.1 * 0.1 0.3	* 0.1 * * * * * * * * * * * * * * * * * * *	*	*	2 3

Less than 0.05 percent.

Table 11. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY								Crop	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTA
COLOIT		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct
	1-2		-		-	-		-			-	-	-		-	
	3			-	-	-								_	-	
62	4		-	-	-	-						*	*			0.1
	5		-	_	-	-			*							
	6		-	-	-	-		-			*		-		-	w
	7	-	-	-	-	-	-	-	-			*	-	-	-	
TOTAL					-	-	•	-	•	0.1	0.1		*	-	-	0.2
	1-2	-	-	-	-	-	-	*	*		*	-	-	-	•	*
40.0.00	3		-	-	-	-	•	*					-	-	-	
13 & 23	4	-	-	•	-	-	-	-			- 1		-	-	-	
	5 6	-	-	•	-	-	•	-	-	-	-	~	-	-	-	-
	7		-	-	-	-	-	-	•	-	-	•	-	-	•	-
TOTAL-		-		-				*	*	*	*	*	-	-	-	*
	1-2	_		-	-	-	-	*	*	*	*	*	-	-	-	*
	3		-		_	-		*	*	*	*	*	*	*		0.1
33	4		-	-	-	-	-	*	*	*	*	*	*	*	_	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-			-	-	-	~	-	-	-	-	-	-	-
	7	-	-	-	-	-		-	-	-	-	-	~	-	-	
TOTAL			•	•		*	*	*	*	*	*	*	*	W	•	0.1
	1-2	-	-	-	-	-	*		*	*	*	*		-	-	*
	3	-	-	-	-	-	•			0.1	0.1				*	0.3
43	4	-	-	-	-	-	-			0.1	0.1	0.1			-	0.3
	5	-	-	-	-	-	•	_					_	-	-	
	6 7	-	-	•	•	-		-	-				-	-		
TOTAL			-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	tr	*	0.6
	1-2	-	-	-	-	-	*			*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
53	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	•	-	•	*	*	*	-	-	~	*
	7		-	-	-	-	-		*	*	*	-	- *	-	-	*
TOTAL-		-	-		-	-	*	*	0.1	0.2	0.1	0.1	*	*		0.5
	1-2	-	-	-	-	-	-	-	-	-	-		-	-	-	*
62	3	-	-		-	•	•	*			*	*	*			w
63	4	-	-	•	-	-	-	*			*	_	-			
	5		-						tr.	-	*	-	_			
	7	-	-		-	-	-	-	-	_	_		-		-	-
TOTAL-		-	-		-		-	*	*	×	*	*	-		-	*
24-54	1-7	-	-		-	-	-	*	*	*		*	*	*	-	0.1
25-35	1-7	-		-	-	-	-			-	-	-	-	-		-
81-85 1/	1-7	-	-	-	-		-	*	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
OTAL, ALL		-	-	-	-	Ŕ	0.1	2.1	15.0	37.9	33.2	10.5	1.0	0.1	*	100.
RANEOUS MA	TTER												Av	erage Sta	aple erable	35.4 66.4
Bark - Level	1	0.7											1 610	one rende	,, 3010	50.7
Bark - Level		#														
Grass - Level		0.4														
Grass - Level		*														
Prep - Level		0.3														
Prep - Level	2	*														
		*														
Other - Leve																

Table 12. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:

2004 Crop STAPLE QUALITY LEAF 40 & + TOTAL 38 37 34 32 33 31 28 30 COLOR 26 & Pct. 5.3 2.3 1.0 0.1 0.3 1.5 1-2 25.5 7.5 1.7 0.1 10.6 4.9 0.7 3 3.9 1.5 0.5 0.4 1.4 11 & 21 4 5 6 34.7 0.1 2.2 1.0 4.1 14.4 10.1 TOTAL-0.4 0.2 0.2 0.1 1-2 13.2 3.7 0.9 5.2 0.6 2.8 0.1 12.1 1.6 0.2 1.4 4.2 46 31 1.2 0.2 0.1 0.3 0.5 6 27.0 0.1 0.8 4.4 9.9 8.8 2.7 TOTAL-0.1 1-2 8.2 2.2 0.4 3.5 0.3 1.7 8.0 0.1 1.0 0.1 0.7 2.8 3.2 41 4 1.1 0.1 0.3 0.5 02 6 17.4 0.5 6.7 5.9 1.6 0.1 2.6 TOTAL-3.6 0.1 0.7 0.3 1.1 1.4 5.5 0.2 0.8 2.1 1.9 0.4 51 0.9 0.1 0.3 0.4 0.1 6 10.1 3.8 3.0 0.7 0.1 0.6 1.9 TOTAL-0.1 4 61 5 6 0.2 0.1 0.1 TOTAL-1-2 3 71 4 5 6 TOTAL-1-2 0.3 0.1 0.1 3 0.2 0.1 0.1 12 & 22 4 5 6 0.5 0.2 0.1 0.2 TOTAL-1-2 0.2 0.5 0.2 0.1 3 0.1 0.6 0.2 0.2 0.1 32 4 0.1 5 6 1.3 0.2 0.4 0.5 0.1 TOTAL-1-2 0.3 0.6 0.4 0.1 1.5 0.1 3 2.7 1.2 0.4 09 0.2 42 4 0.6 0.1 0.1 0.3 5 6 4.8 1.9 0.1 0.5 1.6 0.6 TOTAL-1-2 0.7 0.3 0.1 0.2 0.1 3 1.6 0.1 0.1 0.2 0.6 0.5 52 4 0.4 0.1 0.2 0.1 6 0.1 0.5 1.0 0.9 0.2 2.8 TOTAL-

Less than 0.05 percent

Table 12. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY								1 Crop	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	27	20	20	40.9	TOTA
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTA Pct.
	1-2	-	-		-	-	-	*	*	-	7 01.	- T Gt.	ru.	rci,	rui,	+ Ct.
	3	-	-	-			*						_			
62	4	-	-	-	-						*		_	_	_	
	5	-	-	-	-	-	-				*		-			
	6	-	-	-	-	-	-	-	*					-		
	7	-	-	-	-	-	-		-			-			-	*
TOTAL-			-	-	-	-		*	-	*		-				0.1
	1-2	-	-	-	-	-	-				*	-	-	-		-
40 E 00	3	-	-	-	-	-	-			•				-	-	
13 & 23	4	-	-	-	-	-	-				*	*	-	-	-	
	5	-	*	•	-	-	-	-	-		-	-	-	-	*	
	6 7		-		-	-	-	-	-	•		-	-	-	-	-
TOTAL-		-						-	-		-	-	-	-	-	-
	1-2							*	*	*	*					
	3		_		_	_	*	*	*	0.1	0.1					0.2
33	4		_	_	_		*	*	*	*	*	*	*	*		0.1
	5	-	_	-	-	-		*	*	*	*	*	*		-	*
	6		-	-	-	-		-	_	-	-	-	-			_
	7		-		-	_	-	-	-	-	-		-	-	-	-
TOTAL		-	•		•	•	*	*	*	0.1	0.1	*	- R	*		0.3
	1-2	-	-	~	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
43	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6 7	-	•	-	-	-	-	•	*			•	-	-	-	•
TOTAL-		-			-		*	*	*	0.1	0.2	0.1	*	*	-	0.4
	1-2	-		-		-		*	*	*	*	0.7				*
	3			_		_	*	*	*	*	*	*	*			0.1
53	4	-	-	-	_	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	w		-	w
	6	-	-	-	-	-	-	-	*	*	*	*		-	-	*
	7	-	-	-	-	-	-	-	*	*	*	<u> </u>	-	-	~	*
TOTAL						*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	•	*	-	*	*		*	*	*	*	-	-	*	*
63	4	-	-	-				Ţ	Ī				-	-	-	
	5		•	-	-	-		Ī			•	-	-	-	-	
	6 7		_					_			-	_	-		_	
TOTAL		-	-		*	*	w	*	*	*	*	*	-	-	-	*
24-54	1-7	-	7		-		*	*	•	*	*	*		*		0.1
25-35	1-7	-	_	-	_	_		-		-				_	-	-
81-85 1/	1-7	-	-	-	*	*	*	*	*	*		*	*	-	-	*
All Colors	8 2/	-	-		-	-		-	*	*	*	*	-	-	-	*
TOTAL, ALL		-	-	•	*	*	0.2	3.2	17.3	38.6	31.8	8.5	0.4	*	*	100.0
TRANEOUS MAT	ITER													erage Sta		35.3
													Perce	ent Tende	rable	76.0
Bark - Level		0.8														
Bark - Level		*														
Grass - Level		0.2														
Grass - Level																
Prep - Level Prep - Level	2	0.2														
Other - Level		*														
Other - Level		-														

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:

2004 Crop April 29, 2005 STAPLE QUALITY LEAF 40 & + TOTAL 39 38 33 30 29 COLOR 26 & 28 Pct. 5.9 0.2 1.1 1.8 0.5 2.3 1-2 21.0 1.3 0.2 0.6 5.0 8.4 5.5 3 2.3 0.1 0.1 0.5 1.0 0.5 11 & 21 4 5 6 29.2 7.1 1.6 0.2 11.2 1.2 7.8 TOTAL-0.3 0.1 0.1 0.1 1-2 8.6 0.6 3.3 2.6 0.2 1.7 3 5.4 2.3 1.8 0.4 0.9 0.1 31 4 0.2 0.1 0.1 14.5 1.0 0.1 46 5.8 0.3 2.8 TOTAL-0.1 10.6 2.4 0.6 3.2 3.6 0.7 8.4 3.0 1.0 0.2 2.9 0.1 1.2 41 0.3 0.1 0.2 0.1 6 19.4 0.2 1.6 5.5 0.9 4.4 6.7 TOTAL-0.2 0.1 1-2 16.0 2.7 0.5 6.4 1.2 0.1 5.0 0.3 98 2.7 1.2 3.7 0.3 1.5 4 51 0.3 0.1 0.1 0.1 6 26.3 0.4 1.5 10.2 5.6 1.8 0.1 6.6 TOTAL-0.3 0.1 0.1 0.1 4 61 6 0.4 0.1 0.1 0.1 TOTAL-1-2 4 71 5 6 TOTAL-1-2 0.2 0.1 0.1 4 12 & 22 6 0.3 0.1 0.1 TOTAL--1-2 0.3 0.1 0.1 0.2 0.1 32 6 0.5 0.1 0.2 0.2 TOTAL-1-2 2.0 0.9 0.6 0.1 0.3 1.3 0.1 0.4 0.6 0.2 42 4 5 6 3.3 1.2 1.4 0.3 0.3 TOTAL-0.1 1-2 0.9 0.2 32 0.5 1.6 0.7 1.8 0.2 0.7 0.1 52 4 5.2 0.1 0.7 1.7 0.4 0.1 TOTAL-

Less than 0.05 percent.

Table 13. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1						200	4 Crop								
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
62	3 4	-	-	-	-	-		*		•			-	-	-	0.1
~_	5				-	-			*				-	-	-	
	6	_			-						:	*	-	-	-	
	7		-	-								-	-	-	-	
TOTAL-		-	-			-	- A			*		- 1		-	•	0.1
	1-2	-	-	-	-	-	*	*	*	*	*		-			*
40.000	3	-	-	-	•	-	*	*	*	*	*	*				
13 & 23	5	•	-	-	-	•	-	*	*	*	*	-	-	-		*
	6		•	-	-	-	-	-	-	-	•	-	•	-		-
	7	-		-	-	-		-	-	-	-	-	-	-	-	-
TOTAL-					-		*	*	*	*	*	*	-		-	-
	1-2	-	-	-	-	_	*	*	*	*	*		-	-	•	
	3	-	-		-	-	*	*	*	*	*	*	*	*	-	0.1
33	4	-	-	-	-	-	*	*	*	*	*		*	_		*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-		*
	6 7	•	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-	-		-	-		-	*	*	*		-	-	-	-	-	-
TOTAL	1-2			-	-	•	*			0.1	*	*	*	*		0.1
	3		-	-			*	*			*	-	:	-	-	*
43	4	-	-	-	_	-	_	*		*	*			-	•	0.1
	5	-	-	-	-	-	_	_	*		*	_	_	-	-	*
	6	-	-	-	-	-	-	~	-	-	~	-	_	-	-	-
TOTAL-	7	-	-		-	-	-	-	-	-	-	-	-	-	-	_
TOTAL-	4.2	-	-			•	*	*	0.1	0.1	*	*	*	-	-	0.2
	1-2		-	_	-	-	-	*	0.4	*		-	-	-	-	*
53	4	-		_		_		*	0.1	0.1	*		*	*	-	0.2
	5	-	-	-	-	-	_	*	*	*	*	*	_	_		0.1
	6	-	-	-	-	-	-		*		-	-		_	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL			-	-		-	*	*	0.1	0.1	*	*	*	×	-	0.3
	1-2		-	- 0.4	-	-	-	-	-	-	-	-	-	-	-	-
63	4		-	0.1	_	-	*				*		-	-	-	*
	5	~	-	_		_	*	*	*	*			_	-	-	
	6	-	-	-	-	-	-	-	*	_	-	_			-	
	7	•	_	-	-	-	-		-	•	-	-	-	-	-	-
TOTAL			•	-	*	-	*	*	*	*	*	*		-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
25-35 81-85 1/	1-7 1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-				-		*		,		_			-	*
TOTAL, ALL			-			*	0.3	5.2	26.0	37.6	23.8	6.2	0.9	*	*	100.0
EXTRANEOUS MAT	TER													rage Stap	le	35.0
													Perce	nt Tender	able	81.7
Bark - Level		0.2														
Bark - Level																
Grass - Level Grass - Level																
Prep - Level	1	0.3														
Prep - Level		-														
Other - Level		0.1														
Other - Level	1	_														
808,557	Bales cla	ssed. 1	/ Below G	rade Colo	r. 2/ Belov	v Grade Lo	eaf. "Les	s than 0.05	percent.							

Table 14. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1								STAPLE							
	LEAF		00	20	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		26 & -	28 Pct.	Pct.	30 Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct. 30.8
		Pct.	PCt.	PCL.	rct.	-	0.1	0.2	1.6	7.6	10.2	9.0	1.8	0.4 0.4		12.3
	1-2	-	_	-	-	-		0.1	0.8	2.6	3.5	3.8	0.9 0.1	0.4		0.9
11 & 21	4		-	-	-	-			0.2	0.1	0.2	0.2	*	*		0.1
11.00.21	5	-	-	-	-	-	-		*			-		-	-	*
	6	-	-	•	-	-	-	_				-	-	-		-
	7	-	-			-	0.1	0.4	2.6	10.3	13.9	13.1	2.9	0.9	0.1	44.1
TOTAL		-		•			*	0.2	0.9	3.1	4.5	4.1	0.7	0.1	*	13.7
	1-2	-	•		-		0.1	0.4	1.8	5.8	7.8	6.3	1.6	0.5		24.3 5.1
2,	3 4	1		_	-		*	0.1	0.5	0.7	1.4	1.5	0.7	0.2	*	0.8
31	5				-	-	-	*	0.1	*	0.1	0.3	0.2	*	_	
	6		-	-		-	-		*	•				_	-	-
	7		-	-	-	*		0.8	3.3	9.7	13.7	12.2	3.3	0.8	0.1	43.9
TOTAL		•	-		•	*	0.1	*	0.2	0.4	0.2	0.1	*	*		1.0
	1-2	-	-	-	*	-	*	0.1	0.7	1.1	1.0	0.6	0.2	*	*	3.7
	3	-	-	-	-		*	0.1	0.5	0.5	0.5	0.9	0.4	0.1	*	3.1
41	4	-	•	_			-	*	*	*	0.1	0.4	0.3	0.1		1.0
	5				-	-	-	-	*	-	*	*	0.1	Ī	_	0.1
	7	-	-		-	-		-	-	2.0	1.8	2.0	1.0	0.2	*	8.9
TOTAL		-			*	*	*	0.3	1.4	2.0	*	-		-	-	*
	1-2	-	-	-	-	-	-	-	*	*	*	*		-		*
	3	-	-	-	•	•	1		*	*	-	*	-	-	-	*
51	4	-	-	*	-	-	-		*	*	*		*	-	-	*
	5	-	-		_		-		-		*	*	*	-	•	
	6 7	_			-		-	-	-	*	*	-	-	-		0.1
TOTAL		1	-	-	-	-	-	*	*	*	*					-
TOTAL	1-2		-	-		-	-	-	-	-	•	_		_		-
	3	-	-	-	-	-	-	-	-	-	-	-	_			-
61	4	-	-	-	-	-	•	•		-			_	-	-	*
	5	-	-	-	-	-	1	-			-	*	-		-	*
	6	-	-	-		-			-	-	-	-		-	-	
70741	7	1				-	-		-	er .		*		-		
TOTAL	1-2	<u> </u>					-	-	-	-	-	-	-	-		-
	3			_	_	-	-	-	-	-	-	-	•	-	_	
71	4		-	-	-		-	•	-	-	-					
	5	-	-	-	-	-	-	-	-		-				-	-
	6	-	-	•	-	•	•					-		-	-	
	7	-			-	-				-		-	•	-	-	
TOTAL	·	-	-						*	*	*	*	*	*	*	0.
	1-2		-	-	-		*	*	*	*		*	*	-	-	0.
10.8.02	3 4	1	_	_	_	-	-		*	*	*	*	*	-	•	
12 & 22	5					-	-	-	*	*	-	-	-	-		
	6	-	-	-	-	-	-	-	-	•	-	-				
	7		-	-		-	-	-	*	0.1	0.1	0.1	*	*	*	0.
TOTAL	-	-				-			*	*	*	*	*			0.
	1-2	-	-	-	-		*	*	0.2	0.3	0.3	0.2	0.1	*	*	1.
	3		-	-	-				*	0.1	0.1	0.1	*	*	-	0.
32	4	-	-	-	-				*	*		*	*	-	-	0
	5	1	-			-			-	-		*	*	-	-	1
	6 7			_	_				-	-	-	-	-	- *	*	1.
TOTAL-	-	-	-			*	*	0.1	0.2	0.4	0.4	0.3	0.2			- 1.
JOIAL	1-2	-	-	-	-		-	-	*	- 0.1	- 0.1	*	*	-		0
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*		0
42	4	-	-	-	-	*	-	*	*	*				*		
	5	-		-	-	-	-		*	*	-	_	*	*	-	
	6	-	-	-	-	•						-	-			
	7	<u> </u>	-			*	*	*	0.1	0.1	0.1	*	*	w	-	0
TOTAL-	-	1		-				-		-	-	-	-	-	-	
	1-2	-	-	-	1				*		*	-	*	*	-	
62	3	-				_	_	*	*	*	*	*	-	-	-	
52	4 5					_	-	*	*	*	*	-	-	-	-	
	6		-			-	-	*	*	*	*	-	-	-		
	7		-	_	-	-	-	-	-	*	*		-	-		- (
									*							

Less than 0.05 percent.

Table 14. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	LEAF	ļ						04 Crop	STAPL	F						
COLOR	LEAF	26 & -	28	20					01742							
		Pct.	Pct.	29 Pct.	30 Pct.	31 Pct.	32	33	34	35	36 Pct.	37	38	39	40 & +	тот
	1-2	-	-	-	-	PCI.	Pct.	Pct.	Pct.	Pct.	Pct.	37 Pct.	38 Pct.	39 Pct.	Pct.	Pcl
	3	-	-				-	-	~	-	-	-	-	-	-	
62	4	-	-	-	_	_		-	-	-	**	-	-	-	-	-
	5	-	-	-	-	_	_		•	-	-	-	-	-	-	-
	6	-	-	-	-	-	_	_			-	-	-	-	-	-
TOTAL-	7	-			-	-		-				-	-	-	-	
TOTAL	1-2	•	-		•			-	*		*	-		-	-	
	3		-	-	-	-	-	-	-	-	*		-	-	-	
13 & 23	4		-	1	-	-	-	-						-	-	
	5			•	-	-	-	-	-	-	-		_		-	- :
	6				-	-	-	-	-	-	-	-		-	_	_
	7	_				-	-	-	-	-	-	-				
TOTAL				-						-	-	-	-	-		
	1-2	-	-	-			-		*	*	*	*	*			*
	3		-					-	-	*	*	*	*	-	-	*
33	4	-	-		-	_					0.1	*	*	-	-	0.2
	5	-	-		-	_			*	*	*	*	*	*	-	*
	6	-	-	-	-	-	_			-	-	-	*	-	-	*
TOTAL	7	-	-	-	-	-	-	-			•	•	-	-	-	-
TOTAL	10	•	•	-	•	-	*	*	*	*	0.1	0.1	*	*	-	-
	1-2	-	-	-	-	-	-	-	*	*	*	+			*	0.3
43	3 4	•	-	-	-	-	-	*	*	*	*		*	-	-	*
40	5		-	-	-	-	-	-	*	*	*	*	*		-	0.1
	6			•	-	-	-	-	*	-	-	-	*	_	_	*
	7		-	-	-	-	-	-	-	*	-	-	-		_	*
TOTAL			-		-		-		*	*	*	-	-	-	-	*
	1-2	-	-	-						*	*	W	0.1		-	0.2
	3	-	-		-		_	-	-	-	-	-	-	-	-	~
53	4	-	-	-	-		_		-	-	-	-	-	-	*	*
	5	-	-	-	-	-					*	-	-	-	-	*
	6	-	-	-	-	-		-			*	-	-	-	-	*
TOTAL-	7	-	-	-	-	-	-	-		*			-	-	•	
TOTAL	1.0			•		-	-		*	*	*	-			*	
	1-2	-	-	-	-	-	-	-	-	-	-					
63	4	-	-	-	-	-	-	-	-	_			_		-	-
	5		_	-	-	-	-	-		-	-	-	-		-	-
	6	_				-	•	-	-	-	-	-	-	-	_	
	7	_		_	_	_		-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-		-		-	-	-	-	-	-
24-54	1-7	-	-	-	-			*	-			-	-		•	
25-35	1-7	-	-	-	-					•	*	-	*	-	-	0.1
81-85 1/	1-7	-	-	-	-	_	_	-		*	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-		*		*	*	-	•	-	*
OTAL, ALL			-	-	*	sh.	0.2	1.5	7.8	22.7	30.1	27.9	7.5	2.0	-	*
RANEOUS MAT	TER											27.0		2.0		100.0
Bark - Level 1		2.4											Perce	rage Staple nt Tendera		36.1
Bark - Level 2		3.4 0.1											. 0.00	renuera	DIG	66.9
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		0.1														
Other - Level 1																

Table 15. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2004 Crop

QUALITY	1								STAPLE							
	LEAF		22	20	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL Pct.
COLOR		26 & - Pct.	28 Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	* *
	1-2	-	-	-		-									-	0.2
	3	-	-	-	-	*	*	*	0.1	0.1		*	*	-	•	*
11 & 21	4	-	-	-	-	-	•			*	_	-	-	-	-	*
	5	-	-	-	-		-			-	-	-	-	-	-	-
1	6	•	-				-			-	-	-	*		·	0.2
TOTAL	7	-			-	*	*	*	0.1	0.1	*	*	-	-		0.3
TOTAL	1-2		-	-	-	*	*	*	0.1	0.1	*	*				19.4
	3		-	-	-	*	0.1	1.4	4.4	7.2	5.1 2.2	1.2 0.6		*	-	6.9
31	4	-	-	-	-	*	*	0.3	1.2	2.6 0.1	0.1	*		*		0.2
	5	-	-	-	•	•			*	*	*	*	-	-	-	*
1	6	-	-	-	-		-		-	*	-		-	-	-	26.9
TOTAL-	7	-		-	-	×	0.1	1.7	5.8	10.0	7.4	1.8	*	-	-	0.1
TOTAL	1-2			-	-	-	*	*	*	*	*	*	*	*	-	32.8
	3	-	-		*	*	0.2	2.3	7.6	12.6	8.5 9.2	1.7 2.3	*		-	28.7
41	4	-	-	-	*	*	0.1	0.9	5.0	11.1 1.1	0.9	0.3	*		-	2.8
	5	-	-	-	-	*	*	0.1	0.5	0.1	*	*	*	-	-	0.2
	6	-	-	-	-		_	-		*	*	-		-	-	*
TOTAL	7		-		*	*	0.2	3.3	13.2	25.0	18.6	4.3	*	*		64.7
TOTAL	1-2				-	-	-	*	*	-	*	-	-	-		0.3
	3		-	-	-	-	*	*	0.1	0.1	*	*	*			0.7
51	4	-	-	-	-	*	*	*	0.2	0.3	0.2	*	*	-	-	0.2
	5	-	-	-	•	•	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-		_	*	*	*	*	-			-	*
TOTA!	7	-			-	*	R	0.1	0.3	0.5	0.3	0.1	*	-	-	1.3
TOTAL	1-2	-			-	-			-	-	-	-	-	-		*
	3			-	-	-	-	*	*	*	:	Ţ.		-		*
61	4	-	-	-	-	-	-			*	*	_		_	-	
	5	-	-	•	-	-	-		*	*	*	-	-	-	-	*
	6	-	-	•			-			-	-	-		-		-
TOTAL	7_	-				-		*	*	*	*	*	-	-		
TOTAL	1-2			-	-	-	-	-	-	-	-	-	-	-	1	_
	3	-	-	-	-	-	-	-	-	-	-	-		-	_	-
71	4		-	-	-	-	-	-	•					_	-	-
	5		-	-	•	-	-			_	-	-	-	-	-	-
	6	-	_	-	_	_		-		-	-		-	-	-	
TOTAL	7	-	-	-			-		-	-	-	-	-			
TOTAL	1-2	-	_	-		-	-	*	*	*	*	-	-	-		
	3	-	-	-	-	•	*	*			*	*			_	4
12 & 22	4	-	-	-	-	-	-	•			_		-	-	-	
	5	-	-	-	•	-				_		-		-	-	
	6	-		-	-	_		-	-	-	-	-	-			
TOTAL-	7	-					*	*	*	*	*	*	*		-	
TOTAL	1-2	-	-	-	-	-	*	*	*	*	*	*				0
	3	-		-	-	*	*	0.1	0.2	0.3	0.2	*	*	-		0
32	4	-	-	-	-	*		*	0.1	*	*	*	*	-	-	
	5	-	-			-	*	*	*	*	*	*	-	-	-	
	6 7		-		-	-		-	-	-		-	- *	-	-	1
TOTAL-		-				*	*	0.1	0.4	0.4	0.3	0.1			•	7
TOTAL	1-2		-	-	-	-	*	*	*	*	*	*	*	-		1
	3		-	-	-	-	*	0.3	0.6	0.6 0.9	0.3 0.6	0.1 0.1	*	*		2
42	4	-	-	-	-	-	*	0.2	0.6	0.9	0.0	*		-		(
	5	-	-		-		*	*	*	*	*	*	*	-	-	
	6 7	-	-				_	-	*	*	-	-	-	-		
TOTAL-		-	-	-	-	-	*	0.5	1.3	1.8	1.0	0.2	*	*	*	4
TUTAL	1-2				-	-	*	*	*	*	-	-	*	-	-	
	3		-			-	*	*	*	*	*	*	*		-	
	4	-	-	-	-	-	*	*	*	*	*			_		
52		I.	-	-	-	•	*		*	*	*	_	-	-	-	
52	5															
52	5 6 7	-		-	-			*	*				- **		-	

Less than 0.05 percent.

Table 15. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	T	B					200	4 Crop								
GOVERT	LEAF								STAPLI	E						
COLOR		26 & -	28	29	30	31	32	33	34	35	36	27	20	20	40.0	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	FUL.	PGI.	PGI.
00	3	-	-	-	-	-	-		-	-						
62	4	-	-	-	-	-	*	*	*		-		-		_	
	5	-	-	-	~	-	-				-				_	
	6 7	-	-	-	•	-	-		-		-	-	_	-		
TOTAL-	-	-			-		-	-			*	-	-		-	
TOTAL-	4.2			•	•	-	*			1		*		-		*
	1-2	-	-		-	-	-	*	-	-	-	-	-		-	*
13 & 23	4	-	•	-	-	-	-						-	-	-	*
10 11 20	5			•	-	-	-	-	-		•	-	-	•	-	
	6				-	•	-	-	-	-	-	-	-	-	-	-
	7		-	_			•	•	-	-	-	-	-	-	-	•
TOTAL		-	-	-				*	*	*	*	*	-	-	-	
	1-2	-	-	_	-			*	*				•	•		*
	3		_	_	_	_	*	4	*	*	*	*	-	-	-	
33	4		-	-		-		*	w	*	*		-	-	-	
	5	-	-	-	-	-	_	*	*	*	*	*		-	-	
	6	-	-	-	-	-	-			-	*	_		-		
	7	-	-	-	-		-		-	-	-	-		-		
TOTAL		-	-				*	*	W	*	*	*				0.1
	1-2	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	3	-	-	•	-	*	*	*	*	0.1	*	*	-			0.2
43	4	-	-	-	-	-	*	*	*	0.1	*	*	-	-	_	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6 7	-	•	-	~	-	-	*	*	*	*	*	-	-	-	*
TOTAL-		-	-			-	*	-	-	-	-	-	-	-	-	-
TOTAL	1-2			-	•				0.1	0.1	0.1	-				0.4
	3			_		-							-	-	-	
53	4				_								-	-	-	*
	5	_	-	_		~							-	•	-	
	6	-	-	-	_	-			*			*	_	-	-	
	7	-		-			_	-				_				
TOTAL		-	-	-	-		*		*	*	*					*
	1-2	-	-	-	-	-	-	_	-		-		-			
	3	-		*	-	-	-	-	-	-	-	-		_		-
63	4	-	-	-	-	-	-	-	-	-	-	_	-	_		_
	5	-	•	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	•	•		-	-	-	-	-	-		-	-	-	-
TOTAL	7	-				-	-	-	-	*	-	-	-	-	-	*
24-54			-		*	•		-	-	*	-	-	-	u	-	*
25-35	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	~	*
81-85 1/	1-7	•	-	-	-	-	-	-		-	**	-	-	-	-	-
All Colors	1-7 8 2/	-	-	-	-	-	-		*		-	-	-	•	-	*
TOTAL, ALL-	021				*	*	0.4	5.9	21.2	20.0	27.0		- 0.4	-	-	*
EXTRANEOUS MAT	TER		-				0.4	5.9	21.2	38.0	27.9	0.5	0.1	" Ot	*	100.0
27170112000111171	721												Porce	erage Stap	le abla	35.1
Bark - Level	1	1.6											Felce	ent render	able	78.0
Bark - Level																
Grass - Level		1.2														
Grass - Level		*														
Prep - Level	1	0.3														
Prep - Level	2	-														
Other - Level	1	*														
Other - Level		-														
1,324,262	Bales cla	ssed. 1	/ Below G	rade Color	. 2/ Below	Grade L	eaf. "Less	s than 0.0	percent.							

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:

		,			a. 1 Cloc		2004	Crop	STAPLE							
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39 Pct.	40 & + Pct.	TOTAL Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct. 0.2	Pct. 0.5	Pct. 0.8	Pct. 0.6	Pct. 0.1	*	-	2.2
	1-2	-	-					0.1	0.2	0.7	1.4	1.9	0.6	0.1	*	5.1
11 & 21	3 4							*	0.1	0.1	0.1	0.2	0.1	*	*	0.5
11 00 21	5	-		-	-	-	-	-	*	*	*	*	*	-		
	6	-	-	-	-	-	-	•	-	-	-	-		-		_
	7	-	-	-		*	*	0.2	0.6	1.2	2.2	2.7	0.8	0.1	*	7.9
TOTAL	-		-	-				0.1	0.3	0.7	0.8	0.6	0.1	*	-	2.6
	1-2	_				0.1	0.2	0.5	1.4	3.7	5.8	4.7	0.7	0.1	*	17.1
31	4	-				*	0.1	0.3	0.6	1.0	1.3	1.0	0.2	*		4.5 0.4
	5	-	-				•		0.1	0.1	0.1	0.1	_	-		*
	6 7	-	-	-		-		-	_	*	~	-	_	-	-	*
TOTAL-		-	*	*	*	0.1	0.4	0.8	2.3	5.6	8.0	6.3	1.0	0.1	*	24.6
TOTAL	1-2	-	*	*	*	*	+	*	0.1	0.3	0.2	*	*		-	0.6
	3	-	*	0.1	0.2	0.6	1.4	1.5	1.4	2.8	3.1	1.3 0.7	0.1			12.5 8.0
41	4	-	*	*	*	0.2	0.8	1.6 0.2	1.6 0.4	1.6 0.4	0.3	0.7	*	*		1.7
	5	-	-			*	0.1	*	*	*	*	*	*	*	-	0.1
	6 7		-		-	-		*	*	*	*	-	-	-	- *	*
TOTAL		-	*	0.1	0.3	0.9	2.3	3.4	3.5	5.1	5.0	2.2	0.3	*	*	23.0 0.2
	1-2	-	-	*	*	*	*	*	0.1	*	1.1	* 0.4	0.1		*	9.0
	3	-	*	*	0.2	0.7 0.5	1.5 1.3	1.8	1.5 1.6	1.7	0.6	0.4	*	*	*	7.8
51	4 5		_	*	*	0.1	0.3	0.5	0.5	0.3	0.1	*	*	-	-	1.7
	6	-	-	-		*	*	*	*		*	*	-	-	-	0.2
	7	-	-	-	-	*	*	*	*	3.2	1.9	0.8	0.1	*	*	18.9
TOTAL-	_	-	*	*	0.4	1.2	3.2	4.4	3.8	*	*		-	-	-	*
	1-2	-	-	*		*	*	0.1	0.1	0.1	0.1	*	*		-	0.5
61	3 4	_	_	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	*	-	0.6
01	5		-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	*	*	*	*				-	_	-	*
TOTAL-	7	-	*	*	*	*	0.1	0.3	0.3	0.3	0.1	*	*	*	-	1.3
TOTAL	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-		1
	3		-	-		-		*	*	*	*	-	-	•		
71	4	-	-	-	-	-		-	*	-	_	-		-	-	*
	5			_	-	_	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	_	-	-		-		-	-	-	*
TOTAL-		-	-	-		-	*	*	*	*	*		•		-	•
	1-2	-	-	-	*	*	*	*	*		*	*	*	*	_	0.2
10.0.00	3	-	•	-			*		*		*	*	*	*	-	0.1
12 & 22	4 5		-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-		- *	*	*	+	0.1	*	*	*	*	*		0.3
TOTAL		-	•	*	*	*	*	*	*	*	*	*	-	-	-	*
	1-2	1	*		*	0.1	0.1	0.2	0.1	0.1	0.1	0.1	*	•	-	0.9
32	4	1 -	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
	5	-	•	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-		-		*		_					_	
TOTAL	7	-	*	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	-	1.5
TOTAL	1-2	*	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	*	0.1	0.3	0.7	1.0	1.0	0.4	0.2	0.2	0.1	*	*	*	4.1 3.7
	4	-	*	*	0.1	0.3 0.1	0.8	0.2	0.7 0.2	0.2	0.1	*	*	*		0.8
42	1	-	-			*	V. I *	#	*	*	*	*	-		-	0.1
42	5					_	*	*	*	*	*	-	-	-	-	*
42	5 6 7		_	-	*						0.4	0.1		*		8.7
42 TOTAL- -	6 7	*	*	0.1	0.4	1.1	2.0	2.4	1.4	0.6			*		*	-
	6 7	*			0.4	1.1	*	*	*	*	*	- *	-	- +	-	*
TOTAL-	6 7 ———————————————————————————————————	*		:	0.4 * 0.2	0.4	* 0.7	* 0.7	* 0.5	0.2	* 0.1	-		-		* 2.9
	1-2 3 4	*			0.4	0.4 0.5	* 0.7 0.8	* 0.7 1.0	* 0.5 0.7	*	*	*		-	-	* 2.9 3.5
TOTAL-	1-2 3 4 5	*	:	:	0.4 * 0.2 0.2	0.4	* 0.7	* 0.7	* 0.5	0.2 0.2	* 0.1 0.1	*		*	-	* 2.9 3.5 1.1 0.2
TOTAL-	1-2 3 4	*	:	:	0.4 * 0.2 0.2	0.4 0.5 0.1	* 0.7 0.8 0.2	* 0.7 1.0 0.3	* 0.5 0.7 0.3	0.2 0.2 0.1	* 0.1 0.1 *	*		*	-	The second second

^{*} Less than 0.05 percent.

Table 16. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2004 Crop

QUALITY	1						200	4 Crop								
QUALITI	LEAF								STAPLE							
COLOR		26 % -	28	29	30	31	32	33	34	25	26	27	20	00	40.0	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	Pct.
	1-2	-	-	-			*	*	-	*	*	7 01.	- CI.	FUI.	FUL.	PGL.
	3	-	-		*					*		*				0.1
62	4	-		*			*	0.1	0.1							0.3
	5	-	-	*	•			0.1				-	-			0.2
	6	-	-	•	-				*			_		-	-	
TOTAL	7	-	*	-	-	-	*						-		-	
TUTAL	4.0	-		*	*	0.1	0.1	0.2	0.1	*	*	*	*			0.6
	1-2	-	-	-	-		-	-	-	-	*	-	-	-		+
13 & 23	4	-	-	•	•				*	*	*	-	-	-	-	*
10 4 20	5		_	-	-					*	•	-	-	-	-	*
	6				_		•	-	-	-	-	-	-	-	*	-
	7	-	-			_			-	-	-	-	-	•	-	-
TOTAL					*	*	*	*	*	*	*			-	-	
	1-2	-	-	-	-	-	*	*	*	*	*		•	-		
	3	-	-	*	*	*	0.1	0.1	*	*	0.1	*	*		•	0.4
33	4	-	-	*	*	•	*	0.1	w	*	*	*	*	*		0. 4 0. 2
	5	-	-	-	*	-	*	*	*	*	*	-	*	*		*
	6	-	-	-	-	-	-	-	*	*	_	-	-		_	*
	7	-	-	-	-	-	-	-	-		-	-	_	-	-	
TOTAL-		•	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*		0.6
	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
40	3	-		*	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1	*	*	-	1.3
43	5	-			*	0.1	0.3	0.3	0.3	0.1	*	*	*	*	-	1.2
	6	-	-	_			0.1	0.1	0.1	*	*	*	*	-	-	0.3
	7		_			*						-	•	-	-	*
TOTAL		-	*	*	0.1	0.4	0.6	0.6	0.5	0.3	0.2	0.1	*	*		*
	1-2	-	-	*	*	*	*		0.0	*	0.2	0.1				2.9
	3	-	*	*	+	0.1	0.1	0.1	0.1	*	*		*	*	-	0.4
53	4	-	*	*	*	0.1	0.1	0.1	0.1	*	*	w	*	*		0.5
	5	-	*	*	*	*	*	0.1	0.1	*	*	*	*	-	_	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	-	-		-	*
TOTAL-		-	*	*	0.1	0.2	0.2	0.3	0.2	0.1	*	*	*	*		1.2
	1-2	-	-	-	-	-		-	-	-	-	-	-	-	-	-
63	3	-	•	0.1					*	*	-	*	-	-	-	*
03	5	-	•	•	*							-	-	*	-	*
	6					*			*		*	-	-	-	•	*
	7		-	-	_	-		_							•	
TOTAL			-		*	*	*	*	*	*	*	*		*		*
24-54	1-7	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*			0.6
25-35	1-7	-	-	-	-	-	*	-	-		-	_			_	*
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	_	-		*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	w	-	-	-		*
TOTAL, ALL-		*	*	0.4	1.9	5.4	11.1	15.4	14.8	17.5	18.5	12.4	2.2	0.2	R	100.0
EXTRANEOUS MAT	ITER													erage Staple		34.4
Bark - Level	1	20.5											Perc	ent Tenderal	ble	52.3
Bark - Level		20.5														
Grass - Level		*														
Grass - Level		*														
Prep - Level		*														
Prep - Level		*														
Other - Level		*														
Other - Level	1	-														
288,786	Bales cla	ssed.	1/ Below G	Grade Colo	r. 2/ Belov	w Grade Li	eaf. "Les	s than 0.05	percent.							

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

2004 Crop STAPLE QUALITY LEAF TOTAL 40 & 38 37 36 26 & -30 32 35 28 29 COLOR Pct. 0.1 1-2 0.6 0.1 0.2 0.2 11 & 21 4 6 0.7 * 0.2 0.3 0.2 TOTAL-0.1 0.6 0.3 0.2 1-2 26.8 1.0 1.0 5.9 12.3 6.5 5.8 0.1 0.8 2.4 2.0 0.5 31 4 0.1 0.1 6 8.7 1.6 33.4 15.0 8.9 0.1 1.1 TOTAL-0.2 0.1 0.1 1-2 7.6 1.2 36.2 9.3 16.3 1.6 0.1 20.7 6.2 1.3 9.0 0.5 3.6 41 4 1.2 0.1 0.1 0.5 0.5 5 0.1 6 58.3 0.1 2.2 13.1 25.8 14.4 2.6 0.1 TOTAL-1-2 0.7 0.1 0.3 0.1 0.3 3 1.2 0.1 0.4 0.5 0.2 51 4 0.2 0.1 0.1 5 6 0.8 0.3 2.2 0.2 0.7 TOTAL-1-2 61 4 6 TOTAL-3 4 71 6 TOTAL-12 & 22 4 5 6 TOTAL-1-2 0.1 0.2 0.3 0.1 0.7 0.2 0.1 0.4 0.1 32 6 1.1 TOTAL---0.1 0.3 0.4 0.2 1-2 1.4 0.1 0.5 0.5 0.2 2.0 0.1 0.1 0.5 0.8 0.5 42 4 0.2 0.1 0.1 5 6 0.3 1.0 1.5 0.8 0.1 3.6 TOTAL-1-2 0.1 0.1 0.3 0.1 52 6 0.4 0.1 0.2 0.1 TOTAL---

Less than 0.05 percent.

Table 17. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	H 1						2004	Crop	07.0.							
	LEAF								STAPLE							
COLOR		26 5 -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	4.0	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62	4		-	-	•	-	•	-		- :	-	-	-	-	-	-
O.E.	5		_	_		-	*				-	-	•	-	-	
	6			_			_			*			-	-	7	
	7	-						_	-			_	-	-		_
TOTAL		-					-	w	W	*	*	-				*
	1-2	-	-	-	-	-	-	-		-			-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
13 👢 23	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	•	-	-	•	•	-	-	-	-	-	-	-	-	**
	6 7	-	-	-	-	-	•	-	-	-	-	~	-	-	•	-
TOTAL		-			-	-	-	-	*	*	*	-	-	-		*
TOTAL	1-2			-						*		-	-	-	-	*
	3			_		-	*	*	*	*						*
33	4	-	-	-	**	-	*	*	*	*	*	*			_	*
	5	-	-	-	-	-	-	-	*		*	*	-	-		*
	6	-	-	-	-		-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-		-	-	44	-	-	•	-	-
TOTAL-		-		-	•	-	*	*	*	*	*	*	-	•	•	0.1
	1-2	-	-	-	-	-	-	- 1	-	-	-	-	-	-	-	-
42	3	-	•	-	•	-							-	-	-	0.1
43	5		-											-	•	0.1
	6				-	-		_		*	*					*
	7		_					_					-			-
TOTAL			-	-	-	-	*	W	*	0.1	*	*	*			0.2
	1-2	-	-			-	-		-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-		-	-	*
53	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5		-	•		-	-	•		•	•	•	•	-	-	•
	6 7			_		-					-			-		
TOTAL-							*	*	*	*	*			-	-	*
	1-2	-	-	-	_	-	-	-	*	*	-	-	-	-		*
	3	-	_	*	-	-	-	-	-	-	-	-	-	-	-	-
63	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	•	-	-	-	•	-	-	-
TOTAL	7	-	-	-	-	-	-	-	*	*		-	-			*
24-54	1-7	-			-	-		*	*	*	*	+			-	*
25-35	1-7		_	-		-		_	_						_	
81-85 1/	1-7	-	_	_	_	_	_	*	*	*	*	-	-	_	-	*
All Colors	8 2/	-	-	-	-	-	-		-	-	-	-	-	-	-	-
TOTAL, ALL-		-	-			*	0.3	4.0	22.4	44.1	24.7	4.4	0.1	*	*	100.0
EXTRANEOUS MA	TTER												Av	erage Sta	ple	35.0
													Perc	ent Tende	erable	82.0
Bark - Level		1.6														
Bark - Level Grass - Level		0.7														
Grass - Level		=														
Prep - Level	1	0.1														
Prep - Level		-														
Other - Level	11															
Other - Level	11	-														
369,113	Bales cla	assed.	1/ Below (Grade Cole	or. 2/ Belo	w Grade L	eaf. "Les	s than 0.0	5 percent.							

Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:

						en distri	2004	Crop	STAPLE							
QUALITY	LEAF								STAPLE						10.0	TOTA
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38 Pct.	39 Pct.	40 & + Pct.	TOTA.
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct. 0.6	Pct. 0.2	Pct.	**		-	2.6
	1-2	-	-	-	-	*	0.1	0.7	1.1	4.5	1.2	0.1		-		15.8
	3	-	-	-	•		0.2	2.9 0.2	6.8 0.9	0.8	0.2	*	*	-	-	2.2
11 & 21	4	-	-	-	-			*	*	*	*		-	-	-	0.1
	5	•	-		-						-	-	-	-	-	
	6 7		-			-		-	-				*			20.7
TOTAL-			-	-	-	*	0.3	3.8	8.8	6.0	1.6	0.2				0.4
TOTAL	1-2	-	-	-	-			0.1	0.1	0.1	*	*		•	-	10.9
	3	-		-	-	*	0.2	2.1	4.6	3.0	0.8	0.1		_		7.9
31	4	-	-	-	•	*	0.1	0.8	3.0	3.1 0.4	0.9 0.1	*	*			1.0
	5	-	-	-	-	-	*	0.1	0.3	*	*		-			*
	6	-	-	•	•		-			-		-	-	-		-
	7	-				*	0.3	3.1	8.1	6.6	1.9	0.3	*	-	*	20.3
TOTAL-			-			*	0.2	0.2	0.1	*	*	*		-	-	0.5
	1-2	-	-	-		0.1	1.9	6.2	6.6	2.9	0.5	*	*	-	-	18.4
41	3 4					*	0.2	1.6	3.8	2.8	0.9	0.2	*	-	-	9.4 0.6
41	5	_		-	-	*	*		0.2	0.2	0.1	*	•	-		*
	6	-	-	-	-	-	*	*	*	*	*		-		-	*
	7			-	-	-	-	-	40.7	5.0	1.6	0.2	*			29.6
TOTAL-		-	-	-	-	0.2	2.3	8.1	10.7	5.9	*	*		-	-	0.2
	1-2	-	-	-	-	*	0.1	0.1 3.5	3.5	1.3	0.2	*	*			9.9
	3	-	-	-	-	0.1	1.3 0.3	1.4	2.7	1.8	0.5	0.1	*	-	-	6.8
51	4	-	-	-		*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	_			*	*	*	*	*	*	*	-	-	-	*
	6 7			_	_	*			*	*		-	-			17.
TOTAL-	-				•	0.2	1.6	5.1	6.4	3.2	0.8	0.1	*		-	*
TOTAL	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-		0.1
	3	-		-	-	*	*	*	*	*					_	0.1
61	4	-	-	^	-	*	*	0.1			*				_	*
	5	-	-	•	-	•			*	*	_	_	_	_	-	*
	6	-	-	-	-			*	*	*	*	-	-	-	-	*
	7	<u> </u>	-			*	*	0.1	0.1	*	*	*	•	-	-	0.3
TOTAL-	1-2	-						-	-			-	-	-	-	
	3		_	-	-	-	-	*	-	*	•	-	•	-	-	
71	4	-	-	-	-	-	-	*	*	-	-	-	- 1	-	•	*
	5	-	-	-	~	*	-	*	*	-	-			_	-	_
	6	-	-	-	-	-	-	-	•	1			_	_	_	
	7		-		-	*		*	*	*		-				*
TOTAL-		-			-			*	*	*	-	-	-	-	-	*
	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-		0.
10.0.00	3 4						*	*	*	*	*	*	-	-	•	
12 & 22	5			-	-	-	-	*	*	*	*	•	-	-	-	
	6	-	_		-	-	-	-	*	-	-	-	-	-	•	
	7		-	-	-	-		*		*	*	*		-	-	0.
TOTAL-			-		-	-	*		0.1	*	*					
	1-2	-	-	-	-	*	*	*	0.2	0.1	*	*				0
	3	-	-	-	-	•	*	0.1	0.2	0.1	*	*	-			0
32	4	-	-	•	•		*		*	*	*	*	-	-	-	1
	5 6		_				-	*	*		*	-	-	-	-	
	7		_			-		-	-	-			-	-	-	
TOTAL-		-	-		-	*	*	0.2	0.3	0.2	0.1	*	-	-		0
	1-2	-	-	-	-	*	*	*	*	*	*	- *	-	-		0
	3	-	-	-	-	*	0.6	1.6	1.2	0.4	0.1	*		-	-	2
42	4	-	-	-	-	*	0.1	0.6	1.0	0.6 0.1	0.1	*			-	0
	5	-	-		•			*	0.1	*	*	*	-	-	-	
	6	-	-	-		-	-			_	-	-	-		-	
TOTAL	7			-		*	0.7	2.2	2.3	1.1	0.2	*	*		-	6
TOTAL-		-			-	*	*	*	*	*	*	-	-	-	-	
	1-2	-					0.3	0.8	0.6	0.2	*	*	*	-		1
	II.				-	*	0.1	0.5	0.7	0.4	0.1	*	-	-	-	1
52	1 0	II.				*	*	*	0.1	0.1	*	*	-	-	-	C
52	4 5		-	-												
52	5 6	-	-	-	-	-	*	*	*	*	*	*	-	-		
52	5	-	-	-	-		* *	1.3	1.4	0.6	0.1	-	-	-	-	

Less than 0.05 percent.

Table 18. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1						20	04 Crop		staple ioi						
	LEAF								STAPL	E						
COLOR		26 & -	28	29	30	31	32	33	34	35	36	27	20	20	40.0	
	1 2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
	1-2	-	-	-	-	-	*	-	*	-	-	-	-	-	-	+ Ct,
62	4		_	•	-			*		*	w	-	-	-	-	
	5	-			_				- :		*	-	-	-	-	0.1
	6	-	-	-					-		-	-	-	-	-	
	7	-			-	-					-	-	-	-	-	
TOTAL-			-	-	-	*	*				-		-			
	1-2	-	-	-	-	-	-	*	*	*				-	•	0.1
13 & 23	3 4	-	-	~	-	-	*	*	*				_		-	*
10 11 23	5	_	-	-	-	-	-	*	*	*	-	-	-	-		*
	6	-	-		-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-		-		-	-	-	-	-	-	-	-	-	-
TOTAL		-	-		-		*	*	*	*	*	-	-	-	-	
	1-2	-	-	-	-	-	w	*	*	*			-	•	-	*
	3	-	-	-	-	*		*			*	*	•	-	-	*
33	4	-	-	-	-	-	*	*	*	*	*	*		-	-	0.1
	5	7	-	-	-	-	-	*	*	*	*	*			-	*
	6 7	-	-	-	-	-	-	-	-	-	*	-	-			*
TOTAL-	-	-		-		-	*	-	-	-	-	-		-	-	-
	1-2				•			*	*	*	*	*	-	-		0.1
	3		-		-	*	*	0.1	*	*	*	-	-	-	-	*
43	4	-	-	_				0.1	0.1 0.1				-	-	-	0.2
	5	-	-	-	-	-	-	*	*			*		-	-	0.1
	6	-	-	-	-	-	-			_		_		-	•	
TOTAL	7	-	-	-	-	-	-	_	-		-	_		_	-	_
TOTAL-	4.2		•	•	-	*	*	0.1	0.1	0.1	*	W	*			0.4
	1-2		-	-	-	-	*	ŵ	•	*	-	-	-	-	-	*
53	4		-	1	-			*	*	*	*	*	-	-	**	0.1
	5	-	-	-	-							*	-	-	-	0.1
	6	-	-		-	-	_			*	_	T.	-	-	-	*
	7	-	-	-	-	-	-	-	-	_	_			-	-	
TOTAL			-	•	-	*	*	0.1	0.1	W	*	*			-	0.3
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	3 4		-	*	-	*	*	*	*	*	-	-	-	-	-	*
00	5		-	-	-		•		*	*	*	-	-	-		*
	6	-		-			-	_	*		-	-	•	-	~	*
	7	-	-	-	-	-		_	_		-	-	-	1	•	*
TOTAL		-	-		-	*	*	*	*	*	*		-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-			*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	_	_	_
81-85 1/ All Colors	1-7 8 2/	-	-	~	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL-	021	-	-		-	- 0.4		*	-	-	-	-	-	-	-	*
EXTRANEOUS MAT	TER			-		0.4	5.9	24.2	38.4	23.8	6.3	0.8	*	•	*	100.0
														rage Stapl		34.0
Bark - Level		0.9											Perce	nt Tendera	ible	75.0
Bark - Level	2	-														
Grass - Level		0.1														
Grass - Level		0.0														
Prep - Level Prep - Level	2	0.2														
Other - Level																
Other - Level	1															
	Bales clas		0 1 0		0/0 /	0		s than 0.05								

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:

2004 Crop STAPLE QUALITY LEAF 40 & 1 TOTAL 39 36 37 38 35 34 33 30 32 29 26 & 28 COLOR Pct. Pct. Pct Pct. Pct. Pct. Pct. Pct. Pct. Pct. Pct Pct. Pct. Pct. Pct. 1.4 0.2 0.2 0.3 0.1 0.2 0.3 1-2 5.9 0.3 1.3 1.2 0.2 0.5 1.0 1.3 1.1 0.1 0.1 0.2 0.2 0.3 0.1 11 & 21 4 5 6 8.4 1.7 1.8 0.4 1.8 0.3 0.8 1.4 0.1 TOTAL-1.2 0.3 0.3 0.2 0.1 0.2 0.1 1-2 15.0 2.7 2.0 0.3 3.7 0.2 0.8 2.0 3.2 8.5 1.9 0.4 1.9 18 0.1 0.3 0.7 1.4 31 0.6 0.1 0.1 0.2 0.1 0.1 5 6 25.3 0.8 3.0 5.0 5.9 4.9 4.1 1.2 0.1 0.3 TOTAL--0.4 0.1 0.1 0.1 1-2 13.8 0.6 2.6 3.7 3.7 19 0.2 1.1 3 17.6 0.2 4.1 4.9 3.5 1.6 2.3 0.2 0.7 41 4 2.2 0.1 0.5 0.5 0.3 0.4 0.1 0.2 5 0.1 6 34.1 5.9 2.5 0.3 9.2 8.4 0.5 1.9 5.2 0.1 TOTAL-1-2 1.9 0.4 0.2 0.1 0.5 0.2 0.4 3 3.0 0.7 0.3 0.8 0.7 0.1 0.4 51 4 0.9 0.2 0.1 0.1 0.2 0.2 0.1 6 5.9 0.4 1.5 1.5 1.1 0.1 0.3 0.9 TOTAL-61 5 6 0.1 * * TOTAL-1-2 3 71 4 5 6 TOTAL-1-2 0.9 0.2 0.1 0.1 0.2 0.2 0.1 0.3 0.1 0.1 12 & 22 4 5 6 1.3 0.1 0.1 0.3 0.3 0.2 0.2 TOTAL-0.1 1-2 0.1 3.2 0.3 0.2 0.5 0.8 0.8 0.6 2.5 0.3 0.2 0.3 0.5 0.6 0.5 0.1 32 0.2 5 6 6.1 0.6 0.4 0.1 1.4 1.1 0.3 0.8 1.4 TOTAL-1-2 3.0 0.9 0.7 0.4 0.2 0.5 0.2 3 5.1 0.9 0.5 0.2 0.5 1.3 1.4 0.2 42 4 0.9 0.1 0.1 0.2 0.2 0.3 0.1 5 0.1 6 9.2 0.4 0.1 0.4 1.2 2.4 2.4 1.6 0.8 0.1 TOTAL-1-2 0.3 0.1 0.1 0.1 0.7 0.1 0.2 0.2 0.1 0.1 52 4 0.3 0.1 0.1 0.1 5 6 0.1 0.1 1.5 0.2 0.4 0.4 0.1 0.2 TOTAL-

[&]quot; Less than 0.05 percent.

Table 19. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY COLOR LEAF 26 & 28	&+ TOTAL ct. Pct.
COLOR 26 & 28 29 30 31 32 33 34 35 36 37 38 39 40	et. Pct. * * * * * * * * * * * * *
Pct.	et. Pct. * * * * * * * * * * * * *
1-2 3 4 4	et. Pct. * * * * * * * * * * * * *
62	0.2 0.1 1.3
TOTAL— 13 & 23	0.2 * * * * * 0.2 0.1 1.3
TOTAL— TOTAL— 13 & 23	0.2 * * * * * 0.2 0.1 1.3
TOTAL— 1.2 1.3 & 23 4 5 6 7 TOTAL— 1.2 3 3 4 0.1 0.1 0.2 0.3 0.3 0.1 0.2 0.2 0.2 0.1 1.2 1.2 1.2	0.2 * * * * * 0.2 0.1 1.3
TOTAL— 1-2 3 4 5 6 7 TOTAL— 1-2 33 44 1-2 1-2 1-2 7 TOTAL— 1-2 1-2 1-2 1-2 1-2 1-2 1-2 1-	0.2 * * * * * 0.2 0.1 1.3
13 & 23	0.2 * * * * * 0.2 0.1 1.3
13 & 23	0.2 * * * * * 0.2 0.1 1.3
13 & 23	0.2 * * * * * * * 0.2 0.1 1.3
TOTAL— TOTAL— 1.2 3.3 4. 0.1 0.1 0.2 0.3 0.3 0.3 0.3 0.1 0.2 0.3 0.1 0.2 0.2 0.2 0.1 1.2 1.2 1.2	* * * * * * * * * * * * * * * * * * *
TOTAL— 1-2 3 3 4 - 0.1 0.1 0.2 0.3 0.3 0.3 0.3 0.1 - 5 - 0.1 0.2 0.2 0.2 0.2 0.1	0.1 1.3
TOTAL— 1-2 3 3 4 - 0.1 0.1 0.2 0.3 0.3 0.3 0.3 0.1 - 5 - 0.1 0.2 0.2 0.2 0.2 0.1	0.1 1.3
TOTAL— 1-2 3	0.1 1.3
33	0.1 1.3
33	0.1 1.3
33	1.3
TOTAL— TOTAL— 1-2	
TOTAL TOTAL 1-2 3 43 44	0.8
TOTAL— 7	*
TOTAL— 1-2 3 43 44 43 45 66 7 1-2 3 40.1 0.2 0.3 0.3 0.2 0.1 40.1 0.2 0.4 0.5 0.4 0.2 0.1 40.1 0.1 0.1 40.1 0.1 0.1 40.1 0.2 0.4 0.8 0.9 0.7 0.3 0.1 40.1 0.2 0.4 0.8 0.9 0.7 0.3 0.1 40.1 0.1 0.1 40.1 0.2 0.4 0.8 0.9 0.7 0.3 0.1 40.1 0.1 0.1 40.1 0	
43	*
43	*
43	2.2
#3	*
TOTAL— 1-2 3 4	1.2
TOTAL— 1-2 3 4	2.0
TOTAL— 1-2 3 4	0.3
53 1-2	*
53	3.6
53	*
TOTAL * * * * * * * * * * * * * * * * * *	
TOTAL * * * * * * * * * * * * * * * * * *	0.1
TOTAL	0.1
TOTAL * * * * * 0.1 0.1 0.1 * *	
0,1 0,7 0,7 * * *	*
	0.3
3	*
63 4 -	*
5	*
6	*
7	*
TOTAL— * * * * * * * * * * * * * * * * * * *	*
24-54 1-7 * * * * 01 02 04 04	*
25-35 1-7	1.6
81-85 1/ 1-7 - * * * * * * * * * * * * * * * * * *	0.4
All Colors 82/	0.1
TOTAL, ALL— * * 0.1 0.5 2.1 7.1 16.3 22.9 23.2 15.9 10.0 1.8 0.1 *	100.0
EXTRANEOUS MATTER Average Staple	34.5
Persont Tendership	37.3
Bark - Level 1 41.0 Felcent renderable Bark - Level 2 *	07.0
Grass - Level 1 0.5 Grass - Level 2 •	
Prep - Level 1 0.1	
Prep - Level 2 *	
Other - Level 1 *	
Other - Level 1 *	
7,573,948 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. *Less than 0.05 percent.	

Table 20. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2004 Crop

QUALITY									STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTA Pct.
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	PCL.	FCL.	-	-	-	*
	1-2	-	-	-	•	-				*	*		-	-	-	*
	3	-	-	•		-	_	*	*	*	*	-	-	-	-	
11 & 21	4 5		_	-		-	-	-	-	-	•	•	•		-	
	6		-	-	-	-	-	-	•	-	-					-
	7	-	-	-	-		*	*	*	*	*	-				0.1
TOTAL		-	-	-	•			*	*	*	*	-	-	-		*
	1-2	-	-	-	-		0.2	1.0	2.2	3.3	2.6	0.6	*	-	-	9.9 6.0
2.1	3 4	_	-	-		*	*	0.3	1.3	2.3	1.6	0.4	*	-	_	0.2
31	5	-	-	_	-	-	*	*	0.1	0.1	*	Ţ.	_		_	*
	6	-	-	-	-	-	-	-	Ţ			-	-	-	-	-
	7	-	-			*	0.2	1.4	3.6	5.6	4.3	1.0	*	-	•	16.
TOTAL-	-	<u></u>	•	•			*	*	*	*	*	-	-	-	-	*
	1-2	-	-	-	-	*	0.2	2.3	7.0	10.7	8.6	1.6	*	-	- 1	30.0 41.1
41	3 4		_		-	-	0.1	1.4	8.4	16.3	12.4	2.7 0.2			_	3.0
-+1	5		-	-	-	-	*	0.1	0.6	1.3	0.8	*		_	-	0.1
	6	-	-	-	-	-	-	•	_			-		-	-	-
	7	-		-		*	0.3	3.8	16.1	28.3	21.9	4.6	*			75.
TOTAL		-		-	-	-		-	-		-		-	-	-	0.4
	1-2			-	-	-	*	*	0.1	0.2	0.1	*	*	-		1.2
51	4	-	-	-	-	-	*	0.1	0.2	0.4	0.4 0.1	0.1	*			0.3
· .	5	-	-	-	-	-	-	*		0.1 *	*	*	-	-	-	*
	6	-	-	-	-	-		_		_		-		-		-
	7						*	0.1	0.3	0.7	0.5	0.2	*	-	-	1.8
TOTAL					-	-	-	-	-	-	-	-	-	-	-	
	1-2		-	-	-	-	-	-	-	*	-	-	-		-	
61	4		-	-	-	-	-	-	•	•	-		_		-	-
	5	-	-	•	-	-	-	-	1	_	-	-	-	-	-	-
	6	-	-	-	-	-	-	-			-	-	-	-	-	
TOTAL	7	<u> </u>			-					*	-	-		-	-	
TOTAL-	1-2			-	-	-	-	-	-	-		-	-	-		
	3	-	-		-	-	-	-	-	-				_	-	
71	4	-	-	-	-	-	-	-	-				-	_	-	
	5	-		-	-	7	-		-		-	-	-	-	-	
	6	-	-	-			-		_	-	-		-			
TOTAL	7	-:-	-	-		-	-	-		-			-			
TOTAL	1-2	-	-	-	-		-	-	-	-	-	-				
	3		-	-	-	*	-	-	-	*	*		-		-	
12 & 22	4	-	-	-	-	-		-		-				-		
	5	-	•	-		-		-	_	-	-	-	-	-	-	
	6 7			-			-	-		-	-			-		
TOTAL		-			-	*		-		*	*	*		-	-	
101110	1-2	-	-	-	-	-	-	- *	- 0.1	0.1	*	*	-		-	C
	3	-	-	-	-	-	*	*	0.1	0.1 0.1	0.1	*			-	C
32	4	-	-	-	-		_	*	*	*	*		-	-	-	
	5							-	-	*	-		-	-	-	
	6 7	-			-		-	-	-			-			-	
TOTAL		-				-	*	0.1	0.2	0.2	0.1					
	1-2	-	-	-	-	-	-	0.2	0.5	0.6	0.2	0.1		-		
	3		-	-	-		*	0.2	1.1	1.6	0.6	0.1	*	-	-	:
42	4	-		-				*	0.2	0.3	0.1	*	-	-	-	4
	5				-		-	*	*	*	*	*	-	-	-	
	7	_			-	_		-	-		-	- 0.2	*			
TOTAL				-		_	*	0.4	1.7	2.5	0.9	0.2				
	1-2	2 -	-	-	-	-	-	*	*	*	*	*			-	
	3	-		-		-	-			0.1		*		-		
52	4	II .	-	-	•			*	*	*	*	*	-	-	-	
	5	11					-		*	*	*	-	-	-	-	
	7	- 11	-		-	-	-	-	0.1	0.1	-	*		-		
							*	*			0.1		-			

Less than 0.05 percent.

Table 20. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY							a. 0 0 -	4 Crop	STAPLE							
COLOR	LEAF	26 =	20	20			-									
COLOR		26 M - Pct.	28 Pct.	29 Pct.	30 Pct.	31	32	33	34	35	36	37	38	39	40 & +	TOTA
	1-2	FGI,	FCI.	PGI.	PCI.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3			-	•	-	-	-	-	-	-	-	•	-	-	-
62	4		_	_	•	-	-	-	-		-	-	-	-	-	*
-	5			_		-	-	•	-	~	-	-	•	-	-	-
	6					-	-	~	-	-	-	-	-	-	-	-
	7					Ī	-	•	•	-	•	-	-	•	-	-
TOTAL										-			-	-	-	*
	1-2											*	-	-		
	3	_	_			-		-	-	-	*	*	•	-	•	-
13 & 23	4		-	_						•			-	-	-	
	5	-	_	_	_					_	_	-	-	-	-	-
	6	-	_	_		_										_
	7	-	-	_	-				_	_						-
TOTAL			-	-	-						*	*	-	-		W
	1-2	-	_	-	-	-	-	-								
	3	-		-		_		_	_	*	*					
33	4	-	-	-	-			w	*	*						*
	5	-	-	_	_	~	-	_	-		-	_		_	_	_
	6	-	-	-	-		-	-	_	_	_	_	_			_
	7	-	-	-	-	-	-	-	-	-	_	-		-	_	
TOTAL		-	-			-		*	*	*	*				-	*
	1-2	-	-	-	-	-	-	-	-	-	-		-	_		-
	3	-	-	_		-	-	*	*		*	w		_	-	0.1
43	4	-	_	-	-	-	_	*	*	*	*		-	_	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	-	-	-		*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-		-	-	-	-	~	-	-	-	-	-	-
TOTAL		•	-	-		-		*	*	0.1	*	*		-	-	0.2
	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
53	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	•		-	-	-	-	-	-	*
	6 7	-	•	-	-	-	-	-	-	•	•	-	-	-	-	•
TOTAL			-		-	-			*	*	*	+	-		-	*
TOTAL	4.2	-	-	-	-	*							•	*	-	
	1-2	-	-		-	-	-	-	-	-	-	-	-	•	-	-
63	3 4	-	-		-	-	-	-	-	-	-	-	-	-	-	•
03	5	-	-					-	-	_	-	-	•	•	-	-
	6		_						_	_	-	_			-	_
İ	7				-		_	_			_					_
TOTAL			-					-					-	-		
24-54	1-7	-	-	-		-	-	_	_	*	-	*	-	-		*
25-35	1-7								_		_	_	_	_		_
81-85 1/	1-7			_	_						_	_	_	_		_
All Colors	8 2/		_	_	_	-	_	_	_	_	_	-		_		~
TOTAL, ALL				-		*	0.5	5.8	22.0	37.6	27.8	6.1	*	-		100.0
TRANEOUS MAT	TER		-										Ave	erage Sta	ple	35.0
													Perce	ent Tende	rable	82.3
Bark - Level	1	1.6														
Bark - Level		-														
Grass - Level		0.6														
Grass - Level		-														
Prep - Level		0.4														
Prep - Level		-														
Lich - Feact																
Other - Level	1	*														

Table 21. -- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2004 crop.

		level 2		52	1,514	es	100	-	109	28	25	18	•	ম	64	72	-	0	1,281	918	4,187
Total	- 10	level 1	Bales	31,428	37,667	15,112	45,855	5,984	68,732	37,251	12,481	27,183	4,804	1,790	40,934	511,307	8,954	11,786	3,145,235	2,735	3,557,238
		level 2		-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	2
		level 1	Bales	38	45	o	190	0	9	0	ю	105	Ŋ	4	4	0	2	1	126	-	549
	wist	level 2		0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	-	0	6
	Spindle Twist	level 1	Bales	0	Ŋ	∞	792	ω	47	0	25	10	S.	-	0	-	0	ო	168	0	1,073
		level 2		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	₹-	0	-
	ō	level 1	Bales	0	6	o	0	0	5	0	7	20	13	2	0	4	0	œ	140	0	217
Extraneous matter		level 2	1	0	0	0	0	0	0	0	-	0	0	0	0	0	0	0	0	0	-
Ш	Seed	level 1	Bales	13	2,310	576	878	0	52	0	15	268	449	31	-	2	0	176	489	0	5,260
		C lovel 2		22	0	0	59	0	21	0	13	16	0	0	10	-	-	0	827	0	940
	Grass		Bales	1,509	2,580	1,556	7,344	177	4,059	0	3,188	4,664	272	45	15,350	90	2,633	971	34,517	0	78,915
	-	Clarical	level 2	7	1,514	0	29	-	75	54	49	2	0	58	39	14	0	0	334	918	3,098
	Dark	Bark	Bales	27,608	32,658	8,730	36,343	5,113	50,195	37,244	6,379	18,565	1,638	1,703	21,749	59,148	5,784	8,685	3,101,770	2,220	3,425,532
	-	lon	level 2	0	0	ო	2	0	13	0	-	0	0	0	0	9	0	0	117	0	142
		para	level 1	2.260	09	4,224	308	989	14,368	7	2,864	3,551	2,422	4	3,830	102	535	1,932	8,025	514	45,692
		State		Alabama	Arizona	Arkansas	California	Florida	Georgia	Kansas	Louisiana	Mississippi	Missouri	New Mexico	North Carolina	Oklahoma	South Carolina	Tennessee	Texas	Virginia	United States

Table 22. - Tenderability of upland cotton classed, by states, 2004 crop

State	Tenderable	1/	Untenderat	ole
	Bales	Pct.	Bales	Pct.
Alabama	605,674	76.0	191,736	24.0
Arizona	446,451	66.3	226,572	33.7
Arkansas	1,592,616	79.0	423,793	21.0
California	1,573,257	89.5	185,429	10.5
Florida	76,858	82.7	16,074	17.3
Georgia	1,464,341	83.7	285,381	16.3
Kansas	3,784	5.8	61,579	94.2
Louisiana	589,639	66.4	298,555	33.6
Mississippi	1,728,709	76.0	545,490	24.0
Missouri	660,969	81.7	147,588	18.3
New Mexico	33,492	66.9	16,597	33.1
North Carolina	1,033,397	78.0	290,865	22.0
Oklahoma	150,895	52.3	137,891	47.7
South Carolina	302,565	82.0	66,548	18.0
Tennessee	718,498	75.0	240,108	25.0
Texas	2,826,940	37.3	4,747,005	62.7
Virginia	117,404	82.3	25,200	17.7
United States	13,925,489	63.8	7,906,411	36.2

^{1/} Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

Table 23. – Tenderability of upland cotton classed, in the United States, 1985-2004 crops.

Year	Tenderable	1/	Untenderal	ble
	Bales	Pct.	Bales	Pct.
1985	7,252,955	56.5	5,584,133	43.5
1986	4,073,446	44.1	5,163,393	55.9
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6
1993	9,262,901	61.7	5,747,395	38.3
1994	11,968,375	64.7	6,541,523	35.3
1995	10,492,168	62.6	6,259,089	37.4
1996	11,469,168	64.9	6,199,753	35.1
1997	12,042,873	68.5	5,532,967	31.5
1998	7,351,983	56.5	5,659,801	43.5
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0
2001	12,167,594	63.9	6,871,481	36.1
2002	8,350,453	52.0	7,702,475	48.0
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2

^{1/ 1983-84,} New York No. 2; 1985, New York No. 2 and Chicago; 1986-2002 New York No. 2.

Table 24. – Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2004 crop.

			ABILE	NE		В	BIRMINGHAM				DUMAS	
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classin Office Total
1 & 21	1-2	-	2.2	1.5	1.6	0.3	0.8	0.3	2.5	5.2	5.8	5.6
1 0 21	3	0.1	5.1	4.6	4.5	3.5	2.6	3.5	15.8	23.1	27.6	26.4
	4	0.2	0.5	0.5	0.5	0.9	0.2	0.8	3.2	3.9	4.3	4.2
	5	0.1	*		*		-	*	*	*	*	*
	6	*	-		*	*	-	*	-	*	*	*
	7	_	-	_	-	-	-	- 1	-	-	-	•
Total		0.4	7.9	5.0	6.6	4.7	3.6	4.6	21.6	32.2	37.8	36.3
31	1-2	-	2.6	1.0	1.3	0.7	0.9	0.7	1.6	0.2	0.5	0.4
•	3	0.6	17.1	14.3	14.3	18.8	17.5	18.7	25.4	7.4	13.1	11.6
	4	1.7	4.5	4.6	4.4	12.5	3.2	11.9	18.1	7.5	12.2	10.9
	5	1.2	0.4	0.6	0.6	1.1	m	1.0	1.4	0.7	1.2	1.0
	6	0.1	*		*	*	-	*	*	*	*	*
	7	*			*	*	-	*	*	*	*	
Total		3.6	24.6	20.5	20.6	33.1	21.5	32.3	46.5	15.7	26.9	23.9
41	1-2	*	0.6	0.6	0.6	0.4	0.4	0.4	0.2	0.1	0.1	0.1
	3	3.0	12.5	19.2	17.4	21.6	36.3	22.6	5.9	7.1	7.7	7.6
	4	11.1	8.0	11.2	10.7	15.1	16.2	15.2	9.4	5.7	7.6	7.1
	5	11.3	1.7	1.9	2.2	1.3	0.1	1.2	2.2	0.4	1.1	0.9
	6	4.5	0.1	0.3	0.4	0.1	-	0.1	0.2	•	*	*
	7	1.0		*	0.1	*	-	* -	*	40.0		
Total		31.0	23.0	33.3	31.4	38.5	53.1	39.5	18.0	13.2	16.5	15.6
51	1-2	*	0.2	0.2	0.2	*	*	*	*	0.2		0.1 4.0
	3	1.2	9.0	8.0	7.9	5.1	3.4	5.0	0.5	7.9	2.6	5.6
	4	3.8	7.8	5. 5	5.8	6.9	6.3	6.9	0.8	9.1	4.3 0.9	0.8
	5	5.0	1.7	1.2	1.4	0.6	0.1	0.6	0.3	0.7	v.9	*
	6	2.4	0.2	0.1	0.2	0.1	-	0.1			*	*
	7	0.7		*		40.7			1.6	18.0	7.9	10.6
Total	-	13.0	18.9	15.1	15.7	12.7	9.9	12.5	1.0	0.1	*	*
61	1-2	-			-		*			0.1	*	0.1
	3	-	0.5	0.3	0.3		*	0.1	*	0.3	0.1	0.1
	4		0.6	0.3	0.3	0.1		0.1		*	*	*
	5		0.2	0.1	0.1		_		*	*	w	*
	6		*		*		-				*	*
T.4.4	7			0.6	0.7	0.1	*	0.1	*	0.7	0.1	0.3
Total	4.0		1.3	*	*	0.1		V.1	_	*	-	*
71	1-2	-	*	*				*	_		*	*
	4		*	*			_	*		_	*	*
	5		*	*	*		_	*	-	-	-	-
	6	_	*	*		-			-	-		*
	7		_	*	*	_	_	- 1	-	-	-	-
Total		*		*		*		*	-	*	*	*
12 & 22	1-2	_	*	0.2	0.2	+	*	*	0.1		*	*
12 0 22	3		0.2	1.3	1.1	0.1	0.1	0.1	1.1	0.2	0.4	0.3
	4		0.1	0.3	0.2	*	*	*	0.5	*	0.2	0.2
	5	*	*	*	*		-	*	*	*	*	*
	6	-	-	*	*	-	-		*	-	-	-
	7	*	_	-	*	-	-		-	-	- 1	-
Total		0.1	0.3	1.9	1.5	0.1	0.1	0.1	1.7	0.2	0.6	0.5
32	1-2	-	*	0.2	0.1	*	0.1	*	0.1	*	*	*
	3	0.2	0.9	3.5	2.9	0.5	1.6	0.6	1.7	0.3	0.6	0.5
	4	0.8	0.5	1.9	1.6	0.4	0.4	0.4	2.5	0.2	0.7	0.6
	5	0.7	0.1	0.3	0.3	*	*	*	0.4	*	0.1	0.1
	6	0.1	*	*	*	*	-	*	*	1 :	*	*
	7	*	-	*	*	*		*			-	*
Total		1.7	1.5	6.0	5.0	1.0	2.1	1.1	4.6	0.6	1.4	1.2
42	1-2	*	*	0.1	0.1	*	*	*	*	*	4 5	*
	3	0.9	4.1	3.7	3.7	2.2	5.1	2.4	0.9	2.7	1.5	1.8
	4	4.6	3.7	3.2	3.4	2.8	2.2	2.8	2.2	5.1	2.8	3.4
	5	7.5	0.8	0.8	1.1	0.2	•	0.2	0.8	1.0	0.6	0.7
	6	4.0	0.1	0.1	0.3		-	*	0.1	H		
	7	1.5	*	*	0.1	*	-		1	-		
Total		18.7	8.7	8.0	8.5	5.3	7.3	5.5	4.0	8.8	4.9	5.9
52	1-2	-	*	*	*	*	*	*	*	*	*	*
	3	0.1	2.9	1.3	1.5	1.0	0.4	1.0	0.1	3.0	0.7	1.3
	4	1.3	3.5	1.4	1.8	2.0	0.9	1.9	0.4	4.8	1.5	2.4
	5	3.5	1.1	0.6	8.0	0.3	*	0.3	0.2	0.9	0.4	0.5
	6	2.1	0.2	0.1	0.2	*	-	*	:	1 :	*	*
	7	1.1	0.1	*	0.1		-	*		1	*	*
		8.2	7.8	3.5	4.4	3.4	1.4	3.2	0.7	8.7	2.6	4.2

				ABILENE		В	IRMINGHA	AM	CORPUS		DUMAS	
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classin Office Total
62	1-2	-	*			•	-		•	*	*	
	3		0.1	0.1	0.1	*			*	0.2		0.1
	4 5		0.3 0.2	0.1	0.1	0.1		0.1	:	0.2	*	0.1
	6	*	₩	*	0.1		-				*	*
	7	_	*	*	*						*	*
Total		0.1	0.6	0.3	0.3	0.1	*	0.1		0.4	0.1	0.1
13 & 23	1-2	-	*	*	w	*		*		*	*	*
	3	*	*	0.2	0.2	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*
	5 6	•	•	*			•	*	*	*	*	*
	7	_	•		-				-	-	-	-
Total		*		0.3	0.2				0.1	*	*	*
33	1-2	-	*	*	*	*	*	*	0.1	*	*	
	3	0.1	0.4	0.8	0.7		0.2	0.1	0.1	0.2	0.2	0.2
	4	0.3	0.2	0.5	0.4	*	*	*	0.3	0.1	0.1	0.1
	5	0.1	*	0.1	0.1	*	-	*	*	*	*	*
	6	*	*	*	*	-	-	-	*	-	-	-
T-4-1	7	*		*	*	-	-	•	-	-	-	-
Total 43	1-2	0.5	0.6	1.3	1.2	0.1	0.2	0.1	0.5	0.3	0.4	0.3
40	3	0.4	1.3	0.7	0.8	0.2	0.4	0.2	0.1	0.2	0.2	0.2
	4	2.8	1.2	0.7	0.8	0.2	0.1	0.2	0.3	0.2	0.2	0.2
	5	3.8	0.3	0.2	0.3	*	*	*	0.1	*	*	*
	6	2.7	0.1	*	0.1	*	-			*	*	*
	7	1.2	*	*	0.1	*	-	*		-	-	-
Total		11.0	2.9	1.6	2.2	0.5	0.5	0.5	0.5	0.5	0.4	0.5
53	1-2	*	*	*	*	*	*	*	:	*	*	*
	3 4	0.4	0.4 0.5	0.2 0.2	0.2	0.1	0.1	0.1		0.2	0.1	0.1
	5	1.5	0.3	0.1	0.3	*	*	*	0.1	0.3	0.2	0.2
	6	1.1	*	*	0.1	*	_	*	0.1	*	*	*
	7	0.8	*	*	*	*	-	*		-		
Total		3.8	1.2	0.5	0.7	0.3	0.2	0.3	0.1	0.5	0.3	0.4
63	1-2	-	•	*	*	-	-		-	*	-	*
	3	*	*	*	*	*	-	*	*	*	*	*
	4	*	*	*			-	:	:	*	*	*
	5 6	*	*	*	*		-				*	
	7	*	*	*	*					-	_	
Total		0.1	*	0.1	0.1	*		*	*	*	*	*
24 - 54	1-7	3.8	0.6	0.4	0.6	0.1	0.1	0.1	0.1	0.1	0.1	0.1
25 - 35	1-7	0.1	*	*	*	-	-	-	-	-	•	-
81 - 85 1/	1-7	8.0	*	0.1	0.1	*	*	*	*	*	*	*
All Colors	8 2/	3.2	*	*	0.2		•		-	*	-	*
STAPLE		4.0	0.4	*	0.4				i			
28 & shor 29	ter	1.3 6.0	0.1 0.4	0.1	0.1				-			•
30		19.5	1.9	0.7	1.6	*	-	*	*	-		
31		21.3	5.4	3.7	4.7	0.1	*	0.1	0.1		-	
32		19.4	11.1	12.3	12.4	3.1	0.3	2.9	1.2	*	0.1	*
33		19.3	15.4	22.8	21.4	17.1	5.7	16.3	4.6	0.4	2.3	1.8
34		9.7	14.8	26.7	23.9	33.4	26.1	32.9	9.8	5.7	15.8	13.1
35		2.7	17.5	20.8	19.5	32.2	42.5	32.9	16.9	32.2	39.3	37.4
36		0.8	18.5	9.8	10.9 4.4	11.8 2.2	22.3 3.1	12.5	24.3 34.4	46.7 14.5	33.3 8.9	36.9
37 38 & long	er	0.1	12.4 2.4	2.9 0.2	0.6	0.2	*	0.2	8.6	0.4	0.4	10.4
All Staple		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average sta		31.7	34.4	33.9	33.9	34.4	34.9	34.4	36.0	35.7	35.3	35.4
		65,365			1,667,824		56,933	854,343	1,490,941	727,832	2,013,117	2,740,94
Total Class	100											

Table 25. - Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2004 crop.

MACON LAMESA **LUBBOCK FLORENCE** Classing Classing Office Georgia Florida Texas Texas Office South Virginia Leaf North Color Total Carolina Total Carolina 0.1 0.1 0.5 1.8 0.1 11 & 21 1-2 1.0 1.0 0.4 2.5 5.8 0.3 0.2 0.6 3 0.1 0.1 0.8 0.5 4 5 6 7 1.2 1.2 0.4 8.4 3.4 0.3 0.2 0.7 0.1 Total 0.6 0.6 0.2 3.0 0.4 0.3 1-2 0.6 0.3 31 22.6 22.7 8.7 15.7 22.7 20.2 26.8 9.9 19.4 3 6.2 6.0 2.6 6.2 6.0 6.6 8.7 6.9 5.8 4 0.1 0.1 0.4 0.2 0.2 0.3 0.1 5 0.2 7 29.6 29.4 18.4 34.8 15.5 27.3 26.9 33.4 16.1 Total 0.2 0.2 0.2 0.1 0.7 0.2 0.1 41 1-2 0.1 33.4 46.1 33.2 15.5 30.6 33.3 12.3 36.2 3 32.8 21.4 23.6 23.6 24.2 41.3 28.1 14.6 20.7 28.7 0.5 0.5 0.1 2.1 2.2 2.5 3.0 2.8 1.2 5 0.1 0.1 0.2 0.1 0.1 0.2 6 7 57.7 42.2 67.7 57.5 75.0 64.2 29.9 58.3 64.7 Total 51 1-2 2.2 2.2 3.8 0.7 0.4 0.4 0.2 0.7 0.3 3 3.4 3.5 0.7 3.8 6.1 0.8 12 0.7 1.2 4 0.2 0.2 1.2 0.1 0.3 0.2 0.2 0.2 0.2 5 0.1 0.1 6 7 10.0 5.8 5.9 5.7 1.8 1.5 1.3 2.2 1.3 Total 1-2 61 0.1 3 0.1 0.1 0.7 4 * 5 6 7 0.1 0.1 0.7 Total 1-2 71 3 4 5 6 7 Total 0.2 1-2 12 & 22 0.3 2.3 3 0.1 0.7 4 5 6 7 3.3 0.5 Total 0.1 0.2 1-2 32 0.1 0.4 0.4 0.2 0.7 4.8 3.3 0.7 0.8 3 0.2 0.2 2.3 0.4 0.5 3.7 0.4 4 0.5 0.3 0.1 5 6 7 5.8 0.1 0.7 0.7 9.1 0.6 1.2 1.4 1.1 Total 1-2 42 1.2 1.2 1.5 1.8 1.5 4.1 0.2 1.4 1.9 3 2.8 7.7 0.8 1.9 1.9 2.4 4 2.4 2.0 3.7 0.1 0.1 1.2 0.6 0.2 0.6 0.4 0.4 5 0.1 0.1 0.1 U 7 3.2 1.0 3.2 4.6 5.0 13.1 3.6 5.9 4.7 Total 1-2 52 0.2 0.3 0.3 0.2 0.1 0.1 0.1 0.1 3 0.8 0.8 1.1 0.8 0.3 0.2 0.2 0.1 4 0.1 0.1 0.1 0.4 0.1 5 0.1 0.1 6 7 1.3 1.3 1.3 0.2 1.4 0.4 0.3 0.3 0.3 Total

			FLO	RENCE		LAMESA	LUBBOCK		MACON	
Color	Leaf	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
62	1-2	-	-	-			-	-	*	
	3	-	-			•			*	*
	4	*	*	-	*	-	-	-		*
	5		*	-	*	-	*	•		*
	6		*	-	*	1	11 .	-	*	*
Total	7			-	*		1 *	-	*	*
13 & 23	1-2			•				0.1	0.1	0.1
10 0 20	3		*	-		0.1	*	-	*	*
	4	*	*			0.6	0.1	-	*	*
	5			-		0.2		1	*	*
	6				•			-	-	-
	7	-						-	-	•
Total	 -			*	*	0.9	0.1	-		-
33	1-2	*	*	_	*	0.1	0.1	-	*	
	3	0.1	*	*	*	2.2	1.7		*	Ţ
	4	*	*	*	*	1.5	0.9		*	
	5	*	*	-	*	0.1			*	
	8	*	-	-	*	*	*			
	7	-	-	-		*			_	
Total	I —	0.1	0.1	*	0.1	3.9	2.7		0.1	0.1
43	1-2	*	-	-	*	*	*	-	*	*
	3	0.2	0.1	0.1	0.1	0.7	2.0	*	0.1	0.1
	4	0.2	0.1	0.1	0.1	1.2	3.3	*	0.1	0.1
	5	*	*	*	*	0.2	0.5	-	*	*
	6	*	*	w	*	*		-	*	*
Total	7	-		-	*	*		-	•	-
Total 53	1-2	0.4	0.2	0.2	0.3	2.2	5.9	*	0.3	0.3
55	3		*					1	*	*
	4	*	*	*	*		H	*	*	*
	5	*	*	*	*		0.2		0.1	0.1
	6	*			*		0.1	1		
	7		_	_		*			*	
Total	_	0.1	0.1	*		0.1	0.4	0.1	0.1	0.1
63	1-2	-	*	~	*	-		-	0.1	0.1
	3	-	-	-	-			*	*	*
	4	-	-	-	-	*	*	0.1	*	*
	5	-	-	-		-	*	*	*	*
	6	-	-	-	-	-		-	*	*
	7	*	-	-	*	-	*	-	-	-
Total			*		*	*	*	0.1	*	*
24 - 54	1-7	*	*	*	*	1.0	2.8	*	*	*
25 - 35	1-7	1	1	•	•	-			-	-
81 - 85 1/	1-7	*	*	-	*	:	0.2	*	*	*
All Colors	8 2/		*	u	-			-	*	*
STAPLE							*			
28 & shor 29	(C)			-	•		1	•		-
30		*			*	11	0.1	1		
31		*	*	*	*	0.2 1.8	0.7	*	0.4	0.1
32		0.4	0.3	0.5	0.4	6.6	7.9		0.1	0.1
33		5.9	4.0	5.8	5.5	15.1	19.2	0.2 5.7	1.5 9.8	1.4
34		21.2	22.4	22.0	21.5	26.6	25.7	33.7	30.8	9.7 30.9
35		38.0	44.1	37.6	39.2	29.7	24.6	44.6	37.9	38.1
36		27.9	24.7	27.8	27.2	15.1	14.8	14.8	16.0	16.0
37		6.5	4.4	6.1	6.1	4.4	4.3	1.0	3.6	3.6
38 & longe	er	0.1	0.1	*	0.1	0.3	0.2	*	0.3	0.3
All Staple		100.0	100.0	99.9	100.0	100.0	100.0	100.0	100.0	100.0
Average sta		35.1	35.0	35.0	35.1	34.4	34.2	34.7	34.7	34.7
Total Class		1,324,262	369,113	142,604	1,835,979	1,073,366	3,679,168	35,999	1,749,722	
Total Class	cu	1,524,202	303,113	172,007	1,000,010	1,073,300	3,073,100	30,333	1,145,122	1,785,721

^{1/} Below Grade Color. 2/ Below Grade Leaf. Less than 0.05 percent.

Table 26. – Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2004 crop.

Color	MEMPHIS							PHOENIX					
Coloi	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Office Total		
11 & 21	1-2	3.0	5.9	0.8	2.6	3.5	44.6	7.9	30.8	46.8	37.9		
	3	21.2	21.0	9.5	15.8	18.8	8.1	1.0	12.3	3.5	7.1 0.3		
	4	3.9	2.3	1.5	2.2	2.8	0.3		0.9		v.3 *		
	5	•		0.1	0.1	*			0.1	-			
	6			-		-		-	_	_			
	7	~	-		-	-	53.0	5.9	44.1	50.3	45.3		
Total		28.1	29.2	11.8	20.7	25.2	7.2	13.7	13.7	28.3	9.0		
31	1-2	0.2	0.3	0.2	0.4	9.9	8.3	28.7	24.3	10.7	12.6		
	3	9.2	8.6	14.7 12.9	10.9 7.9	8.2	1.0	1.6	5.1	1.4	1.4		
	4	9.5	5.4 0.2	1.4	1.0	0.7	0.1		0.8	0.1	0.1		
	5	0.6	*	1.9	#	*	*	-	*	-	*		
	6 7		_		_	*	*	-	-	-	*		
Total	1 '	19.5	14.5	29.3	20.3	19.0	16.7	44.0	43.9	40.5	23.1		
Total 41	1-2	*	0.1	0.1	0.5	0.2	3.4	8.6	1.0	5.7	4.2		
** 1	3	7.2	10.6	8.4	18.4	11.4	11.0	28.0	3.7	2.1	13.2		
	4	9.8	8.4	9.3	9.4	9.3	2.0	3.5	3.1	0.5	2.3		
	5	0.9	0.3	1.6	0.6	0.7	0.2	0.1	1.0	0.1	0.3		
	6		*	0.1		*		*	0.1	*	*		
	7	_	*	*	*	*	*	-	-				
Total		17.9	19.4	19.5	29.0	21.6	16.7	40.2	8.9	8.5	19.9 0.6		
51	1-2	*	0.2	*	0.2	0.1	0.6	0.4		0.1	3.5		
	3	9.7	16.0	12.0	9.9	11.5	4.3	1.4		0.1	1.1		
	4	10.7	9.8	16.6	6.8	9.6	1.2	0.9 0.1	*	*	0.2		
	5	0.6	0.3	1.7	0.4	0.5	0.3	-		_	0.1		
	6	*		0.1		*	0.1		*	_	*		
	7	*			17.4	21.8	6.5	2.8	0.1	0.2	5.4		
Total		21.0	26.3	30.5	17.4	# 1.0	0.5	*	-	-	*		
61	1-2		0.3	0.3	0.1	0.3	0.1	*	_	-	0.1		
	3	0.4	0.3	0.3	0.1	0.3	0.1	*	-	-	0.1		
	5	0.4	*	0.1	*	*	0.1	*	*	-	0.1		
	6		*	*	*			-	*	-	*		
	7		*	*	*	*		-	-	-	*		
Total		0.8	0.4	1.1	0.3	0.5	0.3	*	*	-	0.2		
71	1-2	-	_	-	-	-	-	-	-	-	*		
	3	*	*	-	*	*	:	-	-	-			
	4	*	*	*	*	*		-	-	-			
	5	*	*	*	*	*		-	-	-	*		
	6		*	1	-			-			*		
	7	*				*				_			
Total		*		1		*	1.6	0.1	0.1	*	1.2		
12 & 22	1-2		0.2	*	0.1	0.1	0.9	0.1	0.2	*	0.7		
	3	0.1	U.Z	*	*	*	0.1	*	*	-	0.1		
	5	U.1				*		_	*	-	*		
	6		_		•	*	•	-	-	-	*		
	7		-	_	-	-	-	-	-	-	-		
Total		0.2	0.3	*	0.2	0.2	2.6	0.2	0.3	0.1	2.0		
32	1-2	*	*	*	*	*	0.1	0.1	0.1	0.2	0.1		
-	3	0.3	0.3	0.1	0.5	0.3	0.4	0.7	1.1	*	0.5		
	4	0.3	0.2	0.2	0.3	0.3	0.3	0.1	0.3	-	0.2		
	5	*	*	*		*	*	*	0.1	-			
	6	*	*	*	*	*		-	*	- 1	*		
	7	-		*	-	*		0.0	4.6	0.2	0.9		
	1 '	0.6	0.5	0.3	0.8	0.6	0.9	0.8	1.5	0.2	*		
Total			*	*	0.1		0.3	0.9	0.3		0.4		
Total 42	1-2	*					11 11 3	0.9					
	1-2	1.4	2.0	0.9	3.9	2.3				*			
	1-2 3 4	1.4 1.6	2.0 1.3	1.5	2.4	1.7	0.4	0.7	0.1	*	0.4		
	1-2 3 4 5	1.4 1.6 0.2	2.0 1.3 *	1.5 0.2	2.4 0.2			0.7		*	0.4		
	1-2 3 4 5 6	1.4 1.6 0.2	2.0	1.5 0.2 *	2.4 0.2 *	1.7 0.1	0.4	0.7	0.1 0.1	* - -	0. 4 0.1		
	1-2 3 4 5	1.4 1.6 0.2	2.0 1.3 *	1.5 0.2	2.4 0.2	1.7 0.1	0.4 0.1 *	0.7	0.1 0.1 *	* - - -	0.4 0.1 *		

2.8

2.7

0.2

5.7

1.9

1.7

0.2

3.9

1.4 2.3 0.4

0.1

4.1

3.2

1.8

0.1

5.2

3.5

4.0

0.2

7.7

Total

0.2

0.4

0.6

0.1

0.3

0.2

0.1

0.6

0.1

0.1

0.3

0.2

0.6

Table 26. -- Continued.

				MEMPHIS					PHOENIX		
Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Office Total 1/	Arizona	California	New Mexico	Texas	Office Total
62	1-2		*	-				*	-	-	
	4	0.1	0.1	*	*	0.1	*		-		
	5	v. 1		0.2	0.1	0.1	0.1	*	-		0.1
	6					*	0.1	-	-	-	0.1
	7						*	-	*	-	*
Total	1 -	0.3	0.1			*	*	-	*	-	*
13 & 23	1-2	*	*	0.3	0.1	0.2	0.2	*	*	~	0.2
	3		*	-	*	*	0.1	*	*	*	0.1
	4	*	*	-	*	*	0.1	*	*	*	0.1
	5	*		-				-	*	-	*
	6			-	-	~	1	-	-	•	*
	7			-	-	-	-	*	-	•	-
Total			*		*	*		-	-	-	-
33	1-2	*	*	*	*	*	0.2	*	*	*	0.1
	3	0.1	0.1	*			11	*	w	0.1	*
	4	0.1	*	*	0.1	0.1	0.2	0.1	0.2	0.1	0.2
	5	*	*	*	*		0.1	*	*	*	0.1
	8	_			*	*	1	-	*	*	*
	7			•				-		-	*
Total	-	0.1	0.1	*	0.1	0.4	11	-	-	-	*
43	1-2	*	*	*	*	0.1	0.4	0.1	0.3	0.2	0.3
	3	0.1	0.1	*	0.2				*	*	*
	4	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.1	-	0.2
	5	*	*	*	V. I	0.1	0.2	0.1	*	-	0.2
	6	*		*		*	0.1		*	-	*
	7				-			-	*	-	*
Total		0.2	0.2	0.1	0.4	0.3		-		-	*
53	1-2	*	*	-	*	V.3 *	0.4	0.5	0.2	*	0.4
	3	0.2	0.2	*	0.1	0.2			*	-	*
	4	0.2	0.1	0.1	0.1	0.2		0.1		-	*.
	5	*	*	*	*	*	0.1	0.1	-	-	0.1
	6	*	*	*	*	*	0.1			~	0.1
	7			*		*		•	*	•	*
Total	_	0.5	0.3	0.1	0.3	0.3	0.3	0.1		•	
63	1-2	-	-	-	0.0	0.5	0.3	0.1		-	0.2
	3	*	*	*	*	*		*	-	-	*
	4	*	*	*	*	*	*		-	-	
	5	*	*	*	*	*	*		-	•	
	6	*	*	_	*	*	*		-	-	*
	7	_	_	-	_		*		_	-	
Total		*	*	0.1	*		0.1	*		-	0.4
24 - 54	1-7	0.1	0.1	*	*	0.1	0.3	0.1	0.1		0.1
25 - 35	1-7	-	-	-	-		*	-	0.1		0.2
81 - 85 1/	1-7	*	*	0.1	*	*	0.1	*	*		*
All Colors	8 2/	*	*	*	*	*	*	_	*		*
STAPLE								·			
28 & shor			- 1	-	-						
29		-	-				-				
30				*	-	*	*	*	*		
31		*	*	0.1	0.4	0.1	0.1	0.7	*		0.2
32		0.2	0.3	2.1	5.9	2.0	0.7	2.4	0.2	0.2	0.9
33		3.4	5.2	13.3	24.2	10.6	4.0	6.8	1.5	1.3	4.3
34		21.2	26.0	33.9	38.4	28.2	15.0	21.9	7.8	10.4	15.6
35		40.5	37.6	33.9	23.8	34.5	29.4	40.3	22.7	37.6	30.9
36		28.7	23.8	14.8	6.3	20.1	29.4	24.1	30.1	35.1	28.7
37		5.8	6.2	1.8	0.8	4.2	17.9	3.7	27.9	12.5	16.1
38 & longe	er	0.2	0.9	#	*	0.3	3.6	0.1	9.7	3.0	3.4
All Staple		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average Ita		35.1	35.0	34.5	34.0	34.7	35.5	34.9	36.0	35.6	
Total Class		1,280,568	808,557	189,954	958,606	3,237,685	673,023	142,989			35.4
Total Class		1,200,000	300,307	100,004	300,000	0,207,000	073,023	142,303	50,089	16,800	882,901

^{1/} Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 27. – Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2004 crop.

DAVVILLE	VISALIA

				VILLE		VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
11 & 21	1-2	1.6	3.1	1.6	3.0	40.3	6.4
,,	3	5.7	13.0	6.9	12.5	19.6	10.8
	4	0.4	0.6	0.5	0.6	0.8	1.5
	5	*	*		*	*	*
	6	_	*		*	*	*
						- 1	
	7	-	40.0	9.0	16.1	60.7	18.6
Total		7.6	16.8	0.3	0.7	2.4	1.2
31	1-2	0.5	0.8		19.3	7.5	14.5
	3	6.8	19.9	13.2		1.6	7.7
	4	2.4	8.3	8.7	8.3		0.5
	5	0.4	0.5	0.7	0.6	0.1	0.5 *
	6	*	*	*	*	*	*
	7	-	*	-	*		
Total		10.2	29.6	22.9	28.9	11.6	23.9
41	1-2	*	0.3	*	0.2	1.8	0.5
	3	3.8	17.4	21.0	17.5	10.9	16.1
	4	5.7	11.6	14.8	11.8	3.1	14.3
			1.1	1.1	1.2	0.3	1.4
	5	6.4	1.1	*	0.1	*	0.1
	6	0.7			*	*	*
	7	-				16.2	32.4
Total		16.7	30.5	36.9	30.8		0.1
51	1-2	*	*	*		0.4	
	3	3.9	3.9	7.6	4.2	2.4	3.9
	4	15.3	5.4	9.0	5.7	0.8	4.3
	5	1.6	0.6	0.4	0.6	0.1	0.6
	6	0.1	*	*	*	*	*
	7	-	*		*	*	*
Total		20.9	9.9	17.1	10.5	3.7	9.0
	1-2		0.0				*
61		-	*	*	*		0.1
	3	0.1					0.1
	4	0.2	0.1		0.1		*
	5	0.3	*	*			*
	6	*	*	*	*		
	7	-	*	-	*	-	
Total		0.7	0.1	0.1	0.1	*	0.2
71	1-2		-	-		*	*
	3	-	*	-	*	* '	*
	4	_	*	*	*		*
	5	_	*	*	*	*	*
	6					-	*
	7					- 1	*
Total	1	_	*	*	*		
Total	4.0	-				1.3	0.2
12 & 22	1-2					0.9	0.5
	3					0.9	
	4	*	•	· ·			0.1
	5	-	*	-			
	6	-	-	-	•		*
	7	-		-		-	*
Total			0.1	*	0.1	2.3	0.8
32	1-2	_	*	*	*	0.4	0.1
32	3	0.2	0.3	0.2	0.3	1.2	1.5
	4	0.2	0.2	0.1	0.2	0.2	1.1
			*	*	*	*	0.1
	5	0.2			*		*
	6	*		-			
	7	-		-			
Total		0.7	0.6	0.4	0.6	1.8	2.8
42	1-2	*	•	*	*	0.2	*
	3	1.8	2.9	3.0	2.9	1.0	2.2
	4	5.1	3.6	4.4	3.7	0.4	3.2
	5	3.1	0.5	0.4	0.5	0.1	0.6
	6	0.3	*	-	*	*	*
			*		*	*	
	7	40.0		7.9		11	6.1
Total		10.3	7.0	7.8	7.1	1.8	8.1
52	1-2	-	*	*	*	11	1
	3	1.0	1.2	1.4	1.2	0.1	0.9
	4	14.6	2.3	2.8	2.4	0.1	1.3
	5	5.5	0.5	0.7	0.5	*	0.3
	6	0.3	*	*		*	
	7	-	•		*	*	*
	1 / 1			4.9	4.2	0.3	2.5

			RAY	VILLE		VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total 1/	California	UNITED STATES
62	1-2	-		-		*	
	3 4	0.2	*	*	*		*
	5	0.2 0.1	0.1	-	0.1	*	*
	6	*		*			*
	7		*		*	*	
Total		0.3	0.2	0.1	0.2		0.1
13 🗟 23	1-2		*		*	0.2	*
	3 4	•	*	*	*	0.1	0.1
	5		•	•	*		*
	6		-		-		*
	7			-			
Total			*	•	*	0.3	0.1
33	1-2	-	*		*	0.1	*
	3	*	0.1	*	0.1	0.3	0.5
	5		*	*	*		0.3
	6	_		*	*	*	*
	7			-	•	- [*
Total		*	0.1	*	0.1	0.4	0.9
43	1-2	-	*	*	*	0.1	*
	3	0.4	0.3	0.2	0.3	0.4	0.6
	4	0.5	0.3	0.2	0.3	0.1	0.8
	5 6	0.5		*	*	*	0.1
	7		_			*	*
Total		1.3	0.6	0.4	0.6	0.6	1.6
53	1-2	*	*	*	*	*	*
	3	0.4	0.1	0.2	0.1	0.1	0.1
	4	4.4	0.3	0.2	0.3	0.1	0.1
	5	2.6 0.2	0.1	•	0.1		*
	7	0.1	*		*		*
Total		7.7	0.5	0.3	0.5	0.1	0.3
63	1-2	-	-	-	-	*	*
	3	*	*	*	*	*	*
	4	0.2	*	*	*	*	*
	5	0.2		-	*		*
	7	0.1		-			*
Total		0.5		*	*	.	
24 - 54	1-7	1.0	0.1	0.1	0.1	0.1	0.6
25 - 35	1-7	-	-		-	-	*
81 - 85 1/	1-7	0.5	*	*	*	*	0.1
All Colors	8 2/	*	#	-	*	*	*
STAPLE 28 & short							
29 & \$11010	CI					*	
30						*	0.3
31			*		*	*	0.9
32		0.3	0.1	0.1	0.1	0.2	3.3
33		7.0	2.1	2.2	2.2	1.0	10.0
34		6.6	15.0	14.7	14.9	4.2	21.2
35		21.8	37.9	33.9	37.5	17.6	30.0
36 37		44.8 19.3	33.2 10.5	33.7 13.9	33.3 10.8	28.4	22.2
38 & longe	er	19.5	1.2	1.5	1.2	30.3 18.2	9.8 2.3
All Staple		100.0	100.0	100.0	100.0	100.0	100.0
Average sta		35.6	35.4	35.5	35.4	36.4	34.9
Total Class		8,009	888,194	71,128	967,331	1,615,697	J7.0

^{8,009} 888,194 71,128 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2004 crop.

		ABILI	ENE		81	RMINGH	AM	CORPUS CHRISTI		DUMAS	
Mike and Fiber Strength	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classin Office Total
MIKE				Total			Total				
24 & below	3.1	0.1	0.1	0.2					-	*	*
25	2.1	0.1	0.1	0.2	*		*			*	*
26	2.5	0.1	0.1	0.2		*	*		1 .	*	*
27	3.6	0.2	0.1	0.4		*	*		*	*	*
28	4.8	0.2	0.4	0.5		*	*		i .	*	*
29	5.2	0.4	0.4	0.8		*	*		*	*	*
30	4.7	0.5	0.9	1.0	0.1	0.1	0.1	*	*	*	*
31	4.7	0.7	1.3	1.3	0.1	0.1	0.2	*		*	*
32	4.7	0.7	1.9	1.8	0.3	0.7	0.3	0.1		*	*
33	4.5	1.1	2.6	2.5	0.6	1.2	0.6	0.1	0.1	0.1	0.1
34	4.1	1.6	3.5	3.2	0.9	1.8	1.0	0.2	0.2	0.1	0.1
35	3.0	2.3	4.4	4.0	1.5	3.3	1.7	0.4	0.5	0.2	0.3
36	2.6	3.2	5.2	4.8	2.3	5.0	2.4	0.6	0.9	0.4	0.5
37	2.9	4.2	6.0	5.5	3.3	7.1	3.5	1.0	1.6	0.7	1.0
38	3.1	5.1	6.6	6.2	4.4	8.2	4.6	1.8	2.6	1.1	1.5
				6.7	5.3	9.1	5.6	2.8	3.6	1.5	2.1
39	3.1	6.4	7.0 7.3			9.7	6.5	4.3	4.8	2.1	2.8
40	3.5	7.5		7.2	6.2			6.1	6.5	3.1	4.0
41	4.6	8.5	7.4	7.5	7.0	10.5	7.2	1			
42	4.8	9.1	7.3	7.5	7.8	10.6	8.0	7.9	8.3	4.3	5.4
43	5.1	9.4	6.8	7.2	8.6	9.8	8.7	9.6	9.8	5.8	6.9
44	5.0	9.1	6.1	6.6	9.0	7.8	8.9	11.1	11.5	7.4	8.5
45	4.8	8.2	5.4	5.9	9.1	5.6	8.9	11.5	12.4	9.5	10.3
46	3.9	6.6	4.6	4.9	8.7	4.0	8.4	11.3	11.7	11.7	11.7
47	4.0	5.1	3.8	4.0	7.8	2.6	7.4	10.0	9.9	13.2	12.3
48	2.9	3.8	3.1	3.2	6.2	1.4	5.9	8.0	6.9	13.0	11.4
49	1.8	2.6	2.4	2.4	4.7	0.8	4.5	5.8	4.4	10.6	8.9
50	0.9	1.6	1.8	1.7	2.9	0.3	2.8	3.7	2.3	7.1	5.8
51	0.2	0.9	1.3	1.2	1.7	0.2	1.6	2.2	1.2	4.3	3.4
52	*	0.5	0.9	8.0	0.9	0.1	8.0	1.0	0.7	2.4	1.9
53	*	0.2	0.4	0.4	0.3	*	0.3	0.3	0.1	1.0	8.0
54	*	0.1	0.2	0.1	0.1	*	0.1	0.1	*	0.3	0.3
55	*	*	0.1	0.1	*	*	*		*	0.1	0.1
56	-	*	*	*	*	-	*	*	*	*	*
57	-	*	*	*	*	-	*		*	*	*
58	-	*	*	*		-	*		-	*	*
59	-	-	*	*	-	-	-		-	•	-
60 🖁 above	-		*	*	-	-	-	-	-		-
Average mike	37	42	41	41	43	41	43	45	44	46	46
Fiber Strength 1/											
17 & below	*		*		-	-	-	-	-	-	•
18			*		-	-	-		-	-	•
19	0.1		*	*		-			-	•	•
20	0.2	*				*		;	-	•	-
21	0.6		0.1	0.1		1	*		-	-	•
22	1.9	0.2	0.2	0.3					Ī .	-	•
23	4.2	0.4	0.7	0.8	0.3	0.1	0.3			*	*
24	7.7	1.1	1.9	2.0	1.5	0.4	1.4	0.1	0.1	0.1	0.1
25	12.1	2.9	4.9	4.8	5.3	1.9	5.1	0.6	0.4	0.4	0.4
26	13.8	7.5	10.4	10.1	12.7	6.9	12.3	1.7	1.5	1.6	1.6
27	15.4	13.9	17.3	16.6	18.7	16.6	18.5	3.5	4.8	5.5	5.3
	14.8	18.9	21.6	20.9	20.3	25.2	20.6	5.5	13.8	15.0	14.7
28		19.4	19.6	19.3	16.7	24.2	17.2	7.8	25.9	26.4	26.3
28 29	13.6		100	13.1	11.0	15.2	11.3	10.9	26.2	26.4	26.3
28 29 30	9.7	15.1	12.8				7.0	17.2	1	45.4	15.2
28 29		15.1 9.5	12.8 6.5	6.9	7.0	6.7	7.0	17.2	15.6	15.1	10.2
28 29 30	9.7				7.0 4.0	6.7 2.2	3.9	23.5	7.4	6.2	6.5
28 29 30 31	9.7 4.4	9.5	6.5	6.9					1		
28 29 30 31 32	9.7 4.4 1.0	9.5 5.3	6.5 2.6	6.9 3.0	4.0	2.2	3.9	23.5	7.4	6.2	6.5 2.4
28 29 30 31 32 33	9.7 4.4 1.0 0.4	9.5 5.3 2.9	6.5 2.6 1.0	6.9 3.0 1.3	4.0 1.8	2.2 0.6	3.9 1.7 0.6	23.5 18.6	7.4 3.0	6.2 2.2 0.6	6.5 2.4 0.7
28 29 30 31 32 33 34	9.7 4.4 1.0 0.4	9.5 5.3 2.9 1.6	6.5 2.6 1.0 0.3	6.9 3.0 1.3 0.6	4.0 1.8 0.6	2.2 0.6	3.9 1.7	23.5 18.6 8.2	7.4 3.0 0.8	6.2 2.2	6.5 2.4

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex). ** Less than 0.05 percent.

Table 29. – Percentage distribution of mike and strength for upland cotton classed, by classing office, 2004 crop.

		FLOF	RENCE		LAMES	A LUBBOC	K	MACON	
Mike and Fiber Strength	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
MIKE									Total
24 & below	*	*	-	*	0.3	0.3	.	*	*
25	*	*	~	*	0.4	0.4	11 -	*	*
<u>26</u> 27	*	*	-	*	0.6	0.8	-	*	*
28		*	-	*	0.9	1.4	-	*	*
29		*	*	*	1.4	2.1	-	*	*
30	*	*	*	*	2.1	3.0	-	*	*
31	*	*	*	*	2.9	3.9	-	*	*
32	*	0.1	*	*	3.8	4.7	-	0.1	0.1
33	*	0.1	*	0.1	6.0	6.3	*	0.2	0.2
34	0.1	0.2	0.1	0.1	7.1	7.0	0.3	0.4	0.4
35	0.1	0.3	0.1	0.2	8.0	7.6	0.6	0.6 1.1	1.1
36	0.2	0.5	0.3	0.3	8.3	7.8	1.3	1.6	1.6
37	0.4	0.9	0.5	0.5	8.7	8.0	2.1	2.4	2.4
38	0.7	1.3	1.0	0.9	8.7	7.9	2.7	3.5	3.5
39	1.4	1.9	2.1	1.5	8.3	7.5	4.6	4.8	4.8
40	2.6	2.8	4.2	2.7	7.4	6.8	6.2	6.0	6.0
41 42	4.3	4.1	6.8	4.4	6.4	5.8	8.1	7.3	7.3
43	6.2	5.6	8.5	6.3	5.0	4.5	7.3	8.2	8.2
44	8.1 9.8	7.8 10.1	10.5	8.2	3.8	3.3	8.4	9.0	9.0
45	11.6	11.9	12.3 13.6	10.1	2.5	2.2	9.2	9.6	9.6
46	12.7	12.5	12.7	11.8 12.7	1.3	1.4	10.3	9.9	9.9
47	12.1	11.7	10.1	11.9	0.7	0.9	10.6	9.6	9.6
48	10.2	9.7	6.9	9.8	0.3	0.5 0.2	10.0	8.3	8.3
49	7.7	7.4	4.8	7.4	0.1	0.2	8.6 5.3	6.4	6.5
50	5.2	5.1	2.8	5.0	0.1	0.1	2.9	4.5 2.9	2.9
51	3.3	3.2	1.6	3.1	*	*	0.9	1.8	1.8
52	1.9	1.7	0.8	1.7		*	0.3	1.0	1.0
53	0.9	0.6	0.1	0.8	*	*	0.1	0.5	0.5
54	0.4	0.3	0.1	0.3				0.2	0.2
55	0.1	*	*	0.1	*	- 1	*	0.1	0.1
56 57	1		*	*	-	- 1	*	*	*
58	*		•	*	-	-	-	*	*
59		•	•				-	*	*
60 & above		_		-			-	-	-
Average mike	46	45	45	46	37	36	44	44	- 44
Fiber Strength 1/				10	31	36	44	44	44
17 & below	-	_	_						
18	-	-	_	. [*			•	-
19	-	-	-	-	*				
20	-	-		-	*	*	_	-	
21	*	*	*	*	*	*	*	×	
22	*	*	*	*	*	*	-	*	*
23	0.2	0.1	0.2	0.2	0.2	0.1	*	*	*
24	1.4	0.4	1.7	1.2	1.2	0.6	*	0.1	0.1
25	5.5	1.9	6.5	4.8	3.6	2.4	0.2	0.7	0.7
26 27	13.0	6.1	16.0	11.8	9.2	7.3	1.1	2.5	2.5
28	21.6	14.8 24.6	23.4	20.4	16.8	15.9	6.8	7.8	7.8
29	17.0	23.8	14.9	23.6	22.9	24.6	18.9	17.4	17.5
30	9.9	15.0	8.0	18.2	14.5	24.1	31.1	25.2	25.3
31	5.0	7.9	3.8	5.4	6.6	15.0	24.4	22.1	22.2
32	2.1	3.7	1.4	2.4	2.1	6.7	11.4 4.6	13.2 6.6	13.2
33	0.8	1.4	0.6	0.9	0.5	0.7	1.3	3.0	6.6
34	0.2	0.4	0.2	0.2	0.1	0.2	0.2	1.1	1.1
35	*	0.1	*	*	*	*	*	0.1	0.1
36 & above	*	*	w	*	*		*	*	*
Average Strength	27.9	28.7	27.7	28.1	28.3	28.5	29.3	29.4	29.4
/ Fiber strength expressed	lin tormo of 110	111 /			0.05				

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex). " Less than 0.05 percent.

Table 30. – Percentage distribution of mike and strength for upland cotton classed, by classing office, 2004 crop.

MEMPHIS

PHOENIX

			MEMPHIS		PHOENIA						
Mike and Fiber Strength	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
MIKE					Total			IVIGAICO		10001	
24 & below		*		*	*		*	0.5	_	0.1	
25	*	*	*	*	*		0.1	0.5	*	0.1	
26	*	*	*	*	*	0.1	0.1	0.6	*	0.1	
27	*	*	*	*	*	0.1	0.2	0.7	*	0.2	
28	*	*	*	*	*	0.2	0.3	1.1	*	0.2	
29		*	*	*	*	0.2	0.4	1.5	0.2	0.3	
30	*	*	*	*	*	0.2	0.5	2.4	0.3	0.4	
31	0.1	*	0.1	0.1	0.1	0.3	0.5	3.6	0.5	0.5	
32		0.1	0.2	0.1	0.1	0.4	0.5	5.4	0.6	0.7	
33		1	0.2	0.2	0.2	0.5	0.6	6.0	0.9	8.0	
		1.	0.4	0.3	0.4	0.5	8.0	6.8	0.9	1.0	
	0.8	ó	0.8	0.6	0.7	0.8	0.8	7.6	1.2	1.2	
36	1.6	1.6	1.3	1.0	1.4	1.0	1.3	7.3	1.8	1.4	
37	2.5	2.8	2.1	1.5	2.3	1.5	1.8	7.8	3.2	1.9	
38	3 9	4.2	3.0	2.3	3.4	1.8	3.1	7.3	4.8	2.4	
39		5.1	3.7	3.5	4.6	2.1	4.0	6.4	6.4	2.8	
Ar		6.3	5.0	5.1	6.0	2.6	6.0	6.5	8.3	3.5	
	ت	7 6	6.2	6.5	7.4	3.3	8.4	6.5	9.5	4.4	
74	9.1	6	7.5	7.9	8.5	4.1	11.0	5.9	11.8	5.5	
43	10.0	0	8.8	9.0	9.4	5.0	12.0	4.7	13.4	6.3	
44	9.8	9.2	9.7	10.1	9.8	6.1	11.2	3.6	12.6	6.9	
45	9.6	9.0	10.5	10.7	9.8	7.2	9.9	2.8	10.0	7.4	
46	8.2	8.5	10.7	10.4	9.1	8.2	7.4	1.8	6.7	7.7	
47	7.3	7.6	9.9	9.3	8.1	9.3	5.5	1.2	3.7	8.1	
48	6.1	6.5	8.0	7.6	6.7	9.9	4.3	0.7	1.8	8.4	
49	4.4	5.2	5.4	5.6	5.0	10.0	3.6	0.4	0.6	8.2	
50	2.8	3.7	3.4	3.8	3.4	8.5	2.5	0.2	0.5	6.9	
51	1.7	2.1	1.8	2.2	2.0	6.6	1.3	0.1	0.1	5.2	
52	0.9	1.0	0.9	1.3	1.0	4.5	0.9	*	*	3.6	
53	0.4	0.4	0.3	0.6	0.5	2.8	0.5		*	2.2	
54	0.2	0.1	0.1	0.3	0.2	1.4	0.3		-	1.1	
55	0.1	1	0.1	0.1	0.1	0.5			-	0.4	
56						0.2		•	•	0.1	
57		1					Ť	-	-		
58		-	-	_	*	1	-	-	-		
59		-	-	-		*		-	-		
60 & above	44	44	44	44	44	46	43	37	42	45	
Average mike Fiber Strength 1/	444	44		77	-4-4	1 40	40	31	42	40	
17 & below		_	*	_	*						
18		-	*	_					-	-	
19			*		*						
20			*	*	*	*		_	_	*	
21	*	*	*	*	*	*	*	*	-	*	
22		*	0.1	0.1	*	*	*	0.1	*		
23	0.1	0.1	0.1	0.1	0.2	0.1	*	0.1	0.1	0.1	
24	0.3	0.1	1.0	1.3	0.7	0.1	0.3	1.2	0.1	0.1	
25	1.4	2.3	3.4	4.2	2.6	2.0	1.1	3.5	3.3	1.9	
26	5.3	7.8	9.5	10.8	7.8	5.0	4.1	6.6	8.7	5.0	
27	14.2	18.1	17.8	19.4	16.9	9.8	8.4	13.3	17.4	10.0	
28	24.8	26.4	22.9	24.3	25.0	15.8	15.4	21.1	24.6	16.2	
29	25.9	23.4	19.5	19.7	23.1	20.5	22.5	19.8	22.0	20.8	
30	16.1	12.5	12.2	11.1	13.5	20.8	26.3	15.2	13.4	21.2	
31	7.0	5.4	6.5	5.0	6.0	14.5	15.7	9.5	6.2	14.3	
32	3.1	2.3	3.5	2.3	2.7	7.2	4.6	5.2	2.2	6.6	
33	1.4	0.8	1.8	1.0	1.1	2.7	1.3	2.6	0.8	2.4	
34	0.4	0.2	0.9	0.3	0.4	0.8	0.2	1.1	0.6	0.7	
35	0.1	*	0.4	0.3	0.4	0.8	0.2	0.4	0.4		
36 & above			*	*	v. 1	0.2	*	0.4	*	0.2	
Average Strength	28.7	28.4	28.4	28.1	28.4						
	20.1			20.1	20.4	29.3	29.3	28.8	28.3	29.2	

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex). ** Less than 0.05 percent.

Table 31. – Percentage distribution of mike and strength for upland cotton classed, by classing office, 2004 crop.

RAYVILLE VISALIA Classing Mike and Arkansas Louisiana Mississippi Office California UNITED Fiber Strength Total STATES MIKE 24 & below 0.1 25 0.1 26 0.2 27 0.3 28 0.5 29 30 0.7 0.9 31 1.1 32 0.2 0.1 1.4 33 0.1 0.5 0.1 0.2 1.7 0.1 0.4 0.1 0.3 2.0 35 0.1 0.3 0.1 0.6 2.4 36 0.1 0.3 0.1 1.0 2.8 37 0.2 0.2 0.3 0.2 1.8 3.3 38 0.2 0.3 0.5 0.3 3.1 3.9 39 0.2 0.5 1.0 0.5 4.6 4.5 40 0.7 0.8 1.3 0.9 6.6 5.2 41 1.8 1.5 2.0 1.5 8.8 6.0 42 2.9 2.6 3.0 2.6 10.5 6.7 43 5.2 4.1 3.9 4.1 11.7 7.2 44 3.9 6.1 5.5 6.1 11.6 7.7 45 5.5 84 7.4 8.3 10.2 7.9 46 9.1 10.9 10.8 10.9 8.6 7.8 47 14.1 13.2 13.5 13.2 7.4 7.3 48 16.8 14.3 14.4 14.3 5.7 6.2 49 14.6 13.7 13.5 13.7 3.6 4.9 50 13 7 10.8 10.9 10.9 2.1 3.3 51 6.8 7.0 6.3 6.9 0.9 2.0 52 24 3.5 3.0 3.5 0.3 1.1 53 1.2 1.2 0.6 1.1 0.1 0.5 54 0.4 0.4 0.2 0.4 0.2 55 0.1 0.1 0.1 0.1 56 57 58 59 60 & above Average mike 47 47 47 47 44 42.6 Fiber Strength 1/ 17 & below 18 19 20 21 22 23 0.2 24 0.1 0.1 0.1 0.6 25 0.3 0.7 0.3 0.1 2.2 26 2.6 1.6 2.5 1.7 0.2 5.9 27 8.1 6.3 7.7 6.4 0.7 12.0 28 13.8 17.1 16.8 17.0 1.6 18.5 29 30.2 27.2 23.7 27.0 2.9 20.4 30 29.0 23.8 21.2 23.7 6.9 15.9 31 11.2 12.7 13.0 12.7 14.7 10.0 32 3.7 5.8 6.9 5.8 18.1 6.3 33 0.9 2.9 4.1 3.0 21.2 4.2 34 0.4 1.5 22 1.6 20.1 2.5 35 0.6 0.9 0.6 9.8 1.0 36 & above 0.2 0.2 0.2 3.7 0.3 **Average Strength** 29.3 29.5 29.6 29.5 32.6

29.2

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex). Less than 0.05 percent.

Table 32. – Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2004 crop

		ABIL	ENE			BIRMINGHA	M	CORPUS		DUMAS	
Mike Groupings, Uniformity and Trash	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classin Office Total
MIKE											
24 & below	3.1	0.1	0.1	0.2		-	*	•	-	*	
25 - 26	4.7	0.2	0.2	0.4	-	-	-	-	-	-	•
27 - 29	13.7	0.8	1.3	1.7	-	-	-	-	-	-	•
30 - 32	13.7	2.0	4.2	4.2	0.5	1.0	0.6	0.1	-	-	•
33 - 34	8.6	2.7	6.2	5.7	1.5	3.0	1.6	0.3	0.3	0.1	0.2
35 - 36	5.6	5.5	9.7	8.8	3.8	8.3	4.1	1.0	1.4	0.6	8.0
37 - 42	22.0	40.7	41.5	40.6	33.9	55.2	35.4	23.9	27.4	12.8	16.7
43 - 49	27.6	44.8	32.3	34.3	54.2	31.9	52.7	67.3	66.5	71.2	70.0
50 - 52	1.1	2.9	3.9	3.7	5.5	0.6	5.1	6.8	4.2	13.7	11.2
53 & above	-	0.3	0.7	0.6	0.5	-	0.4	0.4	0.1	1.4	1.1
Average mike	37	42	41	41	43	41	43	45	44	46	46
Mike 35 - 49	55.1	91.0	83.4	83.6	91.9	95.4	92.2	92.3	95.3	84.6	87.5
Uniformity 1/											
72 & below		_		.						_	
72 & Delow 73	_		*	*		_	_		_		
73 74		1		*				_ [_		
75	0.3		*	*				*	_		
76	1.9	0.2	0.2	0.3	*	_	*	*	-	_	
77	7.5	1.0	1.4	1.6	0.1	0.3	0.1				*
78	15.5	4.1	6.4	6.4	1.1	3.2	1.2	0.4		*	*
79	15.7	13.9	17.8	17.0	5.2	14.4	5.8	2.0	1.7	1.8	1.7
80	21.7	28.0	29.6	29.0	16.5	29.5	17.4	6.3	12.6	12.2	12.3
81	26.4	30.4	28.0	28.4	33.9	31.3	33.7	19.0	31.8	31.8	31.8
82	9.8	16.7	13.4	13.8	31.9	17.1	30.9	36.9	33.9	33.4	33.6
83	1.2	4.8	2.9	3.2	10.3	3.8	9.9	28.7	16.9	17.4	17.3
84	1.2	0.7	0.2	0.3	1.0	0.3	1.0	6.3	3.0	3.2	3.2
85		÷	*	*	1.0	*	*	0.4	0.1	0.2	0.2
86		_		*		_	*	*		*	*
87					_	_			_	-	
88								_	_		
89				_				_	_	_	_
90 & above								_	_		
verage uniformity	79.7	80.6	80.3	80.3	81.3	80.6	81.2	82.0	81.6	81.6	81.6
Trash 2/											
00	_		*		_		- 1	*	_	-	
01	*	2.5	1.7	1.8	0.2	0.3	0.2	0.9	1.8	2.4	2.3
02	0.4	15.6	11.1	11.4	4.8	5.3	4.8	11.7	12.2	14.6	14.0
03	1.7	22.4	21.5	20.9	17.7	20.4	17.9	26.5	20.0	22.4	21.7
04	2.9	16.8	18.4	17.5	21.7	25.3	22.0	22.7	18.8	18.9	18.9
05	5.5	14.0	16.1	15.3	21.2	24.1	21.4	14.2	14.6	13.6	13.9
06	7.5	9.9	11.2	10.9	14.9	13.9	14.8	10.0	13.5	11.8	12.2
07	10.0	7.1	7.7	7.7	8.9	6.1	8.7	5.1	7.6	6.3	6.
08	10.0	4.1	4.3	4.5	4.8	2.6	4.7	3.3	5.3	4.4	4.7
09	10.5	2.8	3.0	3.2	2.9	1.2	2.8	2.2	3.6	3.0	3.2
10	8.9	1.6	1.7	1.9	1.1	0.4	1.0	1.3	1.2	1.2	1.2
11	8.1	1.1	1.1	1.4	0.6	0.2	0.6	0.7	0.8	0.8	0.8
12	6.9	0.7	0.7	1.0	0.4	0.1	0.4	0.5	0.4	0.4	0.4
13	5.3	0.4	0.5	0.6	0.2	0.1	0.2	0.4	0.1	0.1	0.1
14	4.8	0.3	0.4	0.5	0.1	*	0.1	0.2	0.1	0.1	0.1
15	3.9	0.2	0.2	0.4	0.1		0.1	0.1	*	*	*
16	2.9	0.1	0.1	0.2	0.1	*	*	0.1			*
			0.1	0.2		*		*		*	*
	2.3	U. I									
17 18 & above	2.3 8.2	0.1 0.3	0.2	0.5	0.1	*	0.1	0.1	0.1	0.1	0.1

^{1/} A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles an determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. Less than 0.05 percent.

Table 33. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2004 crop

Mike Groupings,		FLUI	RENCE		LAMESA	LUBBOCK		MACON	
Uniformity and Trash	North Carolina	South Carolina	Virginia	Office	Texas	Texas	Florida	Georgia	Classii
				Total					Total
24 5 below	*	*	-	*	0.3	0.0			
25 - 26	-	-	_		1.0	0.3	-		*
27 - 29	-	-	_			1.2	-	-	
30 - 32	-	0.1	-		4.5	6.5	-	-	-
33 - 34	0.1	0.3	0.1	0.2	11.4	14.1	-	0.3	0.3
35 - 36	0.4	0.8	0.4	0.5	13.2	13.3	0.3	1.0	1.0
37 - 42	15.6	16.5	23.1	16.3	16.2	15.4	2.0	2.7	2.7
43 - 49	72.2	71.1	71.0	71.9	44.5 8.8	40.5	31.0	32.1	32.1
50 - 52	10.4	10.0	5.2	9.9	0.1	8.6	62.5	57.3	57.4
53 & above	1.3	0.9	0.2	1.2	0.1	0.1	4.1	5.7	5.7
Average mike	46	45	45	46	37	36	0.1	0.8	0.7
Mike 35 - 49	88.1	88.5	94.5	88.7	69.6		44	44	44
Uniformity 1/					03.0	64.6	95.4	92.1	92.2
72 & below	-	-	-						
73	-	-	-			-	-	-	-
74	-	-			-	-	-	-	-
75	-	~	~		11	-	-	-	-
76	-	-	-	- 11	0.3	- 11	~	w	*
77	*	*	*		9.8	0.1	-	*	*
78	0.2	0.5	*	0.3	27.1	0.8	-	*	*
79	1.7	4.3	0.7	2.2	37.3	4.8	0.3	2.2	2.2
80	8.8	17.0	4.6	10.1	19.8	17.8	3.7	12.4	12.3
81	26.5	33.2	19.6	27.3	3.4	35.8 29.8	34.2	32.8	32.8
82	38.9	30.0	44.4	37.6	0.2	9.6	44.6	32.7	33.0
83	20.2	12.9	26.2	19.2	*	1.2	15.2	15.8	15.8
84	3.6	1.9	4.4	3.3	*	0.1	2.0	3.7	3.6
85	0.1	*	0.1	0.1	- 11	*	0.2	0.4	0.4
86	-	•	-	- 11	- 11	. !!	~	*	*
87	-	-	-	-	- 11	.	-	*	*
88 89	-	-	-	- 11	-	. 11	_	-	-
90 & above	-	-	-	-	-	.		•	-
rage uniformity	81.8	-	-			- 11		-	•
Trash 2/	01.0	81.3	82.0	81.7	79.7	80.2	80.8	80.6	80.6
00	*								00.0
01	0.1	0.1	*	*	*	*	-	*	*
02	2.5	4.1		0.1	1.0	0.2	0.1	0.2	0.2
03	14.1	18.9	0.7	2.7	9.0	2.9	2.5	4.4	4.4
04	22.8	25.7	7.3 18.0	14.5	19.7	11.0	11.5	17.4	17.2
05	23.3	22.5	25.3	23.0	19.2	16.7	22.3	27.1	27.0
06	17.0	14.2	21.9	23.3	14.8	18.7	23.2	21.5	21.6
07	10.1	7.6	14.1	16.8	13.4	16.0	19.1	14.5	14.6
08	4.9	3.4	6.8	9.9	7.6	11.9	11.4	7.8	7.8
09	2.7	1.8	3.5	4.7	5.6	7.9	5.2	3.7	3.8
10	1.1	0.7	1.2	2.6	3.9	5.4	2.8	1.9	1.9
11	0.6	0.4	0.6	1.1	2.2	3.3	0.8	0.6	0.6
12	0.4	0.2	0.3	0.6	1.4	2.1	0.5	0.3	0.3
13	0.2	0.1	0.3	0.3	0.8	1.4	0.2	0.2	0.2
14	0.1	0.1	0.1	0.2	0.6	0.9	0.1	0.1	0.1
15	*	*	*	0.1	0.4	0.6	0.1	0.1	0.1
16	*	*	*		0.2	0.4	0.1	*	*
17	*	*	*		0.1	0.2	ŵ	*	w
8 & above	*	*	*		0.1	0.2	*	*	*
erage trash	0.52	0.48	0.56	0.52	0.2	0.3	*	*	*
					0.51	0.60			

^{1/} A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. Less than 0.05 percent.

Table 34. – Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2004 crop

MEMPHIS PHOENIX

			MEMPHIS							01
Mike Groupings, Uniformity and Trash	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
								0.5		0.1
24 5 below	-		-			i				0.2
25 - 26	-	-	-	-	-	0.1	0.2	1.1	0.2	0.7
27 - 29	-	-	-	•	-	0.5	0.9	3.3		1.7
30 - 32	0.1	0.1	0.2	0.2	0.1	1.0	1.5	11.4	1.4	
33 - 34	0.6	0.5	0.6	0.5	0.5	1.0	1.5	12.8	1.8	1.8
35 - 36	2.4	2.5	2.0	1.5	2.2	1.8	2.1	14.9	3.1	2.6
	35.5	34.4	27.5	26.8	32.2	15.4	34.3	40.4	44.0	20.4
37 - 42	55.3	55.1	62.9	62.7	57.9	55.7	54.1	15.2	48.8	53.0
43 - 49		6.7	6.0	7.3	6.3	19.6	4.7	0.3	0.6	15.7
50 - 52	5.3		0.5	0.9	0.7	4.9	0.8	-	•	3.8
53 A above	0.7	0.6	44	44	44	46	43	37	42	45
Average mike	44		92.5	91.0	92.2	72.9	90.4	70.5	95.9	76.0
Mike 35 - 49	93.2	92.0	92.5	91.0	32.2	12.0				
Uniformity 1/									_	
72 & below	-	-	-	-	-	-			_	-
73	-	~	-	-	-	-	-			
74	-	•	-	-	-	-	*			
75	-	-	*	-	*			*		0.1
76	-	-	*	-	*	0.1	0.1			0.6
77	*	*	0.1	*	*	0.6	1.0	0.8	0.8	
78	0.1	*	0.7	0.2	0.1	2.6	4.8	3.0	3.6	3.0
79	0.5	0.4	3.8	1.3	0.9	9.1	17.1	13.7	13.2	10.8
80	3.9	3.3	12.4	8.5	5.6	25.2	37.6	30.0	32.4	27.6
	20.6	20.1	27.6	31.1	24.0	36.5	34.1	30.3	34.6	35.7
81	49.6	49.1	37.0	41.8	46.4	20.7	5.2	16.7	13.4	17.8
82		24.3	16.5	15.4	20.8	4.7	0.1	4.8	1.9	3.9
83	23.2		1.9	1.7	2.1	0.5	*	0.6	0.1	0.4
84	2.1	2.7		#	0.1			*	-	*
85	0.1	0.1	0.1		*		_	-	-	-
86	*	*	-					_	_	
87	-	-	-	•	-	11		_	-	-
88	-	-	-	-	•	-	-		_	
89	-	-	-	-	-	-	-		_	
90 & above	-	-	-	-			- 00.4	80.6	80.4	80.7
Average uniformity	82.0	82.0	81.5	81.7	81.9	80.8	80.1	80.6	00.4	00.7
Trash 2/							*	*		*
00	*	*	*	*	*	П			42.2	24.9
01	0.9	2.6	0.2	1.0	1.3	28.2	10.9	14.7		34.1
02	9.3	15.0	4.7	10.6	10.8	35.4	29.0	28.1	41.8	
03	21.1	24.8	15.3	23.0	22.2	18.9	30.5	25.4	11.4	21.0
04	22.5	22.3	19.5	22.9	22.4	7.9	15.9	14.0	2.3	9.4
05	18.0	15.9	18.1	17.1	17.2	3.3	6.6	7.4	1.1	4.0
06	13.4	10.3	16.1	12.1	12.4	1.9	3.3	4.9	0.8	2.3
07	7.8	5.2	10.7	6.6	7.0	1.0	1.3	2.3	0.3	1.1
	3.9	2.3	6.6	3.4	3.5	0.7	0.9	1.4	0.1	0.8
08	2.1	1.1	4.3	1.9	1.9	0.6	0.7	0.7	0.1	0.6
09	1			0.7	0.6	0.4	0.4	0.4	*	0.4
10	0.6	0.3	1.7 1.2	0.4	0.4	0.3	0.2	0.2	*	0.3
11	0.3	0.1		0.4	0.1	0.2	0.1	0.1	-	0.2
12	0.1		0.4		*	0.2	0.1	0.1	*	0.2
13	*	7	0.2	0.1		0.2	0.1	*	_	0.1
14	*		0.2			0.2	*			0.1
15	*	*	0.2			13	*	*		0.1
16	*	*	0.2			0.1		*		0.1
17	*	*	0.1	*		0.1		0.1		0.4
18 above	*	*	0.3	*	*	0.5	•	0.1	-	
10 m above			The same of the sa	0.45	0.45	0.25	0.31	0.32	0.18	0.27

Average trash 0.46 0.41 0.54 0.45 0.45 0.45 0.51 0.52

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. Less than 0.05 percent.

Table 35. — Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2004 crop

RAYVILLE **VISALIA** Mike Groupings, Classing **Uniformity and** Arkansas Louisiana Mississippi Office California UNITED Trash Total STATES 24 & below 0.1 25 - 26 27 - 29 1.5 30 - 320.2 0.1 3.4 33 - 34 0.2 0.9 0.1 0.5 3.7 35 - 36 0.2 0.5 0.2 1.6 5.2 37 - 42 6.1 5.9 8.1 6.0 35.4 29.6 43 - 49 69.2 70.7 69.2 70.6 58.8 49.0 50 - 52 22.9 21.3 20.1 21.3 3.3 6.4 53 & above 16 1.0 1.7 0.1 5.8 Average mike 47 47 47 47 44 42.6 Mike 25 - 40 75.3 76.8 77.7 76.8 95.8 83.8 Uniformity 1/ 72 & below 73 74 75 76 0.1 77 0.1 0.4 78 0.1 0.5 0.2 0.5 0.4 2.2 79 2.3 4.6 2.6 4.4 1.8 8.3 80 13.9 20.4 13.3 19.8 7.0 19.6 81 31.3 34.5 30.6 34.2 30.3 28.5 82 43.6 26.6 33.7 27.3 44.0 27.3 83 8.8 11.6 16.9 11.9 13.6 11.7 84 1.7 2.7 1.8 2.0 1.8 85 0.1 0.5 0.1 86 0.2 87 88 89 90 & above Average uniformity 81.4 81.2 81.6 81.3 81.7 81.1 Trash 2/ 00 01 0.7 1.7 1.1 1.6 33.2 4.3 02 7.0 11.9 6.3 11.5 37.6 11.4 03 8.0 21.6 16.5 21.2 17.6 18.7 04 8.8 20.9 22.2 20.9 6.7 19.1 05 12.4 17.1 21.1 17.3 2.7 16.0 06 14.3 11 1 13.9 11.3 1.3 12.1 07 15.9 7.6 9.7 7.8 0.5 7.4 08 11.2 4.1 5.1 4.2 0.2 4.4 09 8.3 2.3 2.6 2.4 0.1 2.8 10 4.8 0.8 0.7 0.8 1.4 11 3.2 0.5 0.4 0.5 0.9 12 2.3 0.3 0.2 0.3 0.5 13 1.3 0.1 0.1 0.3 14 0.8 0.1 0.1 0.2 15 0.3 0.1 16 0.2 0.1 17 0.2 0.1

0.49

0.46

0.22

0.45

0.1

0.47

18 & above

Average trash

0.4

0.65

^{1/} A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. Less than 0.05 percent.

Table 36. — Percentage distribution of color, staple and uniformity for American Pima cotton classed, by states and United States, 2004 crop.

Quality	l s of				State	New Mex	vico T	Texas	3	Unite State	
Designation	Leaf	Arizo	AND RESIDENCE AND RESIDENCE AND RESIDENCE	Califor		518	2.9	357	0.9	99,306	13.9
	1	1,783	32.9	96,648	14.7 4.5	1,387	7.9	582	1.5	32,695	4.6
	2	989	18.3	29,737	*	187	1.1	4	*	516	0.1
	3	•		325 51		1	* 1	-	-	52	*
01	4	-		2		-	-	-	-	2	_
}	5	-		-		-	- 1	-	-		-
	6 7	_	_	-	-			943	2.5	132,571	18.5
Total		2,772	51.2	126,763	19.3	2,093	11.8	2,517	6.7	172,484	7.5
TOtal	1	367	6.8	50,591	7.7	424	2.4	26,759	70.9	63,583	40.1
	2	1,487	27.5	251,855	38.4	7,259	41.1 33.6	3,330	8.8	10,663	8.9
	3	115	2.1	54,457	8.3	5,9 44 738	4.2	130	0.3	2,326	1.0
02	4	1	*	6,325	1.0	32	0.2	1	*	463	0.1
	5	-	-	663	0.1	-	-	-	-	18	
	6	-	-	27		-	-	-	-		57.6
	7	4 070	36.3	363,918	55.5	14,397	81.5	32,737	86.8	249,537	0.1
Total		1,970	3.3	234	*	5		24	0.1	2,210 6,910	2.8
	1 2	180	3.3	17,952	2.7	143	0.8	1,839	4.9 4.7	3,508	7.8
	3	179	0.4	54,033	8.2	420	2.4	1,782	0.3	1,619	3.1
03	4	20	0.1	22,035	3.4	272	1.5	121 8	*	593	1.0
03	5	4	-	6,809	1.0	52	0.3	0	_	319	0.1
	6	_	-	380	0.1	Ī		_	-	3	-
	7	•	-	-	15.4	892	5.0	3,774	10.0	15,162	14.9
Total		383	7.1	101,443	15.4	032	-	-	-	43	•
	1	-	0.3	57 6 271	1.0	7	*	19	0.1	558	0.9
	2	14	2.1	6,271	2.3	9	0.1	135	0.4	828	2.2
	3	112	1.3	15,242 17,876	2.7	93	0.5	41	0.1	581	2.5 0.7
04	4	69	0.6 0.1	5,099	0.8	45	0.3	-	-	488	0.7
	5	31 7	0.1	616	0.1	2	*	-	-	314 31 _	V. 1 *
	6 7	'		32	*	-	-	195	0.5	2,843	6.4
Total		233	4.3	45,193	6.9	156	0.8	130	3.0	2	*
Total	1	-	-	4	*	-	-	_	-	63	0.1
	2	-	- !	783	0.1	2	*	11	*	128	0.5
	3	4	0.1	3,628	0.6 0.9	36	0.2	15	*	122	8.0
05	4	4	0.1	5,615	0.9	48	0.3	1	*	168	0.7
	5	29	0.5	4,596 504	0.1	37	0.2	-	-	127	0.1
	6	10	0.2	56	*	-	-	-		653	2.1
7-1-1	7	47	0.9	15,186	2.3	123	0.7	27	0.0	-	*
Total	1 1		-	-	-	-	-	1		4	
	2	-	-	108	*	-	-	5		2	0.1
	3	-	-	632	0.1	-		31	0.1	10	0.1
06	4	-	-	861	0.1	-	_	3	*	21	0.2
	5	-	•	1,122	0.2 0.1	4	•	-	-	19	0.1
	6	5	0.1	610 90	*		-	-	-	9	0.5
	7	5	0.1	3,423	0.5	4	0.0	40	0.1	65	0.5
Total -	4		0.1	1	*	-	-	-	-	1	*
	1 2		_	15	*	-	-	-		1 1	*
	3		-	48	*	-	-	7	*		*
07	4			49	*	-		2	-	_	
01	5	-		62	*	-			-	-	*
	6	4	0.1	50						-	*
	7	1_1_	*	265	0.0	0	0.0	9	0.0	0	0.0
Total -		5	0.1	205	0.0						
STA				7				-	-	7	*
	shorter	-	*	443	0.1	3	*	2	*	450	0.1
	2	2 789	14.6	57,135	8.7	551	3.1	3,857	10.2	62,332 397,955	8.7 55.5
	14 16	2,556	47.2	365,927	55.8	6,982	39.5	22,490	59.6 30.2	256,261	35.7
	longer	2,070	38.2	232,684	35.5	10,131	57.3	11,376	30.2	200,201	6.5
	rage		46.5	1	16.5	4	7.1				
	RMITY								-	-	-
	below	-		-				-		-	-
	73	-	-	1		-		-	-		-
	74	-			_	-	-	-	•	-	-
	75	-			-	-	-	-	-		
	76 7 7			-	-	-	•	-	•	-	
	7 7 78			-	-	-	-			4	*
	78 79	-		4	*	1	-	9	*	64	*
	80	5	0.1	47	•	3		192	0.5	1,474	0.2
	81	12	0.2	1,218	0.2	52	0.3 1.6	1,217	3.2	9,992	1.4
	82	100	1.8	8,389	1.3	286 1,470	8.3	4,561	12.1	49,494	6.9
	83	494	9.1	42,969	6.5	3,944	22.3	10,279	27.2	161,842	22.6
	84	1,353	25.0	146,266	22.3 41.1	6,094	34.5	11,397	30.2	289,069	40.3
	85	1,711	31.6	269,867 149,460	22.8	4,176	23.6	7,016	18.6	161,848	22.6
	86	1,196	22.1	34,804	5.3	1,389	7.9	2,469	6.5	39,104	5.5
	87	442	8.2 1.9	3,099	0.5	230	1.3	545	1.4	3,975	0.6
	88	101	0.1	73	*	22	0.1	40	0.1	138	
	89	3	0.1	-		1	*	-	- 047	11	84.9
	ADDVE				84.9		85.0		84.7		
90 8	erage		84.9		04.3		7,667		37,725	7	17,005

Table 37. -- Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 2004 crop.

and Add-					State					
and Mike Mike groups	Ariz	ona	Califo	rnia	New N	Mexico	Tex	as	United	States
24 & below										
25 - 26			38			-	5		-	1
27 - 29	7	0.1	1,219	0.2	72	0.4	438	1.2	43	
30 - 32	101	1.9	7,117	1.1	494	2.8	1,648	4.4	1,736 9,360	0.2
33 - 34	101	1.9	10,445	1.6	870	4.9	3,107	8.2	14.523	1.3
35 - 36	167	3.1	20,415	3.1	1,396	7.9	5,274	14.0	27,252	3.8
37 - 42	3,970	73.3	472,566	72.0	9,135	51.7	22,235	58.9	507,906	70.8
43 - 49	1,071	19.8	144,371	22.0	5,700	32.3	5,018	13.3	156,160	21.8
50 - 52	-	-	22	*		-			22	*
53 & above	-	-	3	*	-	-	-		3	*
Average mike	4	0	41		4	0	39		40	
Mike readings										
24 & below										
25 26	-	•	1	:	-	-	-	-	1	
27	-	-	90		-	•	5	*	42	
28	2		305		6 8		48	0.1	144	*
29	5	0.1	824	0.1	58	0.3	134 256	0.4	449	0.1
30	15	0.3	1,448	0.2	108	0.6	345	0.7	1,143	0.2
31	54	1.0	2,299	0.4	167	0.9	415	1.1	2,935	0.4
32	32	0.6	3,370	0.5	219	1.2	888	2.4	4,509	0.4
33	56	1.0	4,559	0.7	363	2.1	1,303	3.5	6,281	0.9
34	45	0.8	5,886	0.9	507	2.9	1,804	4.8	8,242	1.1
35 36	56	1.0	8,044	1.2	628	3.6	2,425	6.4	11,153	1.6
36 37	111 220	2.0	12,371	1.9	768	4.3	2,849	7.6	16,099	2.2
38	639	4.1 11.8	24,022	3.7	951	5.4	3,542	9.4	28,735	4.0
39	948	17.5	49,446 80,964	7.5 12.3	1,160 1,459	6.6 8.3	3,895	10.3	55,140	7.7
40	933	17.3	107,576	16.4	1,459	9.5	4,129 4,020	10.9 10.7	87,500 114,210	12.2
41	707	13.1	111,704	17.0	1,848	10.5	3,596	9.5		15.9
42	523	9.7	98,854	15.1	2,036	11.5	3,053	8.1	117,855 104,466	16.4 14.6
43	499	9.2	75,561	11.5	1,948	11.0	2,097	5.6	80,105	11.2
44	336	6.2	43,395	6.6	1,620	9.2	1,351	3.6	46,702	6.5
45	185	3.4	18,046	2.8	1,091	6.2	832	2.2	20,154	2.8
46	41	0.8	5,262	0.8	636	3.6	407	1.1	6,346	0.9
47 48	9	0.2	1,562	0.2	269	1.5	197	0.5	2,037	0.3
49	'		416	0.1	105	0.6	96	0.3	618	0.1
50			129 15		31	0.2	38	0.1	198	*
51			6			-		-	15	
52	-		1	*			1		6	
53	-	-	2	*	-	_			2	
54	-		1		-	-	-		1	
55	-	-	-	-	-	-	-			- 1
56		- 7								
57	-	-	-	-	-	-	4	-	-	-
58		-	-	-	-	-	-	-	-	-
59 60 & above		-	-	-	-	-	-	-	-	-
Average mike	40	-	41	-	-	-	-	-	•	-
Strength	70		41		40		39		40	
outrigut										
17 & below	-	-	-	-		-		-	-	-
	-	-	-	-		-			-	-
17 & below 18	-	-	:		-	-				-
17 & below 18 19					-	-			-	
17 & below 18 19 20 21 22						-				
17 & below 18 19 20 21 22 23		-				-				
17 & below 18 19 20 21 22 23 24										
17 & below 18 19 20 21 22 23 24 25										
17 & below 18 19 20 21 22 23 24									-	
17 & below 18 19 20 21 22 23 24 25 26									4	
17 & below 18 19 20 21 22 23 24 25 26 27			4							
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30			4 21 36 65		2				4 21	
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31			4 21 36 65 131		1		7		4 21 36	
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32			4 21 36 65 131 762	0.1	1 13	0.1	7 21	0.1	4 21 36 68 139 796	0.1 0.2
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33			4 21 36 65 131 762 2,279	0.1 0.3	1 13 80	0.1 0.5	7 21 201	0.1	4 21 36 68 139 796 2,611	* 0.1 0.2 0.5
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34	- - - - - - - - - - - - - - - - - - -		4 21 36 65 131 762 2,279 5,319	0.1 0.3 0.8	1 13 80 293	0.1 0.5 0.3	7 21 201 697	0.1	4 21 36 68 139 796 2,611 6,497	* 0.1 0.2 0.5 0.9
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	- - - - - - - - - - - 1 188 342	- - - - - - - - 0.9 3.5 6.3	4 21 36 65 131 762 2,279 5,319 8,804	0.1 0.3 0.8 1.3	1 13 80 293 618	* 0.1 0.5 0.3 1.2	7 21 201 697 1,788	0.1 * 0.1 0.6	4 21 36 68 139 796 2,611 6,497 11,552	* 0.1 0.2 0.5 0.9 1.3
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36	- - - - - - - - - - - - - - - - - - -	- - - - - - 0.9 3.5 6.3 10.1	4 21 36 65 131 762 2,279 5,319 8,804	0.1 0.3 0.8 1.3 2.2	1 13 80 293 618 1,072	0.1 0.5 0.3 1.2 3.4	7 21 201 697 1,788 3,173	0.1 0.1 0.1 0.6 2.2	4 21 36 68 139 796 2,611 6,497 11,552	* 0.1 0.2 0.5 0.9 1.3
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37	- - - - - - - - - - - - - - - - - - -		4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727	0.1 0.3 0.8 1.3 2.2 3.8	1 13 80 293 618 1,072 1,716	* 0.1 0.5 0.3 1.2 3.4 7.8	7 21 201 697 1,788 3,173 4,873	0.1 * 0.1 0.6 2.2 6.0	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928	0.1 0.2 0.5 0.9 1.3 2.0 3.7
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36	- - - - - - - - - - - - - - - - - - -	- - - - - - 0.9 3.5 6.3 10.1	4 21 36 65 131 762 2,279 5,319 8,804	0.1 0.3 0.8 1.3 2.2	1 13 80 293 618 1,072	0.1 0.5 0.3 1.2 3.4	7 21 201 697 1,788 3,173 4,873 7,195	0.1 0.6 2.2 6.0	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719	0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38	- - - - - - - - - - - - - - - - - - -	0.9 3.5 6.3 10.1 11.3 13.5	4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727 50,305	0.1 0.3 0.8 1.3 2.2 3.8 7.7	1 13 80 293 618 1,072 1,716 2,487	0.1 0.5 0.3 1.2 3.4 7.8	7 21 201 697 1,788 3,173 4,873 7,195 6,771	0.1 0.1 0.6 2.2 6.0 14.3 22.0	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719 98,863	0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3 12.2
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39		0.9 3.5 6.3 10.1 11.3 13.5 11.9	4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727 50,305 88,772	0.1 0.3 0.8 1.3 2.2 3.8 7.7 13.5	1 13 80 293 618 1,072 1,716 2,487 2,673	0.1 0.5 0.3 1.2 3.4 7.8 15.3 20.4	7 21 201 697 1,788 3,173 4,873 7,195	0.1 0.6 2.2 6.0	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719	* 0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3 12.2 17.5
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42		0.9 3.5 6.3 10.1 11.3 13.5 11.9 16.5 12.8 6.8	4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727 50,305 88,772 122,299 129,309 100,300	0.1 0.3 0.8 1.3 2.2 3.8 7.7 13.5 18.6 19.7 15.3	1 13 80 293 618 1,072 1,716 2,487 2,673 2,659 2,350 1,712	* 0.1 0.5 0.3 1.2 3.4 7.8 15.3 20.4 19.9	7 21 201 697 1,788 3,173 4,873 7,195 6,771 5,630	0.1 0.1 0.6 2.2 6.0 14.3 22.0 22.7	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719 98,863 131,484	0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3 12.2
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	51 188 342 549 612 732 647 896 692 366 224	0.9 3.5 6.3 10.1 11.3 13.5 11.9 16.5 12.8 6.8 4.1	4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727 50,305 88,772 122,299 100,300 59,985	0.1 0.3 0.8 1.3 2.2 3.8 7.7 13.5 18.6 19.7 15.3 9.1	1 13 80 293 618 1,072 1,716 2,487 2,673 2,659 2,350 1,712 1,023	* 0.1 0.5 0.3 1.2 3.4 7.8 15.3 20.4 19.9 15.6 8.8 4.5	7 21 201 697 1,788 3,173 4,873 7,195 6,771 5,630 3,726 2,003 996	* 0.1 * 0.1 0.6 2.2 6.0 14.3 22.0 22.7 17.2 8.5 3.8	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719 98,863 131,484 136,077	* 0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3 12.2 17.5 19.2
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44		0.99 3.5 6.3 10.1 11.3 13.5 11.9 16.5 12.8 6.8 4.1 1.5	4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727 50,305 88,772 122,299 129,309 100,300 59,985 29,972	0.1 0.3 0.8 1.3 2.2 3.8 7.7 13.5 18.6 19.7 15.3 9.1 4.6	1 13 80 293 618 1,072 1,716 2,487 2,673 2,659 2,350 1,712 1,023 583	* 0.1 0.5 0.3 1.2 3.4 7.8 15.3 20.4 19.9 15.6 8.8 4.5 1.8	7 21 201 697 1,788 3,173 4,873 7,195 6,771 5,630 3,726 2,003 996 450	0.1 0.1 0.6 2.2 6.0 14.3 22.0 22.7 17.2 8.5 3.8 1.7	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719 98,863 131,484 136,077 104,381 62,228 31,086	0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3 12.2 17.5 19.2 15.6 10.1 5.4
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above		0.9 3.5 6.3 10.1 11.3 13.5 11.9 16.5 12.8 6.8 4.1 1.5 0.7	4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727 50,305 88,772 122,299 129,309 100,300 59,985 29,972 18,868	0.1 0.3 0.8 1.3 2.2 3.8 7.7 13.5 18.6 19.7 15.3 9.1	1 13 80 293 618 1,072 1,716 2,487 2,673 2,659 2,350 1,712 1,023 583 385	* 0.1 0.5 0.3 1.2 3.4 7.8 15.3 20.4 19.9 15.6 8.8 4.5 1.8 0.8	7 21 201 697 1,788 3,173 4,873 7,195 6,771 5,630 3,726 2,003 996 450 193	* 0.1 * 0.1 0.6 2.2 6.0 14.3 22.0 22.7 17.2 8.5 3.8	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719 98,863 131,484 136,077 104,381 62,228 31,086 19,483	* 0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3 12.2 17.5 19.2 15.6 10.1
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average Strength		0.9 3.5 6.3 10.1 11.3 13.5 11.9 16.5 12.8 6.8 4.1 1.5 0.7	4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727 50,305 88,772 122,299 129,309 100,300 59,985 29,972	0.1 0.3 0.8 1.3 2.2 3.8 7.7 13.5 18.6 19.7 15.3 9.1 4.6	1 13 80 293 618 1,072 1,716 2,487 2,673 2,659 2,350 1,712 1,023 583	* 0.1 0.5 0.3 1.2 3.4 7.8 15.3 20.4 19.9 15.6 8.8 4.5 1.8 0.8	7 21 201 697 1,788 3,173 4,873 7,195 6,771 5,630 3,726 2,003 996 450	0.1 0.1 0.6 2.2 6.0 14.3 22.0 22.7 17.2 8.5 3.8 1.7	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719 98,863 131,484 136,077 104,381 62,228 31,086	0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3 12.2 17.5 19.2 15.6 10.1 5.4
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average Strength Extraneous matter		0.9 3.5 6.3 10.1 11.3 13.5 11.9 16.5 6.8 4.1 1.5 0.7	4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727 50,305 88,772 122,299 129,309 100,300 59,985 29,972 18,868	0.1 0.3 0.8 1.3 2.2 3.8 7.7 13.5 18.6 19.7 15.3 9.1 4.6 2.9	1 13 80 293 618 1,072 1,716 2,487 2,673 2,659 2,350 1,712 1,023 583 385	* 0.1 0.5 0.3 1.2 3.4 7.8 15.3 20.4 19.9 15.6 8.8 4.5 1.8 0.8	7 21 201 697 1,788 3,173 4,873 7,195 6,771 5,630 3,726 2,003 996 450 193 38.70	0.1 0.6 0.2 6.0 14.3 22.0 7 17.2 8.5 3.8 1.7 0.9	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719 98,863 131,484 136,077 104,381 62,228 31,086 19,483	* 0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3 12.2 17.5 19.2 15.6 10.1 5.4 3.8
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average Strength Extraneous matter Bark	51 188 342 549 612 732 647 896 692 366 224 81 37	0.9 3.5 6.3 10.1 11.3 13.5 11.9 16.5 12.8 6.8 4.1 1.5 0.7	4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727 50,305 88,772 122,299 100,300 59,985 29,972 18,868 40.50	0.1 0.3 0.8 1.3 2.2 3.8 7.7 13.5 18.6 19.7 15.3 9.1 4.6 2.9	1 13 80 293 618 1,072 1,716 2,487 2,673 2,659 2,350 1,712 1,023 583 385 39,50	* 0.1 0.5 0.3 1.2 3.4 7.8 15.3 20.4 19.9 15.6 8.8 4.5 1.8 0.8	7 21 201 697 1,788 3,173 4,873 7,195 6,771 5,630 3,726 2,003 996 450 193 38.70	0.1 0.1 0.6 2.2 6.0 14.3 22.0 22.7 17.2 8.5 3.8 1.7 0.9	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719 98,863 131,484 136,077 104,381 62,228 31,086 19,483 40,30	* 0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3 12.2 17.5 19.2 15.6 10.1 5.4 3.8 0.3
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average Strength Extraneous matter Bark Grass	51 188 342 549 612 732 647 896 692 366 224 81 37 38.80	0.9 3.5 6.3 10.1 11.3 13.5 11.9 16.5 12.8 6.8 4.1 1.5 0.7	4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727 50,305 88,772 122,299 129,309 100,300 59,985 29,972 18,868 40.50	0.1 0.3 0.8 1.3 2.2 3.8 7.7 13.5 18.6 19.7 15.3 9.1 4.6 2.9	1 13 80 293 618 1,072 1,716 2,487 2,673 2,659 2,350 1,712 1,023 583 385 39.50	* 0.1 0.5 0.3 1.2 3.4 7.8 15.3 20.4 19.9 15.6 8.8 4.5 1.8 0.8	7 21 201 697 1,788 3,173 4,873 7,195 6,771 5,630 3,726 2,003 996 450 193 38.70	0.1 0.1 0.6 2.2 6.0 14.3 22.0 22.7 17.2 8.5 3.8 1.7 0.9	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719 98,863 131,484 136,077 104,381 62,228 31,086 19,483 40.30	* 0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3 12.2 17.5 19.2 15.6 10.1 5.4 3.8 0.3 0.1
17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average Strength Extraneous matter Bark	51 188 342 549 612 732 647 896 692 366 224 81 37	0.9 3.5 6.3 10.1 11.3 13.5 11.9 16.5 12.8 6.8 4.1 1.5 0.7	4 21 36 65 131 762 2,279 5,319 8,804 14,235 24,727 50,305 88,772 122,299 100,300 59,985 29,972 18,868 40.50	0.1 0.3 0.8 1.3 2.2 3.8 7.7 13.5 18.6 19.7 15.3 9.1 4.6 2.9	1 13 80 293 618 1,072 1,716 2,487 2,673 2,659 2,350 1,712 1,023 583 385 39,50	* 0.1 0.5 0.3 1.2 3.4 7.8 15.3 20.4 19.9 15.6 8.8 4.5 1.8 0.8	7 21 201 697 1,788 3,173 4,873 7,195 6,771 5,630 3,726 2,003 996 450 193 38.70	0.1 0.1 0.6 2.2 6.0 14.3 22.0 22.7 17.2 8.5 3.8 1.7 0.9	4 21 36 68 139 796 2,611 6,497 11,552 19,029 31,928 60,719 98,863 131,484 136,077 104,381 62,228 31,086 19,483 40,30	* 0.1 0.2 0.5 0.9 1.3 2.0 3.7 7.3 12.2 17.5 19.2 15.6 10.1 5.4 3.8 0.3

* Less than 0.05 percent. NOTE: Totals may not add due to rounding.

